

## Chapter 2 Solutions

$$\begin{aligned}
 2.1 \quad \frac{\partial^2 \psi}{\partial z^2} &= \frac{1}{v^2} \frac{\partial^2 \psi}{\partial t^2} \\
 \frac{\partial \psi}{\partial z} &= 2(z + vt) \\
 \frac{\partial^2 \psi}{\partial z^2} &= 2 \\
 \frac{\partial \psi}{\partial t} &= 2v(z + vt) \\
 \frac{\partial^2 \psi}{\partial t^2} &= 2v^2
 \end{aligned}$$

It's a twice differentiable function of  $(z - vt)$ , where  $v$  is in the negative  $z$  direction.

$$\begin{aligned}
 2.2 \quad \frac{\partial^2 \psi}{\partial y^2} &= \frac{1}{v^2} \frac{\partial^2 \psi}{\partial t^2} \\
 \psi(y, t) &= (y - 4t)^2 \\
 \frac{\partial \psi}{\partial y} &= 2(y - 4t) \\
 \frac{\partial^2 \psi}{\partial y^2} &= 2 \\
 \frac{\partial \psi}{\partial t} &= -8(y - 4t) \\
 \frac{\partial^2 \psi}{\partial t^2} &= 32
 \end{aligned}$$

Thus,  $v = 4$ ,  $v^2 = 16$ , and,

$$\frac{\partial^2 \psi}{\partial y^2} = 2 = \frac{1}{16} \frac{\partial^2 \psi}{\partial t^2}$$

The velocity is  $v = 4$  in the positive  $y$  direction.

2.3 Starting with:

$$\begin{aligned}
 \psi(z, t) &= \frac{A}{(z - vt)^2 + 1} \\
 \frac{\partial^2 \psi}{\partial z^2} &= \frac{1}{v^2} \frac{\partial^2 \psi}{\partial t^2} \\
 \frac{\partial \psi}{\partial z} &= -2A \frac{(z - vt)}{[(z - vt)^2 + 1]} \\
 \frac{\partial^2 \psi}{\partial z^2} &= -2A \left[ \frac{-2(z - vt)^2}{[(z - vt)^2 + 1]^3} + \frac{1}{[(z - vt)^2 + 1]^2} \right] \\
 &= -2A \left[ \frac{-4(z - vt)^2}{[(z - vt)^2 + 1]^3} + \frac{(z - vt)^2 + 1}{[(z - vt)^2 + 1]^3} \right] \\
 &= 2A \frac{3(z - vt)^2 - 1}{[(z - vt)^2 + 1]^3}
 \end{aligned}$$

$$\begin{aligned}\frac{\partial \psi}{\partial t} &= 2Av \frac{(z-vt)}{[(z-vt)^2+1]^2} \\ \frac{\partial^2 \psi}{\partial t^2} &= 2Av \frac{\partial}{\partial t} \left( \frac{(z-vt)}{[(z-vt)^2+1]^2} \right) \\ &= 2Av \left[ \frac{-v}{[(z-vt)^2+1]^2} + (z-vt) \frac{4v(z-vt)}{[(z-vt)^2+1]^3} \right] \\ &= 2Av \left[ \frac{-v[(z-vt)^2+1]}{[(z-vt)^2+1]^2} + \frac{4v(z-vt)^2}{[(z-vt)^2+1]^3} \right] \\ &= 2Av^2 \frac{3(z-vt)^2-1}{[(z-vt)^2+1]^3}\end{aligned}$$

Thus since

$$\frac{\partial^2 \psi}{\partial z^2} = \frac{1}{v^2} \frac{\partial^2 \psi}{\partial t^2}$$

The wave moves with velocity  $v$  in the positive  $z$  direction.

**2.4**  $c = v\lambda$

$$v = \frac{c}{\lambda} = \frac{3 \times 10^8 \text{ m/s}}{5.145 \times 10^{-7} \text{ m}} = 5.831 \times 10^{14} \text{ Hz}$$

**2.5** Starting with:

$$\psi(y, t) = A \exp[-a(by-ct)^2]$$

$$\psi(y, t) = A \exp[a(by-ct)^2] = A \exp[a(by-ct)^2]$$

$$\frac{\partial \psi}{\partial t} = -\frac{2Aa}{b^2} \frac{c}{b} \left( y - \frac{c}{b}t \right) \exp[a(by-ct)^2]$$

$$\frac{\partial^2 \psi}{\partial t^2} = \frac{4Aa^2}{b^4} \frac{c^2}{b^2} \left( y - \frac{c}{b}t \right)^2 \exp[a(by-ct)^2]$$

$$\frac{\partial \psi}{\partial y} = -\frac{2Aa}{b^2} \left( y - \frac{c}{b}t \right) \exp[a(by-ct)^2]$$

$$\frac{\partial^2 \psi}{\partial y^2} = \frac{4Aa^2}{b^4} \left( y - \frac{c}{b}t \right)^2 \exp[a(by-ct)^2]$$

Thus  $\psi(y, t) = A \exp[-a(by-ct)^2]$  is a solution of the wave equation with  $v = c/b$  in the +  $y$  direction.

**2.6**  $(0.003) (2.54 \times 10^{-2} / 580 \times 10^{-9}) = \text{number of waves} = 131, c = v\lambda,$

$$\lambda = c/v = 3 \times 10^8 / 10^{10}, \lambda = 3 \text{ cm. Waves extend } 3.9 \text{ m.}$$

**2.7**  $\lambda = c/v = 3 \times 10^8 / 5 \times 10^{14} = 6 \times 10^{-7} \text{ m} = 0.6 \mu \text{ m.}$

$$\lambda = 3 \times 10^8 / 60 = 5 \times 10^6 \text{ m} = 5 \times 10^3 \text{ km.}$$

**2.8**  $v = \lambda \nu = 5 \times 10^{-7} \times 6 \times 10^8 = 300 \text{ m/s.}$

**2.9** The time between the crests is the period, so  $\tau = 1/2$  s; hence  $\nu = 1/\tau = 2.0$  Hz. As for the speed  $v = L/t = 4.5 \text{ m}/1.5 \text{ s} = 3.0 \text{ m/s}$ . We now know  $\tau$ ,  $\nu$ , and  $v$  and must determine  $\lambda$ . Thus,  
 $\lambda = v/\nu = 3.0 \text{ m/s}/2.0 \text{ Hz} = 1.5 \text{ m}$ .

**2.10**  $v = \nu\lambda = 3.5 \times 10^3 \text{ m/s} = \nu(4.3 \text{ m})$ ;  $\nu = 0.81 \text{ kHz}$ .

**2.11**  $v = \nu\lambda = 1498 \text{ m/s} = (440 \text{ Hz})\lambda$ ;  $\lambda = 3.40 \text{ m}$ .

**2.12**  $v = (10 \text{ m})/2.0 \text{ s} = 5.0 \text{ m/s}$ ;  $\nu = v/\lambda = (5.0 \text{ m/s})/(0.50 \text{ m}) = 10 \text{ Hz}$ .

**2.13**  $v = \nu\lambda = (\omega/2\pi)\lambda$  and so  $\omega = (2\pi/\lambda)v$ .

**2.14**

$\theta$	$-\pi/2$	$-\pi/4$	0	$\pi/4$	$\pi/2$	$3\pi/4$
$\sin \theta$	-1	$-\sqrt{2}/2$	0	$\sqrt{2}/2$	1	$\sqrt{2}/2$
$\cos \theta$	0	$\sqrt{2}/2$	1	$\sqrt{2}/2$	0	$-\sqrt{2}/2$
$\sin(\theta - \pi/4)$	$-\sqrt{2}/2$	-1	$-\sqrt{2}/2$	0	$\sqrt{2}/2$	1
$\sin(\theta - \pi/2)$	0	$-\sqrt{2}/2$	-1	$-\sqrt{2}/2$	0	$\sqrt{2}/2$
$\sin(\theta - 3\pi/4)$	$\sqrt{2}/2$	0	$-\sqrt{2}/2$	-1	$-\sqrt{2}/2$	0
$\sin(\theta + \pi/2)$	0	$\sqrt{2}/2$	1	$\sqrt{2}/2$	0	$-\sqrt{2}/2$
$\theta$	$\pi$	$5\pi/4$	$3\pi/2$	$7\pi/4$	$2\pi$	
$\sin \theta$	0	$-\sqrt{2}/2$	-1	$-\sqrt{2}/2$	0	
$\cos \theta$	-1	$-\sqrt{2}/2$	0	$\sqrt{2}/2$	1	
$\sin(\theta - \pi/4)$	$\sqrt{2}/2$	0	$-\sqrt{2}/2$	-1	$-\sqrt{2}/2$	
$\sin(\theta - \pi/2)$	1	$\sqrt{2}/2$	0	$-\sqrt{2}/2$	-1	
$\sin(\theta - 3\pi/4)$	$\sqrt{2}/2$	1	$\sqrt{2}/2$	0	$-\sqrt{2}/2$	
$\sin(\theta + \pi/2)$	-1	$-\sqrt{2}/2$	0	$\sqrt{2}/2$	1	

$\sin \theta$  leads  $\sin(\theta - \pi/2)$ .

**2.15**

$x$	$-\lambda/2$	$-\lambda/4$	0	$\lambda/4$	$\lambda/2$	$3\lambda/4$	$\lambda$
$kx = \frac{2\pi x}{\lambda}$	$-\pi$	$-\pi/2$	0	$\pi/2$	$\pi$	$3\pi/2$	$2\pi$
$\cos(kx - \pi/4)$	$-\sqrt{2}/2$	$-\sqrt{2}/2$	$\sqrt{2}/2$	$\sqrt{2}/2$	$-\sqrt{2}/2$	$-\sqrt{2}/2$	$\sqrt{2}/2$
$\cos(kx + 3\pi/4)$	$\sqrt{2}/2$	$\sqrt{2}/2$	$-\sqrt{2}/2$	$-\sqrt{2}/2$	$\sqrt{2}/2$	$\sqrt{2}/2$	$-\sqrt{2}/2$

**2.16**

$t$	$-\tau/2$	$-\tau/4$	0	$\tau/4$	$\tau/2$	$3\tau/4$	$\tau$
$\omega t = (2\pi/\tau)t$	$-\pi$	$-\pi/2$	0	$\pi/2$	$\pi$	$3\pi/2$	$2\pi$
$\sin(\omega t + \pi/4)$	$-\sqrt{2}/2$	$-\sqrt{2}/2$	$\sqrt{2}/2$	$\sqrt{2}/2$	$-\sqrt{2}/2$	$-\sqrt{2}/2$	$\sqrt{2}/2$
$\sin(\pi/4 - \omega t)$	$-\sqrt{2}/2$	$\sqrt{2}/2$	$\sqrt{2}/2$	$-\sqrt{2}/2$	$-\sqrt{2}/2$	$\sqrt{2}/2$	$\sqrt{2}/2$

- 2.17** Comparing  $y$  with Eq. (2.13) tells us that  $A = 0.02$  m. Moreover,  $2\pi/\lambda = 157 \text{ m}^{-1}$  and so  $\lambda = 2\pi/(157 \text{ m}^{-1}) = 0.0400$  m. The relationship between frequency and wavelength is  $v = \nu\lambda$ , and so  $\nu = v/\lambda = (1.2 \text{ m/s})/0.0400 \text{ m} = 30$  Hz. The period is the inverse of the frequency, and therefore  $\tau = 1/\nu = 0.033$  s.
- 2.18** (a)  $\lambda = (4.0 - 0.0) \text{ m} = 4.0$  m  
 (b)  $v = \nu\lambda$ , so  

$$\nu = \frac{v}{\lambda} = \frac{20 \text{ m/s}}{4.0 \text{ m}} = 5.0 \text{ Hz}$$
  
 (c)  $\psi(x, t) = A \sin(kx - \omega t + \varepsilon)$   
 From the figure,  $A = 0.020$  m  

$$k = \frac{2\pi}{\lambda} = \frac{2\pi}{4.0 \text{ m}} = 0.5\pi \text{ m}^{-1}; \omega = 2\pi\nu = 2\pi(5.0 \text{ Hz}) = 10\pi \text{ rad/s}$$
  

$$\psi(x, t) = [0.020 \text{ m}] \sin\left(\frac{\pi}{2}x - 10\pi t - \frac{\pi}{2}\right) = 0.020 \cos\left(\frac{\pi}{2}x - 10\pi t\right)$$
- 2.19** (a)  $\lambda = (30.0 - 0.0) \text{ cm} = 30.0$  cm. (c)  $v = \nu\lambda$ , so  
 $\nu = v/\lambda = (100 \text{ cm/s})/(30.0 \text{ cm}) = 3.33$  Hz
- 2.20** (a)  $\tau = (0.20 - 0.00) \text{ s} = 0.20$  s. (b)  $\nu = 1/\tau = 1/(0.20 \text{ s}) = 5.00$  Hz.  
 (c)  $v = \nu\lambda$ , so  $\lambda = v/\nu = (40.0 \text{ cm/s})/(5.00 \text{ s}^{-1}) = 8.00$  cm.
- 2.21**  $\psi = A \sin 2\pi(kx - \nu t)$ ,  $\psi_1 = 4\sin 2\pi(0.2x - 3t)$ . (a)  $\nu = 3$ , (b)  $\lambda = 1/0.2$ ,  
 (c)  $\tau = 1/3$ , (d)  $A = 4$ , (e)  $v = 15$ , (f) positive  $x$   
 $\psi = A \sin(kx + \omega t)$ ,  $\psi_2 = (1/2.5) \sin(7x + 3.5t)$ . (a)  $\nu = 3.5/2\pi$ ,  
 (b)  $\lambda = 2\pi/7$ , (c)  $\tau = 2\pi/3.5$ , (d)  $A = 1/2.5$ , (e)  $v = 1/2$ , (f) negative  $x$
- 2.22** From of Eq. (2.26)  $\psi(x, t) = A \sin(kx - \omega t)$  (a)  $\omega = 2\pi\nu$ , so  
 $\nu = \omega/2\pi = (20.0 \text{ rad/s})/2\pi$ , (b)  $k = 2\pi/\lambda$ , so  
 $\lambda = 2\pi/k = 2\pi/(6.28 \text{ rad/m}) = 1.00$  m, (c)  $\nu = 1/\tau$ , so  
 $\tau = 1/\nu = 1/(10.0/\pi \text{ Hz}) = 0.10\pi$  s, (d) From the form of  $\psi$ ,  $A = 30.0$  cm,  
 (e)  $v = \omega/k = (20.0 \text{ rad/s})/(6.28 \text{ rad/m}) = 3.18$  m/s, (f) Negative sign indicates motion in  $+x$  direction.
- 2.23** (a) 10, (b)  $5.0 \times 10^{14}$  Hz, (c)  $\lambda = \frac{c}{\nu} = \frac{3.0 \times 10^8}{5.0 \times 10^{14}} = 6.0 \times 10^{-7}$  m, (d)  $3.0 \times 10^8$  m/s,  
 (e)  $\frac{1}{\nu} = \tau = 2.0 \times 10^{-15}$  s, (f)  $-y$  direction
- 2.24**  $\partial^2\psi/\partial x^2 = -k^2\psi$  and  $\partial^2\psi/\partial t^2 = -k^2v^2\psi$ . Therefore  
 $\partial^2\psi/\partial x^2 - (1/v^2)\partial^2\psi/\partial t^2 = (-k^2 + k^2)\psi = 0$ .
- 2.25**  $\partial^2\psi/\partial x^2 = -k^2\psi$ ;  $\partial^2\psi/\partial t^2 = -\omega^2\psi$ ;  $\omega^2/v^2 = (2\pi\nu)^2/v^2 = (2\pi/\lambda)^2 = k^2$ ;  
 therefore,  $\partial^2\psi/\partial x^2 - (1/v^2)\partial^2\psi/\partial t^2 = (-k^2 + k^2)\psi = 0$ .
- 2.26**  $\psi(x, t) = A \cos(kx - \omega t - (\pi/2)) =$   
 $A\{\cos(kx - \omega t) \cos(-\pi/2) - \sin(kx - \omega t) \sin(-\pi/2)\} = A \sin(kx - \omega t)$
- 2.27**  $v_y = -\omega A \cos(kx - \omega t + \varepsilon)$ ,  $a_y = -\omega^2 y$ . Simple harmonic motion since  
 $a_y \propto y$ .

- 2.28**  $\tau = 2.2 \times 10^{-15}$  s; therefore  $\nu = 1/\tau = 4.5 \times 10^{14}$  Hz;  $\nu = \nu\lambda$ ,  
 $\lambda = \nu/\nu = 6.7 \times 10^{-7}$  m and  $k = 2\pi/\lambda = 9.4 \times 10^6$  m<sup>-1</sup>.  
 $\psi(x, t) = (10^3 \text{ V/m}) \cos[9.4 \times 10^6 \text{ m}^{-1}(x + 3 \times 10^8 \text{ (m/s)t})]$ . It's cosine  
because  $\cos 0 = 1$ .
- 2.29**  $y(x, t) = C/[2 + (x + \nu t)^2]$ .
- 2.30**  $\psi(0, t) = A \cos(k\nu t + \pi) = -A \cos(k\nu t) = -A \cos(\omega t)$ , then  
 $\psi(0, \pi/2) = -A \cos(\omega\pi/2) = -A \cos(\pi) = A$ ,  
 $\psi(0, 3\pi/4) = -A \cos(3\omega\pi/4) = -A \cos(3\pi/2) = 0$ .
- 2.31** Since  $\psi(y, t) = (y - \nu t)A$  is only a function of  $(y - \nu t)$ , it does satisfy the  
conditions set down for a wave. Since  $\partial^2\psi/\partial y^2 = \partial^2\psi/\partial t^2 = 0$ , this  
function is a solution of the wave equation. However,  $\psi(y, 0) = Ay$  is  
unbounded, so cannot represent a localized wave profile.
- 2.32**  $k = \pi 3 \times 10^6$  m<sup>-1</sup>,  $\omega = \pi 9 \times 10^{14}$  Hz,  $\nu = \omega/k = 3 \times 10^8$  m/s.
- 2.33**  $\nu = \nu\lambda = \lambda/\tau$   
 $\lambda = \nu\tau = (2.0 \text{ m/s})(1/4 \text{ s}) = 0.5 \text{ m}$   
 $\psi(z, t) = (0.020 \text{ m}) \sin 2\pi \left( \frac{z}{0.50 \text{ m}} + \frac{t}{1/4 \text{ s}} \right)$   
 $\psi(z, t) = (0.020 \text{ m}) \sin 2\pi \left( \frac{1.5 \text{ m}}{0.50 \text{ m}} + \frac{2.2 \text{ s}}{1/4 \text{ s}} \right)$   
 $\psi(z, t) = (0.020 \text{ m}) \sin 2\pi(3.0 + 8.8)$   
 $\psi(z, t) = (0.020 \text{ m}) \sin 2\pi(11.8)$   
 $\psi(z, t) = (0.020 \text{ m}) \sin 23.6\pi$   
 $\psi(z, t) = (0.020 \text{ m}) (-0.9511)$   
 $\psi(z, t) = -0.019 \text{ m}$
- 2.34**  $d\psi/dt = (\partial\psi/\partial x)(dx/dt) + (\partial\psi/\partial y)(dy/dt)$  and let  $y = t$  whereupon  
 $d\psi/dt = \partial\psi/\partial x(\pm\nu) + \partial\psi/\partial t = 0$  and the desired result follows immediately.
- 2.35**  $d\phi/dt = (\partial\phi/\partial x)(dx/dt) + \partial\phi/\partial t = 0 = k(dx/dt) - k\nu$  and this is zero  
provided  $dx/dt = \pm\nu$ , as it should be. For the particular wave of  
Problem 2.32,  $\frac{d\phi}{dt} = \partial\phi/\partial y(\pm\nu) + \partial\phi/\partial t = \pi 3 \times 10^6(\pm\nu) + \pi 9 \times 10^{14} = 0$   
and the speed is  $-3 \times 10^8$  m/s.
- 2.36**  $-a(bx + ct)^2 = -ab^2(x + ct/b)^2 = g(x + \nu t)$  and so  $\nu = c/b$  and the wave  
travels in the negative  $x$ -direction. Using Eq. (2.34)  $(\partial\psi/\partial t)_x / (\partial\psi/\partial x)_t =$   
 $-[A(-2a)(bx + ct)c \exp[-a(bx + ct)^2]] / [A(-2a)(bx + ct)b \exp[-a(bx + ct)^2]] = -c/b$ ;  
the minus sign tells us that the motion is in the negative  $x$ -direction.
- 2.37**  $\psi(z, 0) = A \sin(kz + \epsilon)$ ;  $\psi(-\lambda/12, 0) = A \sin(-\pi/6 + \epsilon) = 0.866$ ;  
 $\psi(\lambda/6, 0) = A \sin(\pi/3 + \epsilon) = 1/2$ ;  $\psi(\lambda/4, 0) = A \sin(\pi/2 + \epsilon) = 0$ .  
 $A \sin(\pi/2 + \epsilon) = A(\sin \pi/2 \cos \epsilon + \cos \pi/2 \sin \epsilon) = A \cos \epsilon = 0$ ,  $\epsilon = \pi/2$ .  
 $A \sin(\pi/3 + \pi/2) = A \sin(5\pi/6) = 1/2$ ; therefore  $A = 1$ , hence  
 $\psi(z, 0) = \sin(kz + \pi/2)$ .
- 2.38** Both (a) and (b) are waves since they are twice differentiable functions of  
 $z - \nu t$  and  $x + \nu t$ , respectively. Thus for (a)  $\psi = a^2(z - bt/a)^2$  and the  
velocity is  $b/a$  in the positive  $z$ -direction. For (b)  $\psi = a^2(x + bt/a + ct/a)^2$   
and the velocity is  $b/a$  in the negative  $x$ -direction.

- 2.39** (a)  $\psi(y, t) = \exp[-(ay - bt)^2]$ , a traveling wave in the +y direction, with speed  $v = \omega/k = b/a$ . (b) not a traveling wave. (c) traveling wave in the -x direction,  $v = a/b$ , (d) traveling wave in the +x direction,  $v = 1$ .
- 2.40**  $\psi(x, t) = 5.0 \exp[-a(x + \sqrt{b/at})^2]$ , the propagation direction is negative x;  $v = \sqrt{b/a} = 0.6$  m/s.  $\psi(x, 0) = 5.0 \exp(-25x^2)$ .
- 2.41**  $\lambda = v/\nu = 0.300$  m; 10.0 cm is a fraction of a wavelength viz.  $(0.100 \text{ m})/(0.300 \text{ m}) = 1/3$ ; hence  $2\pi/3 = 2.09$  rad.
- 2.42**  $30^\circ$  corresponds to  $\lambda/12$  or  $\left(\frac{1}{12}\right)\left(\frac{3 \times 10^8}{6 \times 10^{14}}\right) = 42 \text{ nm}$ .
- 2.43**  $\psi(x, t) = A \sin 2\pi(x/\lambda \pm t/\tau)$ ,  $\psi = 60 \sin 2\pi(x/400 \times 10^{-9} - t/1.33 \times 10^{-15})$ ,  $\lambda = 400$  nm,  $v = 400 \times 10^{-9}/1.33 \times 10^{-15} = 3 \times 10^8$  m/s.  $\nu = (1/1.33) \times 10^{15}$  Hz,  $\tau = 1.33 \times 10^{-15}$  s.
- 2.44**  $\exp[i\alpha]\exp[i\beta] = (\cos \alpha + i \sin \alpha)(\cos \beta + i \sin \beta) = (\cos \alpha \cos \beta - \sin \alpha \sin \beta) + i(\sin \alpha \cos \beta + \cos \alpha \sin \beta) = \cos(\alpha + \beta) + i \sin(\alpha + \beta) = \exp[i(\alpha + \beta)]$   
 $\psi\psi^* = A \exp[i\omega t] A \exp[-i\omega t] = A^2$ ;  $\sqrt{\psi\psi^*} = A$ . In terms of Euler's formula  
 $\psi\psi^* = A^2(\cos \omega t + i \sin \omega t)(\cos \omega t - i \sin \omega t) = A^2(\cos^2 \omega t + \sin^2 \omega t) = A^2$ .
- 2.45** If  $z = x + iy$ , then  $z^* = x - iy$  and  $z - z^* = 2yi$ .
- 2.46**  $\tilde{z}_1 = x_1 + iy_1$   
 $\tilde{z}_2 = x_2 + iy_2$   
 $\tilde{z}_1 + \tilde{z}_2 = x_1 + x_2 + iy_1 + iy_2$   
 $\text{Re}(\tilde{z}_1 + \tilde{z}_2) = x_1 + x_2$   
 $\text{Re}(\tilde{z}_1) + \text{Re}(\tilde{z}_2) = x_1 + x_2$
- 2.47**  $\tilde{z}_1 = x_1 + iy_1$   
 $\tilde{z}_2 = x_2 + iy_2$   
 $\text{Re}(\tilde{z}_1) \times \text{Re}(\tilde{z}_2) = x_1 x_2$   
 $\text{Re}(\tilde{z}_1 \times \tilde{z}_2) = \text{Re}(x_1 x_2 + ix_1 y_2 + ix_2 y_1 - y_1 y_2) = x_1 x_2 - y_1 y_2$   
 Thus  $\text{Re}(\tilde{z}_1) \times \text{Re}(\tilde{z}_2) \neq \text{Re}(\tilde{z}_1 \times \tilde{z}_2)$ .
- 2.48**  $\psi = A \exp i(k_x x + k_y y + k_z z)$ ,  $k_x = k\alpha$ ,  $k_y = k\beta$ ,  $k_z = k\gamma$ ,  
 $|\vec{k}| = [(k\alpha)^2 + (k\beta)^2 + (k\gamma)^2]^{1/2} = k(\alpha^2 + \beta^2 + \gamma^2)^{1/2}$ .
- 2.49** Consider Eq. (2.64), with  $\partial^2 \psi / \partial x^2 = \alpha^2 f''$ ,  $\partial^2 \psi / \partial y^2 = \beta^2 f''$ ,  
 $\partial^2 \psi / \partial z^2 = \gamma^2 f''$ ,  $\partial^2 \psi / \partial t^2 = v^2 f''$ . Then  
 $\nabla^2 \psi - (1/v^2) \partial^2 \psi / \partial t^2 = (\alpha^2 + \beta^2 + \gamma^2 - 1) f'' = 0$  whenever  
 $\alpha^2 + \beta^2 + \gamma^2 = 1$ .

\*\*\*\*\*<<INSERT MATTER OF 2.50 IS MISSING>>\*\*\*\*\*

- 2.51** Consider the function:  $\psi(z, t) = A \exp[-(a^2 z^2 + b^2 t^2 + 2abzt)]$ .  
Where  $A$ ,  $a$ , and  $b$  are all constants. First factor the exponent:

$$(a^2 z^2 + b^2 t^2 + 2abzt) = (az + bt)^2 = \frac{1}{a^2} \left( z + \frac{b}{a} t \right)^2.$$

Thus,

$$\psi(z, t) = A \exp \left[ -\frac{1}{a^2} \left( z + \frac{b}{a} t \right)^2 \right].$$

This is a twice differentiable function of  $(z - vt)$ , where  $v = -b/a$ , and travels in the  $-z$  direction.

**2.52**  $\lambda = (h/m)v = 6.6 \times 10^{-34}/6(1) = 1.1 \times 10^{-34}$  m.

- 2.53**  $\vec{k}$  can be constructed by forming a unit vector in the proper direction and multiplying it by  $k$ . The unit vector is

$$[(4-0)\hat{i} + (2-0)\hat{j} + (1-0)\hat{k}]/\sqrt{4^2 + 2^2 + 1^2} = (4\hat{i} + 2\hat{j} + \hat{k})/\sqrt{21} \text{ and}$$

$$\vec{k} = k(4\hat{i} + 2\hat{j} + \hat{k})/\sqrt{21}. \quad \vec{r} = x\hat{i} + y\hat{j} + z\hat{k}, \text{ hence}$$

$$\psi(x, y, z, t) = A \sin[(4k/\sqrt{21})x + (2k/\sqrt{21})y + (k/\sqrt{21})z - \omega t].$$

- 2.54**  $\vec{k} = (1\hat{i} + 0\hat{j} + 0\hat{k})$ ,  $\vec{r} = x\hat{i} + y\hat{j} + z\hat{k}$ , so,

$$\psi = A \sin(\vec{k} \cdot \vec{r} - \omega t + \varepsilon) = A \sin(kx - \omega t + \varepsilon) \text{ where } k = 2\pi/\lambda \text{ (could use}$$

cos instead of sin).

- 2.55**  $\psi(\vec{r}_1, t) = \psi[\vec{r}_2 - (\vec{r}_2 - \vec{r}_1), t] = \psi(\vec{k} \cdot \vec{r}_1, t) = \psi[\vec{k} \cdot \vec{r}_2 - \vec{k} \cdot (\vec{r}_2 - \vec{r}_1), t] =$   
 $\psi(\vec{k} \cdot \vec{r}_2, t) = \psi(\vec{r}_2, t)$  since  $\vec{k} \cdot (\vec{r}_2 - \vec{r}_1) = 0$

- 2.56**  $\psi = A \exp[i(\vec{k} \cdot \vec{r} + \omega t + \varepsilon)]$   
 $= A \exp[i(k_x x + k_y y + k_z z + \omega t + \varepsilon)]$

The wave equation is:

$$\nabla^2 \psi = \frac{1}{v^2} \frac{\partial^2 \psi}{\partial t^2}$$

where,

$$\nabla^2 = \frac{\partial^2}{\partial x^2} + \frac{\partial^2}{\partial y^2} + \frac{\partial^2}{\partial z^2}$$

$$\nabla^2 \psi = -(k_x^2 + k_y^2 + k_z^2) A \exp[i(k_x x + k_y y + k_z z + \omega t + \varepsilon)]$$

$$\frac{\partial^2 \psi}{\partial t^2} = -\omega^2 A \exp[i(k_x x + k_y y + k_z z + \omega t + \varepsilon)]$$

where

$$|k| = \sqrt{k_x^2 + k_y^2 + k_z^2}$$

$$k^2 = k_x^2 + k_y^2 + k_z^2$$

then,

$$\nabla^2 \psi = -k^2 A \exp[i(k_x x + k_y y + k_z z + \omega t + \varepsilon)]$$

This means that  $\psi$  is a solution of the wave equation if  $v^2 = \omega^2/k^2 \rightarrow v = \omega/k$ .

2.57

$\theta$	$-\pi/2$	$-\pi/4$	0	$\pi/4$	$\pi/2$	$3\pi/4$	$\pi$	$5\pi/4$	$3\pi/2$	$7\pi/4$	$2\pi$
$\sin \theta$	-1	$-1/\sqrt{2}$	0	$1/\sqrt{2}$	1	$1/\sqrt{2}$	0	$-1/\sqrt{2}$	-1	$-1/\sqrt{2}$	0
$2 \sin \theta$	-2	$-\sqrt{2}$	0	$\sqrt{2}$	2	$\sqrt{2}$	0	$-\sqrt{2}$	-2	$-\sqrt{2}$	0
$3 \sin \theta$	-3	$-3/\sqrt{2}$	0	$3/\sqrt{2}$	3	$3/\sqrt{2}$	0	$-3/\sqrt{2}$	-3	$-3/\sqrt{2}$	0

2.58

$\theta$	$-\pi/2$	$-\pi/4$	0	$\pi/4$	$\pi/2$	$3\pi/4$	$\pi$	$5\pi/4$	$3\pi/2$	$7\pi/4$	$2\pi$
$\sin \theta$	-1	$-1/\sqrt{2}$	0	$1/\sqrt{2}$	1	$1/\sqrt{2}$	0	$-1/\sqrt{2}$	-1	$-1/\sqrt{2}$	0
$\sin(\theta - \pi/2)$	0	$-1/\sqrt{2}$	-1	$-1/\sqrt{2}$	0	$1/\sqrt{2}$	1	$1/\sqrt{2}$	0	$-1/\sqrt{2}$	-1
$\sin \theta + \sin(\theta - \pi/2)$	-1	$-\sqrt{2}$	-1	0	1	$\sqrt{2}$	1	0	-1	$-\sqrt{2}$	-1

2.59 Note that the amplitude of  $\{\sin(\theta) + \sin(\theta - \pi/2)\}$  is greater than 1, while the amplitude of  $\{\sin(\theta) + \sin(\theta - 3\pi/4)\}$  is less than 1. The phase difference is  $\pi/8$ .

2.60

$x$	$-\lambda/2$	$-\lambda/4$	0	$\lambda/4$	$\lambda/2$	$3\lambda/4$	$\lambda$
$kx$	$-\pi$	$-\pi/2$	0	$\pi/2$	$\pi$	$3\pi/2$	$2\pi$
$\cos kx$	-1	0	1	0	-1	0	1
$\cos(kx + \pi)$	1	0	-1	0	1	0	-1
$\cos kx + \cos(kx + \pi)$	0	0	0	0	0	0	0