

# **Railway Power Supply Systems**



#### Find out more on http://toshiba-railway.com

#### **TOSHIBA CORPORATION** Infrastructure Systems & Solutions Company

72-34, Horikawa-cho, Saiwai-ku, Kawasaki 212-8585, Japan Tel: +81-44-331-1486

- •The information contained herein is as of July 7, 2014.
- The information contained herein is subject to change without notice.
   The information contained herein is presented only as a guide for the applications of our products. No responsibility is assumed by TOSHIBA for any infringements of patents or other rights of the third parties which may result from its use. No license is granted by implication or otherwise under any patent or patent rights of TOSHIBA or others.
- •TOSHIBA products should not be embedded to the downstream products which are prohibited to be produced and sold, under any law
  •TOSHIBA does not take any responsibility for incidental damage (including loss of business profit, business interruption, loss of business information, and other pecuniary damage) arising out of the use or disability to use TOSHIBA products.
- •The products described in this document may include products subject to the foreign exchange and foreign trade laws.
- The products described in this document may contain components made in the United States and subject to export control of the U.S. authorities. Diversion contrary to the U.S. law is prohibited.

# Railway Power Supply Systems


Rail transport has been evaluated as an environment-friendly transportation system, helping to solve environmental pollution, energy resources shortage, and chronic traffic congestion problems in developing countries. Since Toshiba started manufacturing traction motor and propulsion systems in 1899, we have made continuous technological innovations which led to the creation of new transportation systems, including power supply systems. We have now expanded our business to supply advanced technologies on a global scale. In the pursuit of technological innovation, global environmental issues are important, and demand is high for the creation of a new product value aimed at reducing environmental impact while ensuring safety and comfort. We offer products and systems to support your organization's activities aimed at protecting the environment, thus contributing to the creation of a sustainable, eco-friendly society.

#### Transmission Systems **AC Electrification Systems**

- Traction Transformer
- Auto-transformer
- Feeding Circuit Breaker
- Feeding Switchgear(GIS,C-GIS,SIS)
- Changeover Switch
- Control / Relay Panel
- AC Feeding Protection Relay

#### • Gas Insulated Switchgear (GIS)

- Gas Insulated Transformer (GIT)
- Gas Circuit Breaker (GCB)
- Cubicle Type Gas Insulated Switchgear (C-GIS)
- Solid Insulated Switchgear (SIS)



DC Electrification Systems Rectifier Transformer

• Package-Type DC Substation


• SCiB™ Traction Energy Storage System

• Traction Rectifier • Regenerative Inverter

DC SwitchgearProtection Relay

#### Control Center

• Supervisory Control And Data Acquisition (SCADA)



# System Integration

Toshiba has been continuously striving to provide customers with advanced, optimal solutions. We are able to provide not only the latest environmentally-friendly products from all over the world but also consulting services like energy simulation and construction works as well.



Our long history of engineering railway system projects has given us extensive expertise in designing railway power supply systems. Our inhouse simulator is able to calculate various railway system conditions with remarkable accuracy. Our experienced engineers are also there to provide consultation and offer customer-oriented solutions.

**Example of Power Supply Simulation** 

# Engineering



# Procurement & Manufacturing



customer-oriented solutions at a competitive price.



Vegetable Oil Transformer



SCiB<sup>™</sup> Traction Energy Storage System

# Construction



Taiwan High Speed Railway Project







In addition to supplying products, Toshiba also provides customers with FTK solutions. One representative example of our FTK comma the Taiwan High Speed Railway, wherein Toshiba built and supplied essential products for railway electrification.

power supply systems, our current products such as the Solid Insulated Switchgear, Vegetable Oil Transformer and SCiB™ Traction Energy Storage System, are environment friendly solutions which contribute to a more sustainable environment.

Having started in the transportation business in 1899, Toshiba has extensive experience in offering innovative railway system products. For

# **Transmission Systems**

Railway Power Supply equipment must be highly reliable and safe. In addition, today's equipment must also be economically efficient to accommodate installation in limited space and in a short period of time. Therefore, Toshiba developed the highly reliable SF<sub>6</sub> Gas Insulated Switchgear (GIS) which can simplify site work and reduce land footprint by up to 92%. For the main transformer, Toshiba offers a non-flammable



Gas Insulated Transformer (GIT) for a more compact substation solution. As for Toshiba's product line-up for middle voltage switchgears, we developed the Cubicle type Gas Insulated Switchgear (C-GIS) and SF<sub>6</sub> gas free Solid Insulated Switchgear (SIS).

Transmission Systems

Our GIS+GIT - Sample Layout

176m<sup>2</sup> (8% of AIS + OIT land footprint)

# Typical space for AIS+OIT 2,236m² OIT AIS OIT GIS GIT

#### A compact solution with GIS and GIT

AIS: Air Insulated Swithgear OIT: Oil Insulated Transformer

GIS : Gas Insulated Switchgear

GIT : Gas Insulated Transformer

# Gas Insulated Switchgear (GIS)

The Gas Insulated Switchgear (GIS) is an integrated switchgear which uses SF<sub>6</sub> insulation gas. It is used mainly in 72.5kV or higher systems. Toshiba has a long history for developing and manufacturing GIS.







170k

#### **Ratings**

Rated Voltage [kV]	72.5 ~ 252
Rated Interrupting Current [kA]	25 ~ 63
Rated Lightning Impulse Withstand Voltage [kV]	325 ~ 1050
Rated Power Frequency Withstand Voltage [kV]	140 ~ 460
Rated Gas Pressure	0.7(GCB) / 0.7(GIS)
Applicable Standards	JEC / IEC

#### **Features**

- Compact Design
  Can be installed in indoor and underground substations
- Outdoor Compatibility
  Protection against pollution
- Safe Operation
  Electrified parts are enclosed in the earthed tank
- Low Maintenance

3-2

# Gas Insulated Transformer (GIT)

The Gas Insulated Transformer (GIT) uses SF<sub>6</sub> gas for insulation and cooling instead of mineral oil and is suitable for indoor and underground substations. GIT development and manufacturing at Toshiba also has a long history.



#### **Features**

Non-flammability

 $\mathsf{SF}_6$  gas is used instead of mineral oil, alleviating the need for a fire fighting system. This also allows the installation in the same room with the GIS for a more compact substation layout.

Non-explosive

No pressure relief device is needed.

Compact Design

Conservator and pressure relief device are not required thus lowering the height to less than that of OITs.

GIT

<del>--</del>-

3-3

# Gas Circuit Breaker (GCB)

Toshiba supplies many types of Gas Circuit Breakers (GCB) for 72kV or higher voltage.







145kV 3-Phase GCB

#### **Ratings**


		GSR	GSM / GSP	GSPF
Rated Voltage [kV]		240 / 300	72 / 84 / 168	145
Method of Operation		Hydraulic	Motor Spring	Motor Spring
Tank		Dead Tank		Live Tank
Rated Withstand	Lighting Impulse [kV]	900 / 1050	350/400/750	650
Voltage	Power Frequency [kV]	200-265-200(1min)/ 250-330-250(1min)	140/160/325	275
Applicable Standards			JFC / JFC	

- Good Breaking Ability **Features** 
  - Easy Installation
  - Low Noise

# Cubicle Type Gas Insulated Switchgear (C-GIS)

The Cubicle Type Gas Insulated Switchgear (C-GIS) is an integrated switchgear which uses SF<sub>6</sub> insulation gas. It is used mainly in 36kV to 84kV systems. Toshiba spent many years developing and manufacturing high quality C-GIS. Vacuum circuit breakers (VCB) are used for the C-GIS.





#### **Ratings**

Rated Voltage [kV]		36	40.5	72	84
Rated Withstand	Lightning Impulse [kV]	170	185	350	400
Voltage	Power Frequency [kV]	70	95	140	160
Rated Current [A]		630 / 1250 / 2500	630 / 1250 / 2000	800 / 1250	800 / 1250
Rated Short Time Withstand Current [kA]		25 / 31.5	25 / 31.5	20 / 25 / 31.5	20 / 25 / 31.5
Applicable Standards			IFC	/ IFC	


**Features** 

- Compact Design
- Outdoor Compatibility
- Safe Operation
- Low Maintenance
- Easy Withstand Voltage Test

# Solid Insulated Switchgear (SIS)

Toshiba developed Solid Insulated Switchgear (SIS), which utilizes high-performance epoxy resin independently developed as insulating material for SIS. Our epoxy resin provides a remarkable improvement in strength, flexibility, heat-resistance and dielectric strength. By using this material for switchgear insulation, we are able to reduce the size while maintaining the equipment's high reliability. Installation space required for the 72/82kV SIS is smaller than our conventional 72kV air-insulated switchgear. For the 24/36kV SIS, the new Balanced Magnetic Actuator (BMA) for the VCB is utilized which further reduces the size and weight of the SIS without compromising its performance.






#### **Ratings**

Rated Volta	24	36	40.5	72	84	
. 1						
Rated Withstand	Lightning Impulse [kV]	125	170	185	350	400
Voltage			70	95	140	160
Rated Current [A]		630 / 1250 / 1250 / 2000 800 /		1250		
Rated Short Time Withstand Current [kA]				25 / 31.5	5	
Applicable Standard			JE	C / IEC /	GB	

#### **Features**

- SF<sub>6</sub> gas-less due to epoxyresin coating
- Compact Design
- Outdoor Compatibility
- Safe Operation
- Low Maintenance
- High Reliability

#### **Eco-Friendly Design**



SF<sub>6</sub> gas is evaluated as the most potent greenhouse gas and it poses negative effects in the environment. As part of Toshiba's drive for the development of more eco-friendly products, Toshiba introduced a new material which possesses high dielectric strength.

#### Safe Design



SIS has an "Internal arc-free" feature which promotes safe operation. Busbar and devices in each phase of the main circuit are completely insulated with earthed layer of Toshiba's unique epoxy resin mold coating.


# **AC Electrification Systems**

Toshiba provides a highly-reliable and modernized AC electrification system which consists of elements such as large capacity of traction transformers, single phase circuit breakers, surge arrestors, and changeover switches. Our products are designed with the advance technology based on our long history of development. It contributes to a safe, stable and cost-minimized system operation for a long term.

#### **Features**

- Toshiba can supply various types of transformers and propose the most suitable type of transformer according to customer specification such as voltage, capacity, loss, installation condition, etc.
- •The changeover switches are used for the phase break point of high speed railway system. Our product is designed for long time operation under the harsh conditions of high voltages and repeating surges.
- The control and relay panels supplied by Toshiba are designed with the advance digital technologies. They integrate all required functions such as protection, control and monitoring by the intelligent digital relays, PLCs and the LAN connection network.

#### TOSHIBA's POWER SUPPLY SYSTEMS for AC Feeding Substation



# 4-1

## **AC Traction Transformer**

AC feeding power for rolling stock is single-phase power. The AC feeding substation should therefore convert the commercial AC 3-phase into AC single-phase. However in this case, it will cause three phase voltage unbalance at the primary side. The Scott-connection and the Roof-delta connection transformer below are used for the AC traction transformer which can reduce the 3-phase voltage unbalance induced in the primary side.



Scott Connection Transformer

#### Ratings

Application	Feeding System for High Speed Railway
Rated Voltage [kV]	220 / 25x 2 ; 161 / 60x 2 ; 132 / 27.5x 2
Cooling Type	ONAN / ONAF / OFAF
Rated Power [MVA]	84 / 60
Overload	200% 5mins
Connection	Scott
Applicable Standard	JEC / IEC



Roof-delta Connection Transformer

#### Ratings

#### **Example of Roof-delta Connection Transformer**

Utility	Feeding System for High Speed Railway
Rated Voltage [kV]	220kV / 60kV×2
Cooling Type	ONAN
Rated Power [MVA]	60
Overload	300% 2min
Connection	Roof-delta
Applicable Standard	JEC / IEC

# 4-2

# **Auto-transformer**

The Auto-transformer is used for the AT Feeding System (25kV  $\times$  2) which reduces catenary voltage drops and electro-magnetic interference. It should be designed with low impedance and to withstand the high short circuit current.




Ratin	gs	
Rated Vo	oltage [kV]	55 / 27.5
Туре		ONAN
Rated Self Capacity [MVA]		4/5/7.5/10
Power	Line Capacity [MVA]	8/10/15/20
Overloa	d	300% 2min
Short Circuit Intensity		Can withstand thermally and mechanically for 25 or 35 times of the rated current
Applicable Standard		JEC / IEC


to-transformer

# Feeding Circuit Breaker / Switchgear (Solid Insulated Switchgear)

Toshiba developed a single-phase SIS for AC Feeding System. This next generation switchgear uses an improved insulation material in place of the conventional SF<sub>6</sub> gas which further enhances its functionality and reliability. Using epoxy resin material for insulation also allows both installation even in harsh environment and drastic reduction in space requirement. Furthermore, SIS has a modular composition which enables easier replacement, maintenance and customization.



#### **Single Line Diagram**



		ed.	۰			
u	2	Ŧ	п	m	$\alpha$	е-

Rated Voltage [kV]		27.5
Withstand Im Voltage (Line to Po	Lightning Impulse [kV]	200 (to earth and across open contacts) 220 (across isolating distance)
	Power Frequency [kV]	95 (to earth and across open contacts) 110 (across isolating distance)
Rated Current [A]		1250
Rated Short Time Withstand Current [kA]		31.5
Applicable Standard		IEC

#### • SF<sub>6</sub> gas-less due to epoxy-**Features** resin coating Compact Design Outdoor Compatibility Safe Operation Low Maintenance High Reliability

# Feeding Circuit Breaker / Switchgear (Gas Insulated Switchgear)

Dual or single-pole circuit breakers are used for AC outgoing feeders. These must demonstrate a long operating life and have a reclosing function. Individual gas circuit breakers (GCB), gas insulated switchgears (GIS), or cubicle type gas insulated switchgears (C-GIS) are used.







C-GIS for AC Traction Circuit

GIS for AC Traction Circuit GCB for AC Traction Circuit

#### Ratings (C-GIS)

Rated Voltage [kV]		36 / 72
Rated Bus Current [A]		1200
Rated Breaking Current [kA]		16 / 25
Rated Withstand Voltage	Lightning Impulse [kV]	200 / 350
Power Frequency [kV]		70 / 140
Rated Gas Pressure [MPa•G]		0.05 (at 20°C)

Features	• Compact Design
	<ul> <li>Outdoor Compatibility</li> </ul>
	Safe Operation
	• Low Maintenance



# Single Phase Vacuum Circuit Breaker

Toshiba's VCB designed for 27.5kV single phase AC feeding system uses high performance vacuum switches that are able to withstand high voltages and extensive switching cycles.



This vacuum circuit breaker can be supplied as a withdrawable trolley type VCB or as a fixed installation.

27.5kV Vacuum Circuit Breaker

#### **Ratings**

Rated Voltage [kV]		27.5
Rated Current [A]		1250
Rated Withstand Voltage	Lightning Impulse [kV]	250
nated Withstand Voltage	Power Frequency [kV]	95
Rated Short Time Withstand Current [kA]		25

#### **Features**

 High Voltage Withstand Capability

In order to withstand the excessive voltage at the phase break point, two vacuum interrupters are provided in series for the switch.

Long Life Operation

Aiming at long life operation, a simple electro-magnetic operation mechanism is used.

# Changeover Switch

Single pole vacuum switches (VS) are used for power switching at phase break points for AC high speed railway systems. Toshiba is a leading company in manufacturing changeover switches equipment for railways.



Changeover Switch





Changeover Switch in Cubicle

# 00 100

Application of Changeover Switch

#### Ratings

Rated Voltage [kV]		36	
Rated Current [A]		1200	
	Lightning Impulse [kV] Power Frequency [kV]	Between Main Circuit and Earth 200	
Rated Withstand		Between Main Circuit Terminals 250	
Voltage		Between Main Circuit and Earth 70 – 1min	١.
		Between Main Circuit Terminals 100 – 10m	nin
Rated Short Time Withstand Current [kA]		12.5 – 2sec.	
Switching Lifetime		Mechanical 200,000 times	
		Electrical 100,000 times	


#### High Voltage Withstand **Features** Capability In order to withstand the excessive voltage at the phase break point, two vacuum interrupters are provided in series for the Long Life Operation Aiming for long life operation, a simple electro-magnetic operation mechanism is

# AC Feeding Protection Relay(GRY-200 Series)

Toshiba's AC feeding protection relay provides mainly 2 protection functions called "Distance Relay (21F)", and "Instantaneous Overcurrent Relay (50F)". If failure is detected, it will isolate failure circuit quickly.

#### Ratings

Protection Function	21F	21F Distance Protection		
	51F	51F Overcurrent Protection		
	27F	Voltage Protection		
	79	Automatic Reclose		
	50F	Instantaneous Overcurrent Protection		
	Multi-	shots auto-reclosing function		
Control Function	Inter l	oreaking function *		
	Controlling function (SWGR, CB)			
Metering Function	I, V, W, +Wh, Impedance			
	Event records			
Monitoring Function	Fault records			
	Disturbance records			
	CB and DS status			
	CB and DS response monitoring			
Record Function	Trip circuit supervision			
	Trip counter monitoring categorized by breaking level			
	Self-supervision			



Features	Compact Design
	<ul> <li>Colored LCD touch screen for human interface</li> </ul>
	<ul> <li>Flexible Installation (The touch panel and the main unit are separated.)</li> </ul>
	Support a wide range of communication protocol

#### Control / Relay Panel 4-8

The integrated control and relay panels are provided for AC feeding substations. They are designed with the advanced digital technology and consist of elements such as a digital protection relay, programmable logic controller (PLC), colored LCD touch screen, Ethernet LAN connection.




**Features** 

- Colored LCD Touch Screen for Human Interface
- Redundant System
- Self-monitoring and Selfdiagnosis Function
- Alarms and Commands **Logs Function**
- · Measuring Data (voltage, current, power, power factor
- Connection with Remote Control Center (SCADA)

**Substation Monitoring System** 

This Control/Relay Panel for AC Receiving Substations is installed with G2 Relay and monitoring system that utilizes DMS (Digital Monitoring System). Hence, it can flexibly deal with both distributed and clustered systems. G2 Relay's features include fault waveform collection, transmission functions and a user-friendly LCD interface.

System monitoring results such as daily and monthly energy status reports and fault history can be displayed through its large LCD.



LCD panel (31.5 inch)

\*Communication lines between the substations are required.

5


# **DC Electrification Systems**

Toshiba also provides a highly-reliable and modernized DC electrification system. In addition to conventional equipment like rectifier transformers, rectifiers, and high speed circuit breaker (HSCB), a lot of new equipment has been developed with power electronics and digital technology. Toshiba presents innovative solutions to meet customers' needs.

#### **Features**

- For better environmental friendliness, a liquid silicone transformer or vegetable oil transformer can be used for the rectifier transformer.
- Heat pipe Rectifier has a very high thermal efficiency and can be installed outdoors.
- High Speed Vacuum Circuit Breaker (HSVCB) has high reliability, safety and can reduce maintenance
- Regenerative Inverter is a good energy saving solution for the efficient use of regenerative braking power from rolling stocks.
- SCiB™ Traction Energy Storage System is an energy saving solution which is not only useful for storage of regenerative energy but also for promoting power peak cut, feeder voltage compensation and emergency power supply.
- Package Type Substation saves space and construction works.

#### TOSHIBA's POWER SUPPLY SYSTEMS for DC Feeding Substation



# 5-1

# **Rectifier Transformer**







Gas Insulated Transformer

Liquid Silicone Transformer

Epoxy Resin Molded Dry Transformer

Features

• Nonflammable SF<sub>6</sub> Gas Insulated Transformer is suitable for indoor use.

 Noncombustible liquid silicone transformer and vegetable oil transformer are friendly to environment.

#### Ratings

Cooling and Insulating Method		Gas	Mineral Oil	Liquid Silicone	Vegetable Oil	Epoxy Resin
Rated Power		Applicable for up to 6MW Rectifier				
Rated Voltage	Primary	$\sim$ 77kV $\sim$ 35kV			$\sim$ 35kV	
nateu voitage	Secondary	Applicable for DC600V / 750V / 1500V / 3000V				
Applicable Standard		JEC / IEC				


Vegetable Oil Transformer

5-2

### **Traction Rectifier**

Toshiba has a long history of manufacturing rectifiers (diode, thyristor, and IGBT type). Our current Rectifier has a heat pipe cooling system using high purity water. It is suitable for repeated overload current and has large cooling capacity and it can be installed outdoor.

# Ratings Cooling Method Vertical heat-pipe self cooling Rated Power ~ 6 MW Rated Voltage DC 600V / 750V / 1500V / 3000V Applicable Standard JEC / IEC







Principle of Heat-pipe Self Cooling

Heat-pipe Rectifier

# DC Switchgear

Based on a strong experience and know-how on the supply of highly quality DC High Speed Circuit Breakers and DC Switchgears since the 1970's, Toshiba developed the HS5 DC Switchgear with our own DC Protection Relay which satisfies current global market requirements. This highly reliable DC Switchgear can efficiently undertake its critical role in railway power supply systems such as detection and breaking of fault currents at a very high speed.

#### Ratings

Rated Voltage [V]		DC900 / 1800
Rated Bus Current [A]		4000 ~ 12000
Rated Short-circuit Making and Breaking Current [kA]		80
Data d With stand Walts an	Lightning Impulse [kV]	20
Rated Withstand Voltage	Power Frequency [kV]	9.2
Applicable Standard		JIS / IEC


Features	<ul><li>Compact Design</li><li>Combined with DC Protection Relay</li></ul>
	User-friendly     Human Interface

#### **Typical Configuration**


			Fe	eeder Panel Variation	S	
Negative DS	Incoming	Feeder	with DS	with bypass DS	with DS and bypass	Bypass HSCB
05 \$ 05 \$	A HSCB	Main Bus Line Line Device  Device  Marxon	Main But Line Line Device Device Do DS DS	Main Bus Line Line Line Device	Main Bus  Line test Device Bypass Bus  Bypass Bus	Main Bus Line H5CB test Device D
U) 64	Main Bus	DS GRX200	DS GRX200	DS GRX200	DS DC SAR DC GRX200	Bypass Bus

Toshiba's DC Switchgear can be configured into various common panel configurations such as feeder panels with DS, bypass DS, DS and bypass and bypass HSCB.

#### **Front View**



#### **Side View of Feeder Panel**





#### **Back View**



# 5-4

# Protection Relay (GRX-200 Series)

#### Ratings

Power Supply Ranges	100 ~ 250 Vdc
Communication Protocol & Interface	Modbus / IEC61850 / IEC60870-5-103 / Web browser / DNP3.0 etc
LCD Language	English / Chinese / Japanese

Protection	⊿ا	Delta I protection	
	di / dt	Current rate of rise protection	
	50	Over current protection (4 stages)	
	49	Thermal overload protection (3 stages)	
	32	Reverse Overcurrent protection (4 stages)	
	64	Grounding overvoltage protection (2 stages)	
	59	Over voltage protection (2 stages)	
	27	Under voltage protection (2 stages)	
	Multi-sł	nots auto-reclosing function	
	Line test function		
Control	Inter breaking function *		
	Controlling function (SWGR, CB)		
	Section compensation function		
Metering	I, V, W, +Wh, -Wh, Impedance		
	Event records		
Record	Fault records		
	Disturbance records		
	CB and DS status		
	CB and DS response monitoring		
Monitoring	Trip circuit supervision		
	Trip counter monitoring categorized by breaking level		
	Self-supervision		

 $<sup>\</sup>ensuremath{^*}$  Communication lines between the substations are required.


# GRX-200 Relay

eatures	• Compact Design
	<ul> <li>Colored LCD Touch Screen for Human Interface</li> </ul>
	<ul> <li>Flexible Installation (The touch pane and the main unit are separate.)</li> </ul>
	Wide Range of Communication     Protocol Supported

Various Protection Elements

#### **Section Compensation Function**

When the train passes the section, sudden change of current might cause unnecessary trip. In order to avoid this situation, section compensation function is provided.



Through the relay's userfriendly HMI screen the circuit breaker can be operated and switchgear conditions can be checked.



Feeder Relay Mimic

This protection relay can generate, monitor and record wave forms during failure occurences. Through this, detailed fault analysis can be performed.



Section Compensation Principle


PC Tool for Fault Waveform Function

# High Speed Vacuum Circuit Breaker (HSVCB)

Toshiba has developed the innovative HSVCB. The HSVCB consists of the VCB, Capacitor, Control and Protection units. The aerial arc chute and the contactor for the conventional HSCB are not used for the HSVCB. It contributes to safe operation and easy maintenance.



#### Outline of HSVCB



Principle of Cutting off DC Current by HSVCB

# **Features** Safe Operation

No arc occurs during current breaking due to VCB application.

Low Noise

VCB application allows low noise.

Low Maintenance

Maintenance is free from aerial arc chute and the contactor.


#### Ratings

Rated Voltage [V]	DC 750 , 1500
Rated Current [A]	3000,4000
Rated Breaking Capacity [kA]	50 (at 3×10 <sup>6</sup> A / sec), 100 (at 10×10 <sup>6</sup> A / sec)
Rated Short Time Current [kA]	50-1sec , 100-1sec
Applicable Standard	JIS (To be developed for IEC)

When control and protection unit detects the over current or receives open command from external devices, the both valves trip and the thyristor switch of capacitor unit is turned on. Since the current of capacitor unit is in the opposite direction of the load/fault current, the zero-cross point of DC current can be achieved. Therefore, the DC load/fault current can be broken with high reliability and safety.

# Package-Type DC Substation

Toshiba has developed the compact "Package-Type DC Substation". It is suitable for small-capacity substations and temporary substations during rehabilitation work, and it reduces substation space.



Outline of Package-Type DC Substation

Features	Compactness     Flexible Layout
	Short Construction Period


#### **Ratings**

	Specifications	Applicable equipments
MV Switchgear Unit	7.2 / 24 / 36kV	Air Insulated type or Solid Insulated type
12-Pulse Rectifier Unit	Up to 2,000kW	TR : Epoxy Resin Molded Dry / Liquid Silicone SR : Heat-pipe Self-cooling
DC Switchgear Unit	DC 600V, DC1500V	HSCB or HSVCB
Auxiliary Power Supply Unit	DC 110V, AC 105V / 210V	Lead Storage Battery

# Traction Energy Storage System with SCiB™


#### **System Overview**

Toshiba developed Traction Energy Storage System (TESS) with SCiB™, an energy saving solution with Toshiba's own battery technology of high quality. TESS efficiently charges and discharges surplus regenerative energy to/from SCiB™. TESS is installed with Toshiba's patented advance V-SOC (Voltage-State-of-Charge) control system which allows flexible control of charge-discharge characteristics in accordance to the battery's State-of-Charge (SOC). This allows significant increase in battery lifetime. This system is useful not only for energy saving, but for various purposes such as regenerated energy absorption, peak cut, feeder voltage compensation and emergency power supply.



#### SCiB™

SCiB<sup>™</sup> is a rechargeable battery which uses Lithium Titanate Oxide (LTO). Its features include safety, long life, rapid charging, high power output performance, and good cryogenic operation.



#### **Ratings**

Rated Power	500kW~2000kW
Battery Capacity	200kWh~800kWh
Rated Voltage for Feeder side	1500V(950V~2000V)
Rated Voltage for Battery side	600V(500V~713V)
Load Pattern	1p.u.(1min.) –0.5p.u.(4min.) or 0.5p.u. –continuous



\* Results of cell level tests under certain conditions Not a guaranteed performance.

#### **System Design**

In the introduction of TESS in a railway system, it is important to do an accurate and reliable simulation of the traction power system during the design stage.


Toshiba has many experience and consultation know-how for such energy simulation required in designing a highly efficient total energy saving solution for the customer.

This simulation leads to a more suitable design of the TESS in terms of efficiency and cost as well.



# Regenerative Inverter

The regenerative inverter is an ideal solution for regenerative braking power from rolling stocks. It converts the DC regenerative power back to AC power and supplies it to the auxiliary system for passenger stations. Toshiba supplies the IGBT inverters with heat pipe cooling systems.





#### **Features**

The performance of the IGBT inverters has been upgraded in comparison with conventional thyristor inverters.

Reduces Harmonics

Harmonics distortion can be reduced due to the advanced gate control.

High Power Factor

The power factor is close to 1.0.

Low Loss

• Easy Operation and Maintenance

A touch screen on the panel for operation and maintenance.

#### Ratings

Capacity	Regenerating Inverter mode	1,000kW-continuous rating	
		3,000kW-1minute or 4,500kW-30seconds	
	Powering Converter mode	1,000kW-continuous rating only	
Rated Input Voltage	1,500VDC Output control mode (Make a selection for your operation ) -1) Load control: To 6% or 8% output regulation -2) Constant voltage control		
Rated Output Voltage	1,200VAC		
Main Circuit Configuration	1Series * 2Parallel * 6Arm * 2Bridge Double bridge parallel configuration by Transformer		
Device	IGBT (3,300V-1,200A) / MG1200FXF1US53(P)		
Device Cooling System	Heat-pipe in pure water (natural cooling type)		
Dimension	Inverter-2,700W * 2,200D * 2,900H		
	Control Panel of Inverter-800W * 1,000D * 2,300H		
	DC Reacrtor-2,800W * 2,000D * 2,500H		

Regenerative Inverter

# **Power SCADA**

#### Overview

б

Toshiba produces Supervisory Control And Data Acquisition (SCADA) systems for railway power supply systems with ICT which enables stable and highly-reliable train operations. Toshiba's abundant expertise allows for production of user-friendly systems. For instance, when a fault occurs on the distribution network, many fault signals will be sent simultaneously from some substations to the SCADA server in the Control Center. The operator would subsequently become confused by the many faults and alarms. Our system therefore collects related information and displays what originally happened, and then activates recovery control or shows the recovery procedure to the operator. In addition, the simulation function provides training for immediate and exact recovery.

Toshiba takes customers requirements into account in its flexible approach to producing SCADA systems.



#### **Features**

#### 1. High Reliability by Triple Servers

The triple-server system enables highly reliable operation. It can allow duplex servers operation even while maintenance and training. Of course, each of the three servers can be changed automatically or manually to service, standby or simulation mode.

#### 2. Server-less Manual Control on Console

The substation monitoring and the individual manual control functions are installed in the Console PC. These functions are therefore available even if the connection between the servers and Remote Terminal Unit (RTU) fails.

#### 3. Remote Back-up Console for Emergencies

Installing the Console PC in the substation makes remote back up control possible from the substations.

#### 4. Registered Sequential Control


This function controls multiple local equipment sequentially with one action. The operator can define and register the condition, equipment to be controlled, and sequence depending on their usability.

#### 5. Fault Recovery Control

In case of a fault in some substations or the distribution network, the fault recovery control (consisting of reclosing tripped circuit breakers, fault location control, etc.) will be done automatically or manually while displaying recovery procedure to facilitate immediate and exact recovery.

#### 6. Simulation (Training)

This function provides training for operators and conducts test for maintenance with a pair of servers and with the operator console in off-line status with all substations. Playing the "Simulation Scenario" which can be made from actual event logs simulates faults and circuit breakers tripped as if actual accidents had happened. This allows the operator to experience training that is effective for immediate and exact recovery.




**Typical System Configuration** 

# Toshiba's Station Energy Solution

Toshiba proposes the new idea of Station Energy Solution. It will realize the effective utilization of energy and contribute to environment friendly society. This solution consists of photovoltaic system, regenerative inverter system, battery system and total energy management system.

#### Photovoltaic Systems

Toshiba is capable of devising photovoltaic power and energy solutions that fit specific projects. Engineering know-how, expertise in system development and construction, and a seamless service network that spans the globe are crucial requisites. Toshiba has the experience and technology to make solar a successful strategy.



#### Regenerative Inverter System

Regenerative DC power from an electronic train converted to AC power via a Regenerative Power Inverter. The AC power is then supplied to nearby passenger stations for auxiliary power (e.g.



#### Traction Energy Storage System with SCiB™

Regenerative DC power can now be stored in Toshiba's Traction Energy Storage System which utilizes high performance SCiB™ batteries. It is controlled using a special control system with Toshiba's own propriety technology that promotes batteries' longer lifetime. With the use of this equipment, each


substation can not only save regenerative power but it can also help promote power peak cut, compensate voltage unbalance and be used as emergency power system.




#### Super Charge Ion Battery (SCiB™)

SCiB™ is a rechargeable battery.

By using unique oxide materials, SCiB™ holds high resistance toward thermal runaway resulting from short circuiting caused by physical stress. SCiB™ also has good characteristics such as, long life with small capacity loss even after 6,000 full charge-discharge cycles, rapid charging capability with ability to charge 80% of the capacity in as fast as approx. 6 minutes. High power output with performance equivalent to that of an EDLC (Electric Double-Layer Capacitors), and good cryogenic performance with ability to function even at -30°C.



25





 Air Insulated Switchgears Surge Arresters Protection Relay Turn-Key Engineering

#### Global operations; Asia X Sales / Engineering / Rep Office (TIPL) Toshiba India Private Ltd. **Y** Production Factory (TAPL) Toshiba Asia Pacific Pte., Ltd. (Singapore) (TAPL) Toshiba Asia Pacific Pte., Ltd. (Bangkok) (TAPL) Toshiba Asia Pacific Pte., Ltd. (Kuala Lumpur) (TAPL) Toshiba Asia Pacific Pte., Ltd. (Jakarta) **India, South East Asia** (TAPL) Toshiba Asia Pacific Pte., Ltd. (Manila) 38 (TTDV) Toshiba Transmission & Distribution Vietnam Protection RelaysSubstation Automation Systems 39 (TTDA) Toshiba Transmission & Distribution Systems Asia Sdn. Bhd. Medium Voltage Switchgears vacuum Circuit Breakers • Ring Main Units, Compact Substations, EPC of T&D Systems 40 (TTDI) Toshiba Transmission & Distribution Systems India • EHV, UV, Transformers Medium Voltage SwitchgearsPower Distribution Equipment

