

Conjunto		L01		
Pontos	Tensão (V)	Fundo de Escala	Corrente (A)	Fundo de Escala
1	26.42	40 V	0.03898	40 mA
2	20.00	40 V	0.03289	40 mA
3	15.00	40 V	0.02766	40 mA
4	10.00	40 V	0.02162	40 mA
5	5.00	40 V	0.01444	40 mA
6	2.999	4 V	0.01085	40 mA
7	1.500	4 V	0.00790	40 mA
8	1.000	4 V	0.00677	40 mA
9	0.500	4 V	0.00493	40 mA
10	-0.499	4 V	-0.00482	40 mA
11	-0.994	4 V	-0.00669	40 mA
12	-1.519	4 V	-0.00791	40 mA
13	-2.993	4 V	-0.01094	40 mA
14	-4.98	40 V	-0.01445	40 mA
15	-10.01	40 V	-0.02173	40 mA
16	-28.52	40 V	-0.0407	200 mA

Conjunto		L02		
Pontos	Tensão (V)	Fundo de Escala	Corrente (A)	Fundo de Escala
1	3.016	4V	0.02613	40mA
2	2.638	4V	0.02414	40mA
3	2.312	4V	0.02234	40mA
4	1.990	4V	0.02048	40mA
5	1.614	4V	0.01818	40mA
6	1.103	4V	0.01471	40mA
7	0.636	4V	0.01102	40mA
8	0.2753	400mV	0.00731	40mA
9	-0.2014	400mV	-0.00616	40mA
10	-0.596	4V	-0.01067	40mA
11	-1.108	4V	-0.01475	40mA
12	-1.532	4V	-0.01765	40mA
13	-2.171	4V	-0.02154	40mA
14	-2.444	4V	-0.02308	40mA
15	-2.857	4V	-0.02528	40mA
16	-3.171	4V	-0.02688	40mA

Conjunto		L03		
Pontos	Tensão (V)	Fundo de Escala	Corrente (A)	Fundo de Escala
1	27.98	40 V	0.03970	40 mA
2	5.63	40 V	0.01511	40 mA
3	3.845	4 V	0.01207	40 mA
4	2.784	4 V	0.01005	40 mA
5	0.638	4 V	0.00503	40 mA
6	0.1785	400 mV	0.00215	40 mA
7	0.1668	400 mV	0.00200	40 mA
8	0.0982	400 mV	0.00122	40 mA
9	-0.0181	400 mV	-0.00023	40 mA
10	-0.1866	400 mV	-0.00221	40 mA
11	-0.939	4 V	-0.00592	40 mA
12	-3.325	4 V	-0.01107	40 mA
13	-9.31	40 V	-0.01207	40 mA
14	-18.10	40 V	-0.02034	40 mA
15	-24.32	40 V	-0.03670	40 mA
16	-27.97	40 V	-0.03999	40 mA

Conjunto		L04		
Pontos	Tensão (V)	Fundo de Escala	Corrente (A)	Fundo de Escala
1	-25.00	40 V	-0.0916	200 mA
2	-21.00	40 V	-0.0830	200 mA
3	-17.00	40 V	-0.0730	200 mA
4	-13.00	40 V	-0.0620	200 mA
5	-9.00	40 V	-0.0500	200 mA
6	-5.00	40 V	-0.03540	40 mA
7	-1.000	4 V	-0.01400	40 mA
8	3.000	4 V	0.02630	40 mA
9	5.00	40 V	0.03530	40 mA
10	7.00	40 V	0.0429	200 mA
11	9.00	40 V	0.0500	200 mA
12	11.00	40 V	0.0560	200 mA
13	13.00	40 V	0.0620	200 mA
14	15.00	40 V	0.0680	200 mA
15	19.00	40 V	0.0780	200 mA
16	23.00	40 V	0.0870	200 mA

Conjunto		L05		
Pontos	Tensão (V)	Fundo de Escala	Corrente (A)	Fundo de Escala
1	24.06	40V	0.0822	200mA
2	17.90	40V	0.0690	200mA
3	7.14	40V	0.0405	200mA
4	5.46	40V	0.03544	40mA
5	1.344	4V	0.02100	40mA
6	0.2642	400mV	0.00790	40mA
7	0.2100	400mV	0.00641	40mA
8	0.1090	400mV	0.00343	40mA
9	-0.2050	400mV	-0.00600	40mA
10	-0.714	4V	-0.01578	40mA
11	-1.313	4V	-0.02000	40mA
12	-2.800	4V	-0.02566	40mA
13	-3.488	4V	-0.02818	40mA
14	-5.00	40V	-0.03355	40mA
15	-7.00	40V	-0.03980	40mA
16	-8.67	40V	-0.0450	200mA

Conjunto		L06		
Pontos	Tensão (V)	Fundo de Escala	Corrente (A)	Fundo de Escala
1	6.06	40 V	0.03843	40 mA
2	5.10	40 V	0.03490	40 mA
3	4.27	40 V	0.03138	40 mA
4	3.464	4 V	0.02763	40 mA
5	2.618	4 V	0.02344	40 mA
6	1.803	4 V	0.01883	40 mA
7	1.000	4 V	0.01367	40 mA
8	0.3180	400 mV	0.00779	40 mA
9	-0.3561	400 mV	-0.00822	40 mA
10	-1.068	4 V	-0.01412	40 mA
11	-1.840	4 V	-0.01905	40 mA
12	-2.654	4 V	-0.02349	40 mA
13	-3.456	4 V	-0.02746	40 mA
14	-4.25	40 V	-0.03112	40 mA
15	-5.14	40 V	-0.03495	40 mA
16	-6.00	40 V	-0.03834	40 mA

Conjunto		L07		
Pontos	Tensão (V)	Fundo de Escala	Corrente (A)	Fundo de Escala
1	-23.09	40 V	-0.0866	200 mA
2	-18.08	40 V	-0.0751	200 mA
3	-12.61	40 V	-0.0608	200 mA
4	-10.10	40 V	-0.0533	200 mA
5	-7.02	40 V	-0.0431	200 mA
6	-3.970	4 V	-0.03116	40 mA
7	-2.393	4 V	-0.02339	40 mA
8	-1.561	4 V	-0.01852	40 mA
9	0.582	4 V	0.01037	40 mA
10	1.875	4 V	0.01962	40 mA
11	2.811	4 V	0.02485	40 mA
12	3.881	4 V	0.03010	40 mA
13	6.77	40 V	0.0409	200 mA
14	9.49	40 V	0.0511	200 mA
15	14.04	40 V	0.0646	200 mA
16	18.89	40 V	0.0770	200 mA

Conjunto		L08		
Pontos	Tensão (V)	Fundo de Escala	Corrente (A)	Fundo de Escala
1	22.94	40 V	0.0871	200 mA
2	20.19	40 V	0.0809	200 mA
3	18.36	40 V	0.0765	200 mA
4	15.58	40 V	0.0694	200 mA
5	13.63	40 V	0.0646	200 mA
6	11.50	40 V	0.0582	200 mA
7	8.66	40 V	0.0492	200 mA
8	6.59	40 V	0.0419	200 mA
9	4.99	40 V	0.03572	40 mA
10	3.246	4 V	0.02775	40 mA
11	1.530	4 V	0.01817	40 mA
12	0.552	4 V	0.01096	40 mA
13	-4.01	40 V	-0.03114	40 mA
14	-5.61	40 V	-0.03806	40 mA
15	-7.06	40 V	-0.0435	200 mA
16	-9.34	40 V	-0.0515	200 mA

Conjunto		L09		
Pontos	Tensão (V)	Fundo de Escala	Corrente (A)	Fundo de Escala
1	25.48	40 V	0.0918	200 mA
2	21.33	40 V	0.0830	200 mA
3	18.46	40 V	0.0765	200 mA
4	15.14	40 V	0.0684	200 mA
5	12.42	40 V	0.0611	200 mA
6	11.18	40 V	0.0576	200 mA
7	9.35	40 V	0.0520	200 mA
8	7.49	40 V	0.0459	200 mA
9	-8.13	40 V	-0.0465	200 mA
10	-14.8	40 V	-0.0674	200 mA
11	-16.83	40 V	-0.0727	200 mA
12	-19.64	40 V	-0.0795	200 mA
13	-22.69	40 V	-0.0867	200 mA
14	-22.79	40 V	-0.0871	200 mA
15	-23.46	40 V	-0.0884	200 mA
16	-25.39	40 V	-0.0926	200 mA

Conjunto		L10		
Pontos	Tensão (V)	Fundo de Escala	Corrente (A)	Fundo de Escala
1	-23.50	40 V	-0.03450	40 mA
2	-18.50	40 V	-0.03031	40 mA
3	-14.00	40 V	-0.02570	40 mA
4	-11.50	40 V	-0.02286	40 mA
5	-8.00	40 V	-0.01845	40 mA
6	-6.00	40 V	-0.01559	40 mA
7	-4.50	40 V	-0.01322	40 mA
8	3.500	4 V	0.01152	40 mA
9	5.00	40 V	0.01412	40 mA
10	6.50	40 V	0.01642	40 mA
11	9.00	40 V	0.01986	40 mA
12	15.00	40 V	0.02688	40 mA
13	20.00	40 V	0.03188	40 mA
14	22.50	40 V	0.03415	40 mA
15	24.00	40 V	0.03549	40 mA
16	25.00	40 V	0.03637	40 mA

Conjunto		L11		
Pontos	Tensão (V)	Fundo de Escala	Corrente (A)	Fundo de Escala
1	25.91	40 V	0.0942	200 mA
2	23.84	40 V	0.0898	200 mA
3	19.27	40 V	0.0794	200 mA
4	17.82	40 V	0.0758	200 mA
5	14.18	40 V	0.0663	200 mA
6	10.94	40 V	0.0566	200 mA
7	6.01	40 V	0.03960	40 mA
8	3.118	4 V	0.02746	40 mA
9	1.289	4 V	0.01755	40 mA
10	0.0073	400 mV	0.000260	4000 μ A
11	-2.253	4 V	-0.02289	40 mA
12	-4.00	40 V	-0.03158	40 mA
13	-9.60	40 V	-0.0528	200 mA
14	-14.65	40 V	-0.0676	200 mA
15	-20.22	40 V	-0.0817	200 mA
16	-23.25	40 V	-0.0886	200 mA

Conjunto		L12		
Pontos	Tensão (V)	Fundo de Escala	Corrente (A)	Fundo de Escala
1	12.04	40V	0.0649	200mA
2	8.00	40V	0.0508	200mA
3	6.02	40V	0.0427	200mA
4	4.05	40V	0.03380	40mA
5	2.998	4V	0.02833	40mA
6	2.003	4V	0.02248	40mA
7	1.006	4V	0.01556	40mA
8	0.2420	400mV	0.00781	40mA
9	-0.2384	400mV	-0.00777	40mA
10	-1.016	4V	-0.01571	40mA
11	-2.001	4V	-0.02256	40mA
12	-3.045	4V	-0.02872	40mA
13	-4.00	40V	-0.03370	40mA
14	-6.02	40V	-0.0428	200mA
15	-8.0	40V	-0.0508	200mA
16	-12.0	40V	-0.0649	200mA

Conjunto		L13		
Pontos	Tensão (V)	Fundo de Escala	Corrente (A)	Fundo de Escala
1	23.50	40 V	0.0890	200 mA
2	20.40	40 V	0.0820	200 mA
3	17.20	40 V	0.0740	200 mA
4	13.10	40 V	0.0640	200 mA
5	10.00	40 V	0.0540	200 mA
6	8.00	40 V	0.0480	200 mA
7	5.13	40 V	0.03590	40 mA
8	1.370	4 V	0.01640	40 mA
9	-7.70	40 V	-0.0450	200 mA
10	-9.00	40 V	-0.0500	200 mA
11	-11.10	40 V	-0.0570	200 mA
12	-14.40	40 V	-0.0660	200 mA
13	-16.00	40 V	-0.0710	200 mA
14	-17.70	40 V	-0.0750	200 mA
15	-18.90	40 V	-0.0780	200 mA
16	-23.60	40 V	-0.0890	200 mA

Conjunto		L14		
Pontos	Tensão (V)	Fundo de Escala	Corrente (A)	Fundo de Escala
1	22.64	40 V	0.0827	200 mA
2	17.24	40 V	0.0707	200 mA
3	13.26	40 V	0.0608	200 mA
4	9.48	40 V	0.0503	200 mA
5	6.62	40 V	0.0412	200 mA
6	3.131	4 V	0.02890	40 mA
7	0.940	4 V	0.01891	40 mA
8	0.1730	400 mV	0.00527	40 mA
9	-0.2090	400 mV	-0.00635	40 mA
10	-0.745	4 V	-0.01719	40 mA
11	-2.057	4 V	-0.02470	40 mA
12	-5.19	40 V	-0.03632	40 mA
13	-9.07	40 V	-0.0487	200 mA
14	-13.85	40 V	-0.0621	200 mA
15	-18.02	40 V	-0.0724	200 mA
16	-23.42	40 V	-0.0846	200 mA

Conjunto		L15		
Pontos	Tensão (V)	Fundo de Escala	Corrente (A)	Fundo de Escala
1	8.93	40 V	0.0492	200 mA
2	8.77	40 V	0.0487	200 mA
3	6.58	40 V	0.0410	200 mA
4	5.66	40 V	0.03776	40 mA
5	4.76	40 V	0.03417	40 mA
6	4.12	40 V	0.03135	40 mA
7	2.488	4 V	0.02322	40 mA
8	1.277	4 V	0.01567	40 mA
9	-0.525	4 V	-0.00927	40 mA
10	-1.918	4 V	-0.02050	40 mA
11	-7.85	40 V	-0.0444	200 mA
12	-9.64	40 V	-0.0505	200 mA
13	-13.37	40 V	-0.0627	200 mA
14	-15.40	40 V	-0.0685	200 mA
15	-17.55	40 V	-0.0739	200 mA
16	-18.36	40 V	-0.0757	200 mA

Conjunto		L16		
Pontos	Tensão (V)	Fundo de Escala	Corrente (A)	Fundo de Escala
1	-22.90	40V	-0.0907	200mA
2	-17.80	40 V	-0.0777	200mA
3	-14.65	40V	-0.0713	200mA
4	-12.74	40V	-0.0661	200mA
5	-10.77	40V	-0.0602	200 mA
6	-8.85	40V	-0.0531	200mA
7	-4.28	40V	-0.03566	40mA
8	0.613	4V	0.01460	40mA
9	1.506	4V	0.02079	40mA
10	6.09	40V	0.04310	40mA
11	8.51	40V	0.0524	200mA
12	10.80	40V	0.0603	200mA
13	13.43	40V	0.0685	200 mA
14	16.07	40V	0.0761	200mA
15	21.83	40V	0.0908	200mA
16	36.50	40V	0.03241	40mA

Conjunto		L17		
Pontos	Tensão (V)	Fundo de Escala	Corrente (A)	Fundo de Escala
1	-24.56	40V	-0.0929	200mA
2	-23.26	40V	-0.0899	200mA
3	-11.76	40V	-0.0597	200mA
4	-9.73	40V	-0.0529	200mA
5	-6.49	40V	-0.0415	200mA
6	-0.696	4V	-0.01369	40mA
7	-0.505	4V	-0.01200	40mA
8	0.434	4V	0.01133	40mA
9	0.494	4V	0.01192	40mA
10	0.553	4V	0.01260	40mA
11	0.731	4V	0.01413	40mA
12	6.48	40V	0.0415	200mA
13	9.58	40V	0.0520	200mA
14	12.21	40V	0.0605	200mA
15	23.32	40V	0.0890	200mA
16	25.30	40V	0.0935	200mA