

Trace Quantitative Analysis by Mass Spectrometry

Trace Quantitative Analysis by Mass Spectrometry

Robert K. Boyd

National Research Council, Ottawa, Canada

Cecilia Basic

Basic Mass Spec., Winnipeg, Canada

Robert A. Bethem

Alta Analytical Laboratory, El Dorado Hills, CA, USA



John Wiley & Sons, Ltd

Copyright © 2008 John Wiley & Sons Ltd, The Atrium, Southern Gate, Chichester,
West Sussex PO19 8SQ, England
Telephone (+44) 1243 779777

Email (for orders and customer service enquiries): cs-books@wiley.co.uk
Visit our Home Page on www.wiley.com

All Rights Reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning or otherwise, except under the terms of the Copyright, Designs and Patents Act 1988 or under the terms of a licence issued by the Copyright Licensing Agency Ltd, 90 Tottenham Court Road, London W1T 4LP, UK, without the permission in writing of the Publisher. Requests to the Publisher should be addressed to the Permissions Department, John Wiley & Sons Ltd, The Atrium, Southern Gate, Chichester, West Sussex PO19 8SQ, England, or emailed to permreq@wiley.co.uk, or faxed to (+44) 1243 770620.

Designations used by companies to distinguish their products are often claimed as trademarks. All brand names and product names used in this book are trade names, service marks, trademarks or registered trademarks of their respective owners. The Publisher is not associated with any product or vendor mentioned in this book.

This publication is designed to provide accurate and authoritative information in regard to the subject matter covered. It is sold on the understanding that the Publisher is not engaged in rendering professional services. If professional advice or other expert assistance is required, the services of a competent professional should be sought.

The Publisher and the Author make no representations or warranties with respect to the accuracy or completeness of the contents of this work and specifically disclaim all warranties, including without limitation any implied warranties of fitness for a particular purpose. The advice and strategies contained herein may not be suitable for every situation. In view of ongoing research, equipment modifications, changes in governmental regulations, and the constant flow of information relating to the use of experimental reagents, equipment, and devices, the reader is urged to review and evaluate the information provided in the package insert or instructions for each chemical, piece of equipment, reagent, or device for, among other things, any changes in the instructions or indication of usage and for added warnings and precautions. The fact that an organization or Website is referred to in this work as a citation and/or a potential source of further information does not mean that the author or the publisher endorses the information the organization or Website may provide or recommendations it may make. Further, readers should be aware that Internet Websites listed in this work may have changed or disappeared between when this work was written and when it is read. No warranty may be created or extended by any promotional statements for this work. Neither the Publisher nor the Author shall be liable for any damages arising herefrom.

Other Wiley Editorial Offices

John Wiley & Sons Inc., 111 River Street, Hoboken, NJ 07030, USA

Jossey-Bass, 989 Market Street, San Francisco, CA 94103-1741, USA

Wiley-VCH Verlag GmbH, Boschstr. 12, D-69469 Weinheim, Germany

John Wiley & Sons Australia Ltd, 42 McDougall Street, Milton, Queensland 4064, Australia

John Wiley & Sons (Asia) Pte Ltd, 2 Clementi Loop #02-01, Jin Xing Distripark, Singapore 129809

John Wiley & Sons Ltd, 6045 Freemont Blvd, Mississauga, Ontario, L5R 4J3, Canada

Wiley also publishes its books in a variety of electronic formats. Some content that appears in print may not be available in electronic books.

Library of Congress Cataloging in Publication Data

Boyd, Bob, 1938-

Trace quantitative analysis by mass spectrometry / Bob Boyd, Robert Bethem, Cecilia Basic.

p. cm.

Includes bibliographical references and index.

ISBN 978-0-470-05771-1 (cloth : alk. paper)

1. Mass spectrometry. 2. Chemistry, Analytic—Quantitative. I. Bethem, Robert. II. Basic, Cecilia. III. Title.

QD272.S6B69 2008

543'.65—dc22

2007046641

British Library Cataloguing in Publication Data

A catalogue record for this book is available from the British Library

ISBN Cloth 978-0-470-05771-1

Typeset in 9/11pt Times by Integra Software Services Pvt. Ltd, Pondicherry, India

Printed and bound in Great Britain by Antony Rowe Ltd, Chippenham, Wiltshire

The authors dedicate this book to all of our mentors and colleagues,
too many to mention by name, with whom we have had the privilege of working over
many years and who have taught us so much.

Contents

Preface	xvii
Acknowledgements	xxiii
1 Measurement, Dimensions and Units	1
1.1 Introduction	1
1.2 The International System of Units (SI)	3
1.3 'Mass-to-Charge Ratio' in Mass Spectrometry	6
1.4 Achievable Precision in Measurement of SI Base Quantities	9
1.5 Molecular Mass Limit for Trace Quantitation by Mass Spectrometry	11
1.6 Summary of Key Concepts	14
2 Tools of the Trade I. The Classical Tools	17
2.1 Introduction	17
2.2 Analytical and Internal Standards: Reference Materials	18
2.2.1 Analytical Standard (Reference Standard) and its Traceability	18
2.2.2 Certified (Standard) Reference Materials (CRMs)	20
2.2.3 Surrogate Internal Standard (SIS)	21
2.2.4 Volumetric Internal Standard (VIS)	25
2.3 The Analytical Balance	25
2.3.1 Balance Calibration	27
2.3.2 Sources of Uncertainty in Weighing	27
2.3.3 Weighing the Analytical Standard	31
2.4 Measurement and Dispensing of Volume	32
2.4.1 Standard Volumetric Flasks	32
2.4.2 Pipets	33
2.4.2a Classical Pipets	33
2.4.2b Micropipets	33
2.4.3 Loop Injectors for High Performance Liquid Chromatography (HPLC)	35
2.4.4 Syringes	38
2.5 Preparation of Solutions for Calibration	39
2.5.1 Matrix-Free Calibration Solutions	40
2.5.2 Matrix Matched Calibrators	40
2.5.3 Quality Control (QC) Samples	41
2.5.3a QCs in Method Development and Validation	41
2.5.3b QCs in Sample Analysis	41
2.6 Introduction to Calibration Methods for Quantitative Analysis	42
2.6.1 Calibration Using an External Standard	42
2.6.2 Calibration for the Method of Standard Additions	44

2.6.3	Calibration Using a Surrogate Internal Standard	44
2.6.4	Curves used in Conjunction with ‘Continuing Calibration Verification Standards’	46
2.7	Summary of Key Concepts	47
3	Tools of the Trade II. Theory of Chromatography	51
3.1	Introduction	51
3.2	General Principles of Chemical Separations	53
3.3	Summary of Important Concepts	55
3.4	Plate Theory of Chromatography	58
3.4.1	Elution Equation for the Plate Theory	59
3.4.2	Retention Volume and Time	61
3.4.3	The Separation Ratio (Selectivity Factor) for Two Solutes	62
3.4.4	Capacity Factor (Ratio) of a Solute	62
3.4.5	Column Efficiency and Height Equivalent of the Theoretical Plate	63
3.4.6	Chromatographic Resolution	64
3.4.7	Effective Plate Number	65
3.4.8	Maximum Sample Injection Volume for a Specific Column	65
3.4.9	Peak Capacity of a Column	66
3.4.10	Gaussian Form of the Plate Theory Elution Equation	67
3.5	Nonequilibrium Effects in Chromatography: the van Deemter Equation	69
3.5.1	Multipath Dispersion	70
3.5.2	Longitudinal Diffusion	71
3.5.3	Resistance to Mass Transfer in the Mobile and Stationary Phases	71
3.5.4	Optimization to Maximize Column Efficiency	72
3.5.5	Relationships for Estimating Optimized Conditions	74
3.5.6	Numerical Estimates for Optimized Parameters	76
3.5.7	Ultra-Small Stationary Phase Particles	77
3.5.8	Monolithic Columns	80
3.5.9	Ultra High Flow Rate Liquid Chromatography	81
3.5.10	Packed Microcolumns	81
3.5.10a	<i>The Knox Equation</i>	84
3.5.10b	<i>Chromatographic Dilution</i>	87
3.5.10c	<i>Flow Impedance Parameter and Separation Impedance</i>	87
3.5.11	Gas Chromatography	88
3.5.11a	<i>Effect of Gas Compressibility on Elution Equation for Packed Columns</i>	88
3.5.11b	<i>Open Tubular Columns and the Golay Equation</i>	89
3.5.12	Peak Asymmetry	90
3.6	Gradient Elution	92
3.7	Capillary Electrophoresis and Capillary Electrochromatography	97
Appendix 3.1	Derivation of the Plate Theory Equation for Chromatographic Elution	102
Appendix 3.2	Transformation of the Plate Theory Elution Equation from Poisson to Gaussian Form	103
Appendix 3.3	A Brief Introduction to Snyder’s Theory of Gradient Elution	104
	List of Symbols Used in Chapter 3	105
4	Tools of the Trade III. Separation Practicalities	109
4.1	Introduction	109
4.2	The Analyte and the Matrix	110
4.3	Extraction and Clean-Up: Sample Preparation Methods	111
4.3.1	Liquid–Liquid Extraction (LLE)	112
4.3.1a	<i>Solid-Supported Liquid–Liquid Extraction (SLE)</i>	114
4.3.1b	<i>Single Drop Microextraction (SDME)</i>	114
4.3.1c	<i>Dispersive Liquid–Liquid Microextraction (DLLE)</i>	115

4.3.1d	<i>Flow Injection Liquid–Liquid Extraction</i>	115
4.3.1e	<i>Membrane Extraction</i>	115
4.3.1f	<i>Protein Precipitation from Biological Fluids</i>	117
4.3.2	Liquid Extraction of Analytes from Solid Matrices	117
4.3.2a	<i>Soxhlet Extraction</i>	117
4.3.2b	<i>Pressurized Solvent Extraction</i>	117
4.3.2c	<i>Sonication Assisted Liquid Extraction (SAE)</i>	119
4.3.2d	<i>Microwave Assisted Extraction (MAE)</i>	120
4.3.2e	<i>Supercritical Fluid Extraction (SFE)</i>	121
4.3.3	Solid Phase Extraction from Liquids and Gases	124
4.3.3a	<i>Flash Chromatography</i>	124
4.3.3b	<i>Purge-and-Trap Analysis for Volatile Organic Compounds</i>	124
4.3.3c	<i>Solid Phase Extraction (SPE)</i>	125
4.3.3d	<i>Turbulent Flow Chromatography</i>	128
4.3.3e	<i>Molecularly Imprinted Polymers (MIPs)</i>	130
4.3.3f	<i>Solid Phase Microextraction (SPME)</i>	132
4.3.3g	<i>Stir-Bar Sorptive Extraction (SBSE)</i>	133
4.4	Chromatographic Practicalities	133
4.4.1	Stationary Phases for SPE and Liquid Chromatography	133
4.4.1a	<i>Alumina and Silica Particles</i>	134
4.4.1b	<i>Derivatization of Silica for Normal and Reverse Phase Chromatography</i>	136
4.4.1c	<i>Ion Exchange Media</i>	137
4.4.1d	<i>Chiral Separations</i>	137
4.4.1e	<i>Affinity Media</i>	143
4.4.2	Mobile Phases Used in SPE and Liquid Chromatography	144
4.4.2a	<i>Solvent Polarity and Elution Strength</i>	145
4.4.2b	<i>Reverse Phase Chromatography</i>	146
4.4.2c	<i>Hydrophilic Interaction Chromatography (HILIC)</i>	146
4.4.3	Mobile and Stationary Phases for Gas Chromatography	147
4.4.3a	<i>GC Mobile Phase</i>	147
4.4.3b	<i>Temperature Programming</i>	149
4.4.3c	<i>GC Stationary Phases</i>	150
4.4.4	Sample Injection Devices for Chromatography	152
4.4.4a	<i>Automated Loop Injectors for HPLC</i>	152
4.4.4b	<i>GC Injectors</i>	152
4.4.5	Pumps for HPLC	154
4.4.6	Capillary Electrophoresis and Electrochromatography	157
4.4.7	Micro Total Analysis Systems (Lab-on-a-Chip)	160
4.4.8	General Comments on Detectors for Chromatography	163
4.5	Summary of Key Concepts	166
Appendix 4.1	Responses of Chromatographic Detectors: Concentration vs Mass–Flux Dependence	169
5	Tools of the Trade IV. Interfaces and Ion Sources for Chromatography–Mass Spectrometry	173
5.1	Introduction	174
5.1.1	Matrix Effects	175
5.2	Ion Sources that can Require a Discrete Interface Between Chromatograph and Source	176
5.2.1	Electron Ionization and Chemical Ionization	176
5.2.1a	<i>Discrete Chromatograph-Ion Source Interfaces</i>	180
5.2.1b	<i>Chemical Derivatization for EI and CI</i>	182
5.2.2	Matrix Assisted Laser Desorption/Ionization (MALDI)	184
5.2.3	‘Lab-on-a-Chip’	195

5.3	Ion Sources not Requiring a Discrete Interface	196
5.3.1	Flow Fast Atom Bombardment (Flow-FAB)	196
5.3.2	Thermospray Ionization	197
5.3.3	Atmospheric Pressure Ionization (API)	198
	5.3.3a <i>Coupling of API Sources to Mass Spectrometers</i>	199
5.3.4	Atmospheric Pressure Chemical Ionization (APCI)	203
5.3.5	Atmospheric Pressure Photoionization (APPI)	206
5.3.6	Electrospray Ionization (ESI)	211
	5.3.6a <i>Ionization Suppression/Enhancement: Matrix Effects</i>	221
	5.3.6b <i>ESI-MS: Concentration or Mass Flow Dependent?</i>	230
5.3.7	Atmospheric Pressure Desorption Methods	236
5.4	Source–Analyzer Interfaces Based on Ion Mobility	237
5.5	Summary of Key Concepts	238
5.1	Appendix 5.1: Methods of Sample Preparation for Analysis by MALDI	242
6	Tools of the Trade V. Mass Analyzers for Quantitation: Separation of Ions by m/z Values	245
6.1	Introduction	245
6.2	Mass Analyzer Operation Modes and Tandem Mass Spectrometry	248
6.2.1	The Selectivity–Sensitivity Compromise	249
6.2.2	Tandem Mass Spectrometry (MS/MS)	251
6.2.3	Figures of Merit for Mass Analyzers	255
	6.2.3a <i>Accessible m/z Range</i>	255
	6.2.3b <i>Resolving Power</i>	256
	6.2.3c <i>Accuracy and Precision of Mass Measurement</i>	257
	6.2.3d <i>Transmission Efficiency</i>	258
	6.2.3e <i>Duty Cycle</i>	259
	6.2.3f <i>Data Acquisition Rate</i>	259
	6.2.3g <i>Dynamic Range (Range of Reliable Response)</i>	261
	6.2.3h <i>Versatility for Tandem Mass Spectrometry</i>	261
	6.2.3i <i>Ease of Use</i>	261
	6.2.3j <i>Capital and Maintenance Costs</i>	261
6.3	Motion of Ions in Electric and Magnetic Fields	261
6.3.1	Introduction to Interactions of Electric and Magnetic Fields with Ions	263
6.3.2	Ion Optics and Lenses: Instrument Tuning	265
6.4	Mass Analyzers	266
6.4.1	Calibration of the m/z Axis (‘Mass Calibration’)	266
6.4.2	Quadrupole Mass Filters	267
	6.4.2a <i>RF-Only Quadrupoles</i>	276
6.4.3	Triple Quadrupole Instruments	277
6.4.4	Magnetic Sector Analyzers	280
6.4.5	Quadrupole Ion Traps	284
	6.4.5a <i>Three-Dimensional (Paul) Traps</i>	285
	6.4.5b <i>Two-Dimensional (Linear) Traps</i>	301
6.4.6	The QqQ _{trap} Analyzer	309
6.4.7	Time of Flight and QqTOF Analyzers	311
6.4.8	FTICR and Orbitrap Analyzers	320
6.5	Activation and Dissociation of Ions	320
6.6	Vacuum Systems	326
6.6.1	Pumping Speed, Conductance and Gas Flow	327
6.6.2	Vacuum Pumps	329
	6.6.2a <i>Rotary Vane Pumps</i>	329
	6.6.2b <i>Diffusion Pumps</i>	330

6.6.2c	<i>Turbomolecular Pumps</i>	330
6.6.2d	<i>Differential Pumping</i>	332
6.6.3	Vacuum Gauges	334
6.6.3a	<i>Capacitance Manometer</i>	334
6.6.3b	<i>Pirani Gauge</i>	334
6.6.3c	<i>Thermocouple Gauge</i>	335
6.6.3d	<i>Ionization Gauge</i>	335
6.7	Summary of Key Concepts	336
Appendix 6.1	Interaction of Electric and Magnetic Fields with Charged Particles	339
Appendix 6.2	Leak Detection	340
Appendix 6.3	List of Symbols Used in Chapter 6	341
7	Tools of the Trade VI. Ion Detection and Data Processing	345
7.1	Introduction	345
7.1.1	Signal:Noise vs Signal:Background	347
7.1.1a	<i>Shot Noise in the Ion Beam</i>	350
7.1.1b	<i>Data Smoothing Before Integration</i>	352
7.1.1c	<i>Integration and Experimental Determination of Signal:Background</i>	353
7.2	Faraday Cup Detectors	353
7.3	Electron Multipliers	354
7.3.1	Discrete Dynode Secondary Electron Multipliers	354
7.3.1a	<i>Off-Axis Conversion Dynodes</i>	357
7.3.2	Channel Electron Multipliers	359
7.3.2a	<i>Single Channel Electron Multipliers</i>	359
7.3.2b	<i>Channel Electron Multiplier Arrays</i>	362
7.4	Post-Detector Electronics	365
7.4.1	Analog Signal Processing	365
7.4.2	Digital Electronics for Ion Counting Detectors	366
7.4.3	Computer-Based Data Systems	367
7.5	Summary of Key Concepts	368
8	Tools of the Trade VII: Statistics of Calibration, Measurement and Sampling	373
8.1	Introduction	374
8.1.1	Systematic and Random Errors: Accuracy and Precision	375
8.2	Univariate Data: Tools and Tests for Determining Accuracy and Precision	377
8.2.1	Mean, Median, Standard Deviation, Standard Error	377
8.2.2	Significant Figures and Propagation of Error	379
8.2.3	Normal (Gaussian) Distribution	382
8.2.4	Hypothesis Tests: False Positives and False Negatives	385
8.2.5	Student's <i>t</i> -Test and Fisher F-Test for Comparison of Means and Variances: Applications to Two Data Sets	387
8.2.6	Statistical Testing of More Than Two Data Sets: Bartlett Test and ANOVA	394
8.2.7	Multiple-Range Test and Huber–Davies Test for Outliers	398
8.3	Bivariate Data: Tools and Tests for Regression and Correlation	398
8.3.1	Correlation Analysis	401
8.3.2	Simple Linear Regression for Homoscedastic Data	401
8.3.3	Test for Goodness of Fit: Irreproducibility, Heteroscedacity and Nonlinearity	407
8.3.4	Inversion of the Calibration Equation	410
8.3.5	Weighted Linear Regression	411
8.3.6	Regression for Nonlinear Data: the Quadratic Fitting Function	415
8.3.7	Summarized Procedure to Determine Best-Fit Calibration Curve	416
8.3.8	Nonlinear Least-Squares Regression	418

8.4	Limits of Detection and Quantitation	418
8.4.1	Limit of Detection	419
8.4.2	Limits of Quantitation	427
8.5	Calibration and Measurement: Systematic and Random Errors	428
8.5.1	Analyses Without Internal Standards	428
8.5.1a	<i>External Linear Calibration With a Zero Intercept</i>	428
8.5.1b	<i>Method of Standard Additions</i>	430
8.5.1c	<i>External Linear Calibration With a Nonzero Intercept</i>	432
8.5.1d	<i>Systematic Errors in the Method of Standard Additions: Youden Plots</i>	434
8.5.1e	<i>Strategies When Analytical Standards are not Available</i>	435
8.5.2	Analyses Using Internal Standards	436
8.5.2a	<i>Volumetric Internal Standards for GC Analyses</i>	437
8.5.2b	<i>Use of Surrogate Internal Standards</i>	439
8.5.2c	<i>Cross-Contributions Between Analyte and Internal Standard – a Need for Nonlinear Regression</i>	444
8.6	Statistics of Sampling of Heterogeneous Matrices	448
8.7	Summary of Key Concepts	453
Appendix 8.1	A Brief Statistics Glossary	455
Appendix 8.2	Symbols Used in Discussion of Calibration Methods	458
9	Method Development and Fitness for Purpose	461
9.1	Introduction	461
9.2	Fitness for Purpose and Managing Uncertainty	461
9.3	Issues Between Analyst and Client: Examining What's at Stake	463
9.3.1	Define the Analytical Problem	463
9.3.2	Consider the Needs of all Interested Parties	463
9.3.2a	<i>Client's Perspective vs Analyst's Perspective</i>	463
9.3.3	Define Uncertainty Tolerance	465
9.3.3a	<i>Setting Targets for Quantitation</i>	466
9.3.3b	<i>Setting Targets for Identification</i>	466
9.3.4	Balancing Thoroughness vs Time and Resources	472
9.3.5	The Analyst as Expert Witness	474
9.4	Formulating a Strategy	474
9.4.1	Defining the Scope and Method Requirements	474
9.4.2	Considering Prevailing Guidelines or Regulatory Requirements	476
9.4.2a	<i>Good Laboratory Practice</i>	476
9.4.2b	<i>Laboratory Accreditation</i>	478
9.4.2c	<i>Method Development and Validation Without Established Guidance</i>	478
9.4.3	The Analyte	478
9.4.3a	<i>Structures and Chemical Properties – MS Considerations</i>	478
9.4.3b	<i>Structures and Chemical Properties – Analytical Considerations</i>	479
9.4.4	The Reference Standard	479
9.4.4a	<i>Availability and Source</i>	479
9.4.4b	<i>Receipt and Documentation</i>	480
9.4.4c	<i>Certificate of Analysis</i>	481
9.4.4d	<i>Assigned Purity</i>	481
9.4.4e	<i>Chiral Purity</i>	482
9.4.4f	<i>Storage and Stability</i>	482
9.4.5	The Surrogate Internal Standard (SIS)	482
9.4.5a	<i>General Considerations</i>	482
9.4.5b	<i>Stable Isotope Internal Standards</i>	482


9.4.5c	Analog or Homolog Internal Standards	484
9.4.5d	SIS for Multi-analyte Assays	484
9.4.6	The Analytical Sample	484
9.4.6a	Sample Availability vs Method Requirements	485
9.4.6b	Documentation of Sample Receipt, Storage and Use	485
9.4.7	The Control Matrix	486
9.4.7a	Obtaining a Suitable Control Matrix	486
9.4.7b	Using the Control Matrix to Assess Selectivity	486
9.4.7c	Surrogate Matrices	489
9.4.8	Evaluate Analytical Options	489
9.4.8a	Reviewing The Literature and Previous Methodologies	489
9.4.8b	Review Existing Laboratory SOPs	490
9.5	Method Development	490
9.5.1	Instrument Qualification, Calibration and Maintenance	490
9.5.1a	Equipment Qualification	491
9.5.1b	Mass Spectrometer Calibration	494
9.5.1c	Maintenance	494
9.5.1d	Validation of Computerized Laboratory Instruments and Equipment	494
9.5.2	Instrument Optimization	496
9.5.3	LC–MS/MS Optimization for MRM Analysis Using QqQ	497
9.5.3a	API Interface and Q_1 Optimization	498
9.5.3b	Selecting Product Ions and CID Conditions	502
9.5.3c	Final MRM Optimization	503
9.5.4	Preparation of Stock and Spiking Solutions	504
9.5.4a	Primary Stock Solutions	504
9.5.4b	Sub-Stocks and Spiking Solutions	506
9.5.4c	Miscellaneous Considerations	506
9.5.5	Chromatography Method Development	507
9.5.5a	General Considerations	507
9.5.5b	Sample Throughput and Selectivity	507
9.5.5c	Multi-dimensional Separations	508
9.5.5d	Miscellaneous Components	510
9.5.6	Sample Preparation – Extraction and Clean-Up	511
9.5.6a	Evaluating Options	512
9.5.6b	Use of Blanks During Method Development and Analysis	513
9.5.6c	Using Spikes and ‘Recovery Samples’	513
9.5.7	Evaluating Sensitivity and Linearity in Matrix	515
9.6	Matrix Effects	517
9.6.1	Evaluating Ion Suppression in Method Development	518
9.6.2	Addressing Ion Suppression/Enhancement	519
9.6.3	Interferences	520
9.7	Contamination and Carryover	522
9.7.1	Laboratory Contamination	522
9.7.1a	Common Causes and Impact	522
9.7.1b	Monitoring Contamination in the Laboratory	522
9.7.2	Carryover	523
9.7.2a	Evaluating Carryover During Method Development	524
9.7.2b	Addressing Carryover in the Method	525
9.8	Establishing the Final Method	527
9.8.1	Curve Preparation	527
9.8.1a	Calibration Solutions	527
9.8.1b	Matrix Matched Calibrators	528

9.8.2	Preparation of QCs	530
9.8.3	System Suitability	531
9.8.4	Testing Method Robustness and Ruggedness	533
9.8.5	Establishing Final Stepwise Procedure	535
9.8.6	Final Method Qualification/Assessment	536
10	Method Validation and Sample Analysis in a Controlled Laboratory Environment	539
10.1	Introduction	539
10.2	Method Validation	540
10.2.1	Figures of Merit for Full Validation	540
10.2.2	Selectivity	540
10.2.3	Sensitivity, Range of Reliable Response and Linearity	542
10.2.4	Accuracy and Precision	543
10.2.5	Reproducibility	543
10.2.6	Recovery	544
10.2.7	Stability in Solution	544
10.2.8	Stability in Matrix	545
	10.2.8a <i>In-Process Stability (Room Temperature Stability)</i>	545
	10.2.8b <i>Freeze–Thaw Stability</i>	546
	10.2.8c <i>Long Term Storage Stability (Sample Stability)</i>	546
10.2.9	Other Special Validation Requirements	547
	10.2.9a <i>Extract and Re-Injection Stability</i>	547
	10.2.9b <i>Assessing Carryover and Potential for Laboratory Contamination</i>	548
	10.2.9c <i>Incurred Sample Re-Analysis and Stability</i>	548
	10.2.9d <i>Integrity of Dilution</i>	549
10.2.10	Abbreviated and Partial Validation	549
10.2.11	Cross Validations	550
10.3	Conduct of the Validation	551
10.3.1	Validation Plan or Protocol	551
10.3.2	Validation Sample Analysis	552
	10.3.2a <i>Data Review</i>	552
	10.3.2b <i>Addressing Validation Run Failures</i>	553
10.3.3	Documentation of Supporting Data	553
	10.3.3a <i>Assay Procedure</i>	553
	10.3.3b <i>Standards and Stock Solutions</i>	553
	10.3.3c <i>Preparation of Calibrators and QCs</i>	553
	10.3.3d <i>Acceptance Criteria</i>	553
	10.3.3e <i>Sample Analysis</i>	554
	10.3.3f <i>Run Summary Sheets</i>	555
	10.3.3g <i>Chromatograms</i>	555
	10.3.3h <i>Communications</i>	555
10.3.4	The Validation Report and Scientific Review	555
	10.3.4a <i>Reference Standard and Solutions</i>	556
	10.3.4b <i>QCs and Calibrators</i>	556
	10.3.4c <i>Assay Procedures</i>	556
	10.3.4d <i>Run Acceptance Criteria</i>	556
	10.3.4e <i>Sample Analysis Tables</i>	556
	10.3.4f <i>Failed Runs</i>	557
	10.3.4g <i>Deviations From Method or SOPs</i>	558
	10.3.4h <i>Chromatograms</i>	558
	10.3.4i <i>Amendments</i>	558

10.4	Examples of Methods and Validations Fit for Purpose	559
10.4.1	Bioanalytical Method Validation	559
	10.4.1a Sensitivity and the Calibration/Standard Curve	560
	10.4.1b Accuracy and Precision	561
	10.4.1c Selectivity	562
	10.4.1d Matrix Effects	562
	10.4.1e Recovery	563
	10.4.1f Reproducibility	563
	10.4.1g Stability – Overview	563
	10.4.1h Stock Solution Stability	563
	10.4.1i Freeze and Thaw Stability	564
	10.4.1j Short Term Temperature Stability	564
	10.4.1k Long Term Stability	564
	10.4.1l Incurred Sample Re-Analysis	565
10.4.2	Risk Assessment Methods	567
10.4.3	Enforcement Methods	567
	10.4.3a FDA Enforcement Methods for Drug Residues in Animal Food Products	568
10.5	Validated Sample Analysis	570
10.5.1	Sample Batch Preparation and Extraction	570
10.5.2	Sample Analysis	570
	10.5.2a Analytical Run Lists	570
	10.5.2b Instrument Set-Up and System Suitability	571
	10.5.2c Failed Runs and Re-Analysis	571
10.5.3	Data Review	572
	10.5.3a Evaluating Chromatography and Instrument Response	572
	10.5.3b Evaluating the Curve and QCs	575
	10.5.3c Rejection of Data	576
10.5.4	Sample Re-Assays	577
10.5.5	Addressing Carryover During Sample Analysis	578
10.5.6	Investigation and Corrective Action	580
10.6	Documentation	582
10.6.1	Sample Tracking	582
10.6.2	Sample Analytical Report	583
10.7	Traceability	583
11	Examples from the Literature	585
11.1	Introduction	585
11.2	Food Contaminants	585
	11.2.1 Acrylamide	586
	11.2.2 Paralytic Shellfish Poisons	598
11.3	Anthropogenic Pollutants in Water	605
	11.3.1 Disinfection By-Products	605
	11.3.1a MX [3-chloro-4-(dichloromethyl)-5-hydroxy-2(5H)-furanone]	607
	11.3.1b N-nitrosodialkylamines	612
	11.3.2 Multi-residue Methods for Pharmaceutical Residues	616
	11.3.2a Validated Method for Macrolide Antibiotics	617
	11.3.2b Extraction/Clean-up for Multi-residue Analysis of Compounds of Widely Different Polarity etc.	620
	11.3.2c Screening Method for Multiclass Antibiotics	621
11.4	GC–MS Analyses of Persistent Environmental Pollutants	623
	11.4.1 ‘Dioxin-like’ Compounds	623
	11.4.2 Other Persistent Pollutants	636

11.5 Bioanalytical Applications	637
11.5.1 Drug Discovery Methods	638
11.5.1a <i>Passive Permeability Test (Caco-2 Assays)</i>	639
11.5.1b <i>Drug–Drug Interaction Studies (CYP450 Assays)</i>	641
11.5.1c <i>Clearance Rate Tests (Metabolic Stability)</i>	643
11.5.1d <i>Pharmacokinetics and ADME Studies</i>	646
11.5.1e <i>Metabolite Identification and Quantitation</i>	648
11.5.2 Drug Development Phase Validated Methods	654
11.5.2a <i>Enantiomer-Specific Analyses</i>	655
11.5.2b <i>Methods for Two Concentration Ranges</i>	660
11.6 Quantitative Proteomics	661
11.6.1 Identification of Proteins by Mass Spectrometry	664
11.6.2 Relative (Comparative) Quantitation	667
11.6.2a <i>Isotope-Coded Affinity Tag (ICAT)</i>	669
11.6.2b <i>Isotope Tagging for Relative and Absolute Quantitation (ITRAQ)</i>	669
11.6.2c <i>Other Chemical Labeling Methods</i>	671
11.6.2d <i>Proteolytic Labeling Methods</i>	672
11.6.2e <i>Culture-Based Labeling Methods</i>	673
11.6.3 Absolute Quantitation	675
11.6.3a <i>AQUA</i>	675
11.6.3b <i>QCAT Peptides</i>	676
11.6.3c <i>Stable Isotope Standards and Capture by Anti-Peptide Antibodies (SISCAPA)</i>	677
11.7 Analysis of Endogenous Analytes	680
Epilog	683
References	685
Index	709

Preface



'When you can measure what you are speaking about and express it in numbers, you know something about it; but when you cannot express it in numbers, your knowledge is of a meagre and unsatisfactory kind . . .'

William Thomson (Lord Kelvin), Lecture to the Institution of Civil Engineers, 3 May 1883.

The discipline devoted to careful measurement of specific properties of the universe around us is known as *metrology*. The famous statement by William Thomson, quoted above, summarizes the importance of quantitative measurements for the testing of scientific hypotheses; indeed, without such quantitative testing, it is fair to say that hypotheses can not be regarded as scientific at all. Missing from Thomson's comment, however, is a mention of the importance of careful evaluation of the uncertainties that are present in any quantitative measurements and the resulting degree of confidence that can be placed in them and any conclusions drawn from them. These uncertainties are just as important as the 'best' quantitative measured value itself.

This book is devoted to the science and art of *chemical metrology*, taken here to mean the quantitative measurement of amounts of specific (known) chemical compounds

present at trace levels (roughly defined as one part in 10^6 – 10^{12}) in complex matrices. Examples are drugs and their metabolites in body fluids, pesticide residues in foodstuffs, contaminants in drinking water etc. Such measurements are extremely demanding, and involve the use of a wide range of apparatus and of experimental procedures and methods of data evaluation, all of which must be used properly if reliable estimates of chemical concentrations and their associated uncertainties are to be obtained. While this is true of any chemical analysis, the modern advances in trace-level analysis are critically dependent on developments in mass spectrometry.

For several decades before its application to chemical analysis, mass spectrometry was a major tool in fundamental physics. The invention of mass spectrometry is usually attributed to Joseph John Thomson, no relative to William Thomson (Lord Kelvin) whose picture appears above. In 1897 J.J. Thomson measured the ratio of the charge of an electron to its mass, thus confirming for the first time that this then-mysterious entity possessed properties characteristic of a particle. (It is interesting that his son G.P. Thomson later emulated his father by winning a Nobel Prize, but for demonstrating that the electron *also* possesses properties characteristic of a wave!). An account of the life and work of J.J. Thomson was published (Griffiths 1997) to commemorate the centenary of the first measurement of mass-to-charge of an elementary particle.

F.W. Aston, a student of Thomson, won a Nobel Prize for using mass spectrometry to demonstrate the existence of the isotopes of the elements (Aston 1919), and for developing a higher resolution mass spectrometer that permitted measurement of atomic masses with sufficient accuracy and precision for the first reliable estimates of so-called mass defects, i.e., deviations of actual (measured) atomic masses from those predicted from the sums of the masses of the constituent elementary particles (protons, neutrons and electrons). Later, this work was extended by K.T. Bainbridge whose measurements of mass defects (Bainbridge 1932, 1936) were of sufficient accuracy and precision to confirm for the first time the

famous relationship derived by Albert Einstein concerning the equivalence of mass (in this case the mass defect) and energy (in this case the binding energy of protons and neutrons within an atomic nucleus).

The first analysis of positive ions is attributed to Wien, who used a magnetic field to separate ions of different mass-to-charge ratios (Wien 1898), but the first appreciation of the potential of the new technique in chemical analysis appears to have again resulted from the work of Thomson in his famous book *Rays of Positive Electricity and Their Application to Chemical Analysis* (Thomson 1913). The present book is intended as an introduction to the use of mass spectrometry for quantitative measurements of the amounts of specific (known) chemical compounds (so-called ‘target analytes’) present at trace levels in complex matrices. This modern day meaning of ‘quantitative mass spectrometry’ is rather different from its much more specialized historical meaning in the earliest days of application of the technique to chemistry.

In the two decades spanning about 1940–1960, the petroleum industry was the major proponent of mass spectrometry as a tool of analytical chemistry, and indeed the first few issues of *Advances in Mass Spectrometry* (essentially the proceedings of the International Conferences on Mass Spectrometry) were sponsored and published by the Petroleum Institute. Raw petroleum and its distillate fractions are incredibly complex mixtures of chemical compounds, mainly corresponding to chemical compositions $C_cH_hN_nO_oS_s$, and it is impossible to devise a complete chemical analysis of such an extremely large number of components at concentrations covering a dynamic range of many orders of magnitude. However, some knowledge of chemical composition is required by chemical engineers for optimization of the industrial processes required to produce end products with the desired properties. To this end petroleum chemists devised the concepts of compound *class*, i.e., compounds with a specified composition with respect to heteroatoms only ($N_nO_oS_s$), and compound *type*, i.e., compounds with a specified value of Z when the composition is expressed as $C_cH_{2c+Z}N_nO_oS_s$. Clearly the parameter Z is related to the degree of unsaturation. Reviews of this application of mass spectrometry have been published (Grayson 2002; Roussis 1999). The earliest methods yielded information on relative amounts of hydrocarbon compounds in a distillate, i.e. *type* analyses for the compound class with $n = o = s = \text{zero}$. A high resolution adaptation of the original low resolution mass spectral methods was first published in 1967, and permitted determinations of 18 saturated- and aromatic-hydrocarbon types and four aromatic types containing sulfur.

Essentially, the general approach first identified specific mass-to-charge ratio (m/z) values in the electron ionization mass spectra that are characteristic of each compound type, and obtained a calibration based on analysis of mixtures of known composition:

$$\mathbf{S} = \mathbf{R} \cdot \mathbf{C}$$

where \mathbf{S} is a vector containing the appropriate sums of signal intensities at the m/z values that are characteristic for each compound type, \mathbf{C} is a vector whose elements are the concentrations of these compound types, and \mathbf{R} is the (square) matrix of mass spectrometric response factors determined from the calibration experiments (average response coefficients for each type are on the diagonal of the matrix and the off-diagonal elements take into account inter-type contributions to signal intensities at the characteristic m/z values). Quantitative analysis of an unknown thus requires inversion of the response matrix:

$$\mathbf{C} = \mathbf{R}^{-1} \cdot \mathbf{S}$$

An example of such a type analysis for the class $C_cH_{2c+Z}S_s$, for both a raw petroleum feedstock and one of its products from a refinery process designed to remove the sulfur content, is shown in Figure P.1 (here the carbon number c is replaced by n). Modern developments in quantitative petroleum analysis incorporate new advances in separation science as well as in mass spectrometric technologies, especially ionization techniques and ultra-high resolving power (Marshall 2004) and improved calibration of the response matrix (Fafet 1999).

This early and narrow interpretation of the phrase ‘quantitative mass spectrometry’ is now badly outdated, although petroleum analysis is still an important branch of analytical chemistry that is still being developed. However, apart from its historical importance it introduced important concepts, including calibration and response factor, that will appear throughout this book. Nowadays, quantitation by mass spectrometry generally refers to determination of target analytes (known and specified chemical species, rather than groups of compounds defined within ‘classes’ or ‘types’ as in the petroleum case), present in a complex matrix at trace levels. This book is intended as an introduction to this demanding branch of measurement science, one that is crucial for meaningful studies of a wide range of phenomena including environmental, pharmacological and biomedical studies.

The approach adopted throughout the book is to emphasize the fundamentals underlying the scientific




Figure P.1 Type analysis of a petroleum feedstock and its hydrocracked product for compound class $C_nH_{2n+2}S$. Reproduced with permission from S. Roussis, *Rapid Commun. Mass Spectrom.* **13**, 1031–1051 (1999).

instruments and methodologies, illustrated by historically important developments as well as innovations that were current at the time of completing the manuscript (late summer 2007). Hopefully this will prove to be of more lasting value for the reader. However, a discussion of ‘fundamentals’ without any description of how ‘the fundamental things apply’ (see text box) to real-world problems is unlikely to be of much use to anyone, so the final chapter discusses some illustrative examples from the literature.

As mentioned above, although this book is devoted to *quantitative* analysis of specified ‘target’ analytes, the analyst must have a degree of confidence that the signals being measured do indeed arise from the presence of that target analyte (confirmation of analyte identity), and only from that analyte (signal purity). Therefore, even quantitative analyses inevitably involve some degree of confirmation of analyte structure and identity, and also a check for potential contributions to the recorded instrumental signals from other compounds. The degree to which such checking of analyte identity and of signal purity is necessary will vary from case to case, e.g., analysis of a synthetic pharmaceutical drug in blood plasma following a clinical dose is much less likely to require a high degree of identity confirmation than that of a chlorinated pollutant in an environmental sample. Determination of the appropriate degree of such checks is an example of application of the concept of ‘*Fitness for Purpose*’, another major theme of this book. This principle is discussed more fully in Chapter 9.2, but will appear in several intervening chapters so a very brief introduction to the concept is presented here, based on a discussion (Bethem

2003) of its applicability to mass spectrometric analyses. The following principles are quotations from this work (Bethem 2003):

1. Ultimately it is the responsibility of the analyst to make choices, provide supporting data, and interpret results according to scientific principles and qualified judgment.
2. Analysts should use methods which are Fit for Purpose. Analysts should be able to show that their methods are Fit for Purpose.
3. Fitness for Purpose means that the uncertainty inherent in a given method is tolerable given the needs of the application area.
4. Targets for measurement uncertainty describe how accurate and precise the measurements need to be. Targets for identification confidence describe how certain one needs to be that the correct analyte has been identified.
5. Establishing method fitness consists of showing that the targets for measurement uncertainty and identification confidence have been met.

In its simplest terms, the ‘Fitness for Purpose’ principle corresponds to the commonsense notion that an analytical method must provide answers with sufficiently low uncertainties that the requirements of the user of the data are fully met within specified constraints of time, cost etc. On the other hand there is no point in developing, validating and using an analytical method with extremely low uncertainties in the data (high precision and accuracy) if a considerably less demanding method (generally less expensive in terms of money, time and effort) will suffice.


‘The Fundamental Things Apply —’

with apologies to ‘As time goes by’ by Herman Hupfeld (1931); Warner Bros. Music Corp.

This famous song was featured in the films *Casablanca* and *Sleepless in Seattle*, as well as the well-known British TV comedy series of the same name. This is a long stretch from the subject of this book, but the above quotation from the lyrics seems appropriate.

A distinction between ‘fundamental’ and ‘applied’ science is drawn by some, including (alas) by some funding agencies! One of the themes of this book is best expressed by quoting one of the giants of 19th century science:

‘There does not exist a category of science to which one can give the name applied science. There are science and the applications of science, bound together as the fruit of the tree’. Louis Pasteur, ‘Revue Scientifique,’ Paris, 1871.



Louis Pasteur

It is not essential for an experimental scientist to be familiar with and understand every detail of the theoretical underpinnings of his/her laboratory work. However, to be able to properly plan an experimental investigation so that the results can be meaningfully interpreted, it is essential that he/she should understand the background of the relevant theory, its basic assumptions, and the limits of its applicability and the magnitude of the consequences of the approximations involved. This general theme was a guiding principle in writing this book, and hopefully this approach will ensure that the book will have a reasonably long useful lifetime. However, fundamentals without much discussion of how they apply to real-world problems in trace analytical chemistry are not of themselves very useful, and discussions of how the ‘fundamental things apply’ will appear later in the book.

A specific example of the continuity between ‘applied’ and ‘fundamental’ research, of direct relevance to the subject of this book (see Chapter 5), is provided by the direct line of development starting from an electrostatic paint sprayer designed for industrial use, through attempts by materials scientists to prepare single molecules of synthetic polymers in the gas phase to enable fundamental studies, to the eventual award of a Nobel Prize to John B. Fenn

for the invention of electrospray ionization mass spectrometry and its application to biochemistry and molecular biology.

Figure P.2 shows a generalized procedure for achieving Fitness for Purpose.

This book is not intended to cover important branches of mass spectrometry that provide accurate and precise quantitative measurements of *relative* concentrations, e.g., of variations in isotopic ratios of an element by isotope ratio mass spectrometry (IRMS) and accelerator mass spectrometry (AMS). Rather, this book is mainly concerned with determinations of absolute *amount of substance* (see Chapter 1 for a definition and explanation), particularly for compounds present at trace levels in complex matrices. (The only exception is the inclusion of a brief description of methods used to determine *differences* in levels of proteins in living cells or organisms subjected to different stimuli, e.g., disease state vs normal state).

The book covers analysis of ‘small’ (< 2000 Da) organic molecules, in environmental and biomedical matrices. The first book exclusively devoted to this subject (Millard 1977) is now rather out of date as a result of more recent spectacular advances in mass spectrometric technology. Very recently two excellent introductions to the subject have appeared (Duncan 2006; Lavagnini 2006). The present book differs from these with regard to their respective lengths; the present book is much longer, as a result of the attempt to provide a comprehensive introduction to all the many ancillary techniques and tools that must be coordinated to provide a reliable result for a trace-level quantitative analysis by mass spectrometry. Thus, many of the present chapters discuss matters that are common to any quantitative analytical method, not only to those in which mass spectrometry is the key component providing the final analytical signal




Figure P.2 Outline of a general recommended process for achieving Fitness for Purpose. Reproduced from Bethem *et al.*, *J. Amer. Soc. Mass Spectrom.* **14**, 528 (2003), with permission, copyright (2003) Elsevier.

used to estimate the concentration of the target analyte. The present book is written at a level that presupposes some basic undergraduate-level knowledge of chemistry, physics, and mathematics and statistics.

This book also treats the more recent developments of quantitative analysis of specific proteins in biological systems, even though these hardly qualify as ‘small molecules’. However, it does *not* cover the important aspect of analysis of trace level metals by, e.g., ICP–MS; an excellent book covering this subject has appeared recently (Nelms 2005).

It must be emphasized that any book such as this can only be regarded as a preparation for the real learning process in this demanding practical art, namely, exposure to working on real-life problems in a real laboratory. The kinds of measurements that are addressed here really do push the various technologies involved to their current limits, and ‘learning by doing’ is the only truly meaningful method. This principle is well illustrated by a quotation from what might be described as ‘the older literature’:

Those who are good at archery learnt from the bow and not from Yi the Archer. Those who know how to manage boats learnt from boats and not from Wo (the

legendary boatman). Those who can think learned for themselves and not from the Sages. Kuan Yin Tze, 8th century.

The dangers involved in a sole reliance on ‘learning by reading’, in a practical discipline like analytical chemistry, are summarized in the following advice:

Il ne faut pas laisser les intellectuels jouer avec les allumettes. (Don't let the intellectuals play with the matches). Jacques Prévert, 1900–1977.

However, it is hoped that reading this book will be useful both in providing enough background information that the first exposure to the ‘learning by doing’ process will not seem quite so daunting, and also will provide a useful reference thereafter. The book attempts to cover a wide range of sub-disciplines, and inevitably some errors of both omission and commission will remain despite extensive checking. The authors would greatly appreciate assistance from colleagues in identifying and correcting these errors.

Robert K. Boyd, Cecilia Basic, Robert A. Bethem
October 2007

Acknowledgements

While all errors and obfuscations remain the responsibility of the authors, this book has benefited from advice and contributions generously provided by several colleagues, including Keith Gallicano, Lynn Heiman, David Heller, Bob Peterson, Eric Reiner and Vince Taguchi. We are indebted to the family of Dr A.J.P. Martin for permission to reproduce his photograph in Chapter 3 and to the Rowett Institute in Aberdeen, Scotland, for permission to reproduce the photograph of Dr R.L.M. Synge. The photographs of Dr J.J. van Deemter and Dr M.J.E. Golay were kindly provided by Drs Ted Adlard and L.S. Ettre, and the pictures of

M.S. Tswett and his apparatus by Dr Klaus Beneke of the University of Kiel. The portrait of William Thomson (Lord Kelvin) was kindly provided by the Department of Physics, Strathclyde University, Scotland, and that of Joseph Black by the Department of Chemistry, University of Glasgow, Scotland. Dr Ron Majors generously sent us the original graphics from several of his articles in *LCGC* magazine.

Finally, the authors thank their families and friends for their unwavering patience, support and encouragement in the face of our often obsessive burning of midnight oil while writing this book.