

Número USP	P1	P2(Pontos)	P2 (0-10)	P3 (Pontos)	P3 (0-10)	Média Provas	EP1	Prov. EP1	P*EP1	EP2	Prov. EP2	P*EP2	EP3	Prov. EP3	P*EP3	EP4	Média EP	Nota Final	Resultado
542116,0	5,0	2,5	1,7	10,0	6,7	6,3	10,0	1,0	10,0	8,0	1,0	8,0	7,6	1,0	7,6		8,5	7,1	APROVADO
4618653,0	4,5			9,5	6,3	6,0	10,0	1,0	10,0	8,0	1,0	8,0	8,0	1,0	8,0		8,7	6,9	APROVADO
4818166,0	8,0	12,0	8,0	14,0	9,3	9,1	10,0		0,0	10,0	1,0	10,0	8,0	1,0	8,0		6,0	8,0	APROVADO
5447262,0						0,0	10,0	1,0	10,0			0,0			0,0		3,3	0,0	REPROVADO
5453700,0						0,0			0,0			0,0			0,0		0,0	0,0	REPROVADO
5900198,0	5,5	4,5	3,0	13,0	8,7	8,0	6,4	1,0	6,4	8,0	1,0	8,0	3,2	1,0	3,2		5,9	7,3	APROVADO
6818375,0	7,0	8,5	5,7	14,0	9,3	8,9	10,0	1,0	10,0	9,0	1,0	9,0	7,0	1,0	7,0		8,7	8,8	APROVADO
7585660,0						0,0			0,0			0,0			0,0		0,0	0,0	REPROVADO
7598560,0	6,5	1,5	1,0	8,5	5,7	5,8	10,0	1,0	10,0	8,0	1,0	8,0	9,0	1,0	9,0		9,0	6,9	APROVADO
8040538,0						0,0	10,0	1,0	10,0			0,0			0,0		3,3	0,0	REPROVADO
9267071,0						0,0			0,0			0,0			0,0		0,0	0,0	REPROVADO
9296571,0						0,0	10,0	1,0	10,0			0,0			0,0		3,3	0,0	REPROVADO
9298594,0	7,0			7,0	4,7	5,1	10,0	1,0	10,0	10,0	1,0	10,0	8,0	1,0	8,0		9,3	6,5	APROVADO
9353081,0	9,5	13,0	8,7	14,0	9,3	9,4	10,0	1,0	10,0	9,0	1,0	9,0	10,0	1,0	10,0		9,7	9,5	APROVADO
9379614,0						0,0			0,0			0,0			0,0		0,0	0,0	REPROVADO
9588718,0	7,0	9,5	6,3	11,5	7,7	7,5	10,0	1,0	10,0	10,0	1,0	10,0	10,0	1,0	10,0		10,0	8,4	APROVADO
9814265,0						0,0			0,0			0,0			0,0		0,0	0,0	REPROVADO
9833002,0	6,0			9,0	6,0	6,0	10,0	1,0	10,0	10,0	1,0	10,0	8,0	1,0	8,0		9,3	7,1	APROVADO
10258726,0	5,0	4,0	2,7	13,0	8,7	7,9	10,0	1,0	10,0	8,0	1,0	8,0	8,0	1,0	8,0		8,7	8,2	APROVADO
10262610,0	7,0	8,5	5,7	10,0	6,7	6,7	10,0	1,0	10,0	8,0	1,0	8,0	9,0	1,0	9,0		9,0	7,5	APROVADO
10300254,0	5,0			8,5	5,7	5,5	10,0	1,0	10,0	9,0	1,0	9,0	9,0	1,0	9,0		9,3	6,8	APROVADO
10692162,0						0,0	10,0	1,0	10,0			0,0			0,0		3,3	0,0	REPROVADO
10723760,0	2,5			6,0	4,0	3,7	10,0	1,0	10,0		1,0	0,0		1,0	0,0		3,3	3,7	REC PROVA
10724177,0				6,0	4,0	4,0	8,0	1,0	8,0	9,0	1,0	9,0	7,0		0,0		5,7	4,0	REC PROVA
10736991,0	3,0	5,0	3,3	10,5	7,0	6,2	3,2	1,0	3,2	8,0	1,0	8,0	7,2	1,0	7,2		6,1	6,2	APROVADO
10740825,0	4,0	6,5	4,3	10,0	6,7	6,1	8,0	1,0	8,0	9,0	1,0	9,0	7,0	1,0	7,0		8,0	6,8	APROVADO
10773892,0						0,0			0,0			0,0			0,0		0,0	0,0	REPROVADO
11207623,0						0,0	5,0	0,5	2,5			0,0			0,0		0,8	0,0	REPROVADO
11207800,0	4,5	5,0	3,3	10,5	7,0	6,5	10,0	1,0	10,0	9,5	1,0	9,5	7,0	1,0	7,0		8,8	7,3	APROVADO
11208109,0	6,0			13,5	9,0	8,4	10,0	1,0	10,0	9,5	1,0	9,5	7,0	1,0	7,0		8,8	8,5	APROVADO
11221182,0						0,0			0,0			0,0			0,0		0,0	0,0	REPROVADO
11221668,0						0,0	8,0	1,0	8,0			0,0			0,0		2,7	0,0	REPROVADO
11221842,0	2,5			5,0	3,3	3,2	10,0	1,0	10,0	8,5	1,0	8,5	7,0	1,0	7,0		8,5	3,2	REC PROVA
11221946,0	7,5			8,0	5,3	5,8	10,0	1,0	10,0	8,0	1,0	8,0	9,0	1,0	9,0		9,0	6,8	APROVADO
11257720,0				8,5	5,7	5,7	10,0	1,0	10,0	7,0	1,0	7,0			0,0		5,7	5,7	APROVADO
11260186,0						0,0	10,0		0,0			0,0			0,0		0,0	0,0	REPROVADO
11261851,0				9,5	6,3	6,3	10,0	1,0	10,0	9,0	1,0	9,0	7,0	1,0	7,0		8,7	7,1	APROVADO
11315590,0	4,5			8,0	5,3	5,2	8,0	1,0	8,0	8,5	1,0	8,5	8,0	1,0	8,0		8,2	6,2	APROVADO
11319621,0	6,5			12,0	8,0	7,7	10,0	1,0	10,0	9,5	1,0	9,5	9,0	1,0	9,0		9,5	8,3	APROVADO
11726549,0	6,0	5,0	3,3	8,5	5,7	5,7	10,0	1,0	10,0	9,0	1,0	9,0	10,0	1,0	10,0		9,7	7,0	APROVADO
11795547,0	3,0	4,5	3,0	8,5	5,7	5,1	10,0	1,0	10,0	10,0	1,0	10,0	10,0	1,0	10,0		10,0	6,8	APROVADO
11795888,0	8,0			12,5	8,3	8,3	10,0	1,0	10,0	8,0	1,0	8,0	10,0	1,0	10,0		9,3	8,6	APROVADO
11796340,0	7,5			9,5	6,3	6,6	10,0	1,0	10,0	8,0	1,0	8,0	9,0	1,0	9,0		9,0	7,4	APROVADO
11796510,0	7,0	11,5	7,7	13,0	8,7	8,3	10,0	1,0	10,0	10,0	1,0	10,0	8,0	1,0	8,0		9,3	8,7	APROVADO

11797261,0	6,5			9,0	6,0	6,1	10,0	1,0	10,0	8,0	1,0	8,0	10,0	1,0	10,0		9,3	7,2	APROVADO
11805061,0	7,5			11,5	7,7	7,6	10,0	1,0	10,0	9,0	1,0	9,0	10,0	1,0	10,0		9,7	8,3	APROVADO
11809920,0	8,0			14,0	9,3	9,1	10,0	1,0	10,0	10,0	1,0	10,0	10,0	1,0	10,0		10,0	9,4	APROVADO
11810773,0	5,5	7,0	4,7	12,5	8,3	7,8	8,0	1,0	8,0	9,0		0,0	7,2	1,0	7,2		5,1	6,9	APROVADO
11819560,0	8,0	8,5	5,7	12,0	8,0	8,0	10,0	1,0	10,0	10,0	1,0	10,0	8,0	1,0	8,0		9,3	8,4	APROVADO
11833091,0	8,0	7,0	4,7	14,0	9,3	9,1	10,0	1,0	10,0	5,0	1,0	5,0	7,2	1,0	7,2		7,4	8,5	APROVADO
11838669,0						0,0	8,0	1,0	8,0	10,0	1,0	10,0	9,0	1,0	9,0		9,0	0,0	REPROVADO
11849414,0	7,0	6,5	4,3	11,0	7,3	7,3	10,0	1,0	10,0	9,0	1,0	9,0	9,0	1,0	9,0		9,3	8,0	APROVADO
11857299,0	4,5	6,5	4,3	10,0	6,7	6,2	10,0	1,0	10,0	8,5	1,0	8,5	8,0	1,0	8,0		8,8	7,1	APROVADO
11932334,0						0,0			0,0			0,0			0,0		0,0	0,0	REPROVADO
12542199,0	9,0	12,0	8,0	14,5	9,7	9,5	10,0	1,0	10,0	10,0	1,0	10,0	10,0	1,0	10,0		10,0	9,7	APROVADO
12542202,0				6,5	4,3	4,3	8,0	1,0	8,0	10,0	1,0	10,0	9,0	1,0	9,0		9,0	4,3	REC PROVA
12542219,0	6,0			8,5	5,7	5,7	10,0	1,0	10,0	10,0	1,0	10,0	8,0	1,0	8,0		9,3	6,9	APROVADO
12542230,0	6,5	11,0	7,3	13,5	9,0	8,5	10,0	1,0	10,0	10,0	1,0	10,0	10,0	1,0	10,0		10,0	9,0	APROVADO
12542244,0	8,0	9,5	6,3	11,5	7,7	7,7	10,0	1,0	10,0	10,0	1,0	10,0	9,0	1,0	9,0		9,7	8,4	APROVADO
12542251,0				13,0	8,7	8,7	10,0	1,0	10,0			0,0	3,2	1,0	3,2		4,4	7,2	REC EP
12542265,0	7,5	14,0	9,3	14,5	9,7	9,2	10,0	1,0	10,0	9,5	1,0	9,5	9,0	1,0	9,0	9,0	9,5	9,3	APROVADO
12542306,0	4,5	8,5	5,7	12,0	8,0	7,3	10,0	1,0	10,0	9,5	1,0	9,5	10,0	1,0	10,0		9,8	8,1	APROVADO
12542310,0	5,0			13,5	9,0	8,2	10,0	1,0	10,0	10,0	1,0	10,0	10,0	1,0	10,0		10,0	8,8	APROVADO
12542331,0	9,0	7,0	4,7	13,5	9,0	9,0	10,0	1,0	10,0	10,0	1,0	10,0	9,0	1,0	9,0		9,7	9,2	APROVADO
12542348,0	5,0	7,5	5,0	12,5	8,3	7,7	10,0	1,0	10,0	10,0	1,0	10,0	10,0	1,0	10,0		10,0	8,4	APROVADO
12542380,0		5,0	3,3	13,0	8,7	8,7	10,0	1,0	10,0	9,0	1,0	9,0	9,0	1,0	9,0		9,3	8,9	APROVADO
12542414,0	10,0	9,5	6,3	14,5	9,7	9,7	10,0	1,0	10,0	10,0	1,0	10,0	10,0	1,0	10,0		10,0	9,8	APROVADO
12542693,0				11,5	7,7	7,7	10,0	1,0	10,0	9,0	1,0	9,0	9,0	1,0	9,0		9,3	8,2	APROVADO
12543307,0						0,0	10,0		0,0			0,0			0,0		0,0	0,0	REPROVADO
12543328,0	9,0	8,0	5,3	12,5	8,3	8,5	10,0	1,0	10,0	10,0	1,0	10,0	10,0		0,0		6,7	7,9	APROVADO
12543374,0	8,0	6,5	4,3	13,5	9,0	8,8	10,0	1,0	10,0	9,5	1,0	9,5	10,0	1,0	10,0		9,8	9,1	APROVADO
12543381,0	6,5	5,0	3,3	13,0	8,7	8,2	10,0	1,0	10,0	10,0	1,0	10,0	10,0	1,0	10,0		10,0	8,8	APROVADO
12543395,0	7,0			8,5	5,7	5,9	8,0	1,0	8,0	8,0	1,0	8,0	7,6	1,0	7,6		7,9	6,6	APROVADO
12543482,0	7,0	6,5	4,3	8,5	5,7	5,9	10,0	1,0	10,0	10,0	1,0	10,0	10,0	1,0	10,0		10,0	7,3	APROVADO
12543523,0						0,0			0,0			0,0			0,0		0,0	0,0	REPROVADO
12543850,0				10,5	7,0	7,0	10,0	1,0	10,0	8,5	1,0	8,5	8,0	1,0	8,0		8,8	7,6	APROVADO
12556819,0	3,5					0,7	8,0	1,0	8,0	9,0		0,0			0,0		2,7	0,7	REPROVADO
12566101,0	10,0	11,0	7,3	14,5	9,7	9,7	10,0	1,0	10,0	9,0	1,0	9,0	9,0	1,0	9,0		9,3	9,6	APROVADO
12566122,0	6,5	7,5	5,0	14,5	9,7	9,0	10,0	1,0	10,0	9,5	1,0	9,5	9,0	1,0	9,0		9,5	9,2	APROVADO
12566182,0	5,0	5,0	3,3	14,0	9,3	8,5	10,0	1,0	10,0	8,0	1,0	8,0	10,0	1,0	10,0		9,3	8,8	APROVADO
12567349,0						0,0			0,0			0,0			0,0		0,0	0,0	REPROVADO
12623946,0		6,5	4,3	8,5	5,7	5,7	10,0	1,0	10,0	5,0	0,5	2,5	7,2	0,5	3,6		5,4	5,6	APROVADO
12674130,0	6,5	7,5	5,0	13,5	9,0	8,5	10,0	1,0	10,0	9,0	1,0	9,0	9,0	1,0	9,0		9,3	8,8	APROVADO
12676491,0	5,0	5,5	3,7	8,5	5,7	5,5	10,0	1,0	10,0	8,5	1,0	8,5	7,0	1,0	7,0		8,5	6,5	APROVADO
12702200,0						0,0	8,0	1,0	8,0			0,0			0,0		2,7	0,0	REPROVADO
12702541,0	8,0	12,0	8,0			3,2	10,0	1,0	10,0	10,0	1,0	10,0	10,0	1,0	10,0		10,0	3,2	REC PROVA
12717040,0				4,5	3,0	3,0	10,0	1,0	10,0	8,5	1,0	8,5			0,0		6,2	3,0	REC PROVA
12718100,0	2,0			9,0	6,0	5,2	8,0	1,0	8,0	8,5	1,0	8,5	8,0	1,0	8,0		8,2	6,2	APROVADO

13643040,0					0,0			0,0			0,0			0,0		0,0	0,0	REPROVADO
13731959,0					0,0			0,0			0,0			0,0		0,0	0,0	REPROVADO
14743951,0				5,0	3,3	3,3	10,0	1,0	10,0	8,5	1,0	8,5		0,0		6,2	3,3	REC PROVA