

2012

Disciplina:

Fisica II

Turma:

T1

Zero

Código	PG1	PG2	PG3	<PG>	p1	p2	p3	p4	p5	<p>	<M>	# PG #			SUB	<PGSUB>	<MF>		
												min	min	min					
2248935	2.60	0.00	0.60	1.07	0.00	6.50	1.00	0.00	1.00	2.13	<b>1.3</b>	0	2	0			<b>1.28</b>	<b>1.3</b>	rep
2869135	0.00	2.55	2.40	1.65	6.30	4.00	4.40	0.00	1.00	3.93	<b>2.1</b>	1	0	0	6.15	3.7	<b>3.75</b>	<b>3.7</b>	rec
4166184	5.60	2.30	2.00	3.30	0.00	3.00	0.00	7.75	0.00	2.69	<b>3.3</b>	0	0	3	5.90	4.6	<b>4.60</b>	<b>4.6</b>	rec
5145140				0.00						0.00	<b>0.0</b>						<b>0.00</b>	<b>0.0</b>	rep
5145154	1.30	0.00	0.00	0.43	2.60	0.00	0.00	0.00	0.00	0.65	<b>0.5</b>	0	2	3			<b>0.48</b>	<b>0.5</b>	rep
5232273				0.00						0.00	<b>0.0</b>						<b>0.00</b>	<b>0.0</b>	rep
5403798	7.45	4.35	2.70	4.83	5.50	4.10	6.00	0.00	5.00	5.15	<b>5.0</b>	0	0	3			<b>4.96</b>	<b>5.0</b>	apr
5661571	4.90	2.80	1.60	3.10	6.50	4.50	6.00	3.50	9.50	6.63	<b>3.8</b>	0	0	3	4.50	4.1	<b>4.58</b>	<b>4.6</b>	rec
5746582	4.00	1.70	3.10	2.93	3.90	1.50	2.50	2.50	2.50	2.85	<b>2.9</b>	0	2	0	2.90	3.3	<b>3.33</b>	<b>3.3</b>	rec
5838410				0.00						0.00	<b>0.0</b>						<b>0.00</b>	<b>0.0</b>	rep
5916205	4.55	0.00	0.30	1.62	4.80	0.00	0.00	0.00	0.00	1.20	<b>1.6</b>	0	2	0	3.60	2.8	<b>2.82</b>	<b>2.8</b>	rep
5916400	3.40	1.85	1.20	2.15	3.10	6.00	1.50	0.75	3.00	3.40	<b>2.4</b>	0	0	3	4.00	3.1	<b>3.15</b>	<b>3.1</b>	rec
5916459	0.00	1.60	0.70	0.77	3.10	0.00	0.00	0.00	6.00	2.28	<b>1.1</b>	1	0	0			<b>1.07</b>	<b>1.1</b>	rep
5976589	4.80	1.90	1.10	2.60	3.90	0.50	3.00	1.85	1.00	2.44	<b>2.6</b>	0	0	3	2.00	2.9	<b>2.90</b>	<b>2.9</b>	rep
5994631				0.00						0.00	<b>0.0</b>						<b>0.00</b>	<b>0.0</b>	rep
6434843				0.00	3.00	0.00	0.50	2.75	0.00	1.56	<b>0.3</b>						<b>0.31</b>	<b>0.3</b>	rep
6452597	6.60	2.25	2.60	3.82	4.90	1.50	0.00	3.00	1.50	2.73	<b>3.8</b>	0	2	0	6.10	5.1	<b>5.10</b>	<b>5.1</b>	apr
6452642	3.25	0.50	2.00	1.92	2.10	6.00	3.25	0.25	5.00	4.09	<b>2.4</b>	0	2	0	2.50	2.6	<b>2.88</b>	<b>2.9</b>	rep
6452659	4.45	0.00	0.50	1.65	0.00	0.00	0.00	0.00	2.50	0.63	<b>1.7</b>	0	2	0	1.60	2.2	<b>2.18</b>	<b>2.2</b>	rep
6452788	5.85	2.20	0.80	2.95	5.70	2.75	4.90	2.90	2.50	4.06	<b>3.2</b>	0	0	3	4.85	4.3	<b>4.30</b>	<b>4.3</b>	rec
6452920	3.75	3.50	1.80	3.02	3.90	2.50	0.20	5.25	2.50	3.54	<b>3.1</b>	0	0	3	3.90	3.7	<b>3.72</b>	<b>3.7</b>	rec
6517247	4.20	2.80	1.80	2.93	4.80	0.50	2.00	3.00	0.00	2.58	<b>2.9</b>	0	0	3	5.90	4.3	<b>4.30</b>	<b>4.3</b>	rec
6550818				0.00						0.00	<b>0.0</b>						<b>0.00</b>	<b>0.0</b>	rep
6783401	8.25	4.75	4.30	5.77	5.60	9.00	5.50	0.00	6.50	6.65	<b>5.9</b>	0	0	3			<b>5.94</b>	<b>5.9</b>	apr
6784020	0.00	3.20	3.00	2.07	0.00	6.00	5.00	3.25	0.00	3.56	<b>2.4</b>	1	0	0	4.70	3.6	<b>3.63</b>	<b>3.6</b>	rec
6800542	4.60	0.00	1.10	1.90	4.80	6.20	2.30	7.20	7.20	6.35	<b>2.8</b>	0	2	0	4.70	3.5	<b>4.04</b>	<b>4.0</b>	rec
6800772	4.10	0.90	2.50	2.50	5.40	4.70	1.60	7.50	8.00	6.40	<b>3.3</b>	0	2	0	2.90	3.2	<b>3.81</b>	<b>3.8</b>	rec
6801411	6.65	0.00	4.10	3.58	4.80	3.00	4.30	0.00	0.00	3.03	<b>3.6</b>	0	2	0	5.10	5.3	<b>5.28</b>	<b>5.3</b>	apr

6801428	5.95	5.75	2.50	4.73	8.70	6.50	0.00	7.25	10.00	8.11	<b>5.4</b>	0	0	3			<b>5.41</b>	<b>5.4</b>	apr
6801495	5.85	6.60	5.55	6.00	7.70	8.50	6.00	8.00	0.00	7.55	<b>6.3</b>				4.60		<b>6.31</b>	<b>6.3</b>	apr
6818250	4.05	2.55	1.10	2.57	4.20	0.50	1.50	3.25	5.50	3.61	<b>2.8</b>	0	0	3	3.15	3.3	<b>3.32</b>	<b>3.3</b>	rec
6818267	2.50	2.75	1.40	2.22	2.90	1.50	0.50	4.00	9.00	4.35	<b>2.6</b>	0	0	3	3.65	3.0	<b>3.24</b>	<b>3.2</b>	rec
6818271	6.65	4.95	2.00	4.53	6.00	7.00	1.50	0.50	3.00	4.38	<b>4.5</b>	0	0	3	5.25	5.6	<b>5.62</b>	<b>5.6</b>	apr
6818288	5.65	4.05	4.00	4.57	4.50	1.00	1.50	0.00	8.50	3.88	<b>4.6</b>	0	0	3	5.35	5.0	<b>5.02</b>	<b>5.0</b>	apr
6818292	4.25	1.55	2.20	2.67	4.50	0.50	1.00	2.50	5.50	3.38	<b>2.8</b>	0	2	0	4.60	3.7	<b>3.68</b>	<b>3.7</b>	rec
6818312	5.70	2.45	0.90	3.02	4.80	1.80	4.00	5.00	3.30	4.28	<b>3.3</b>	0	0	3	3.50	3.9	<b>3.96</b>	<b>4.0</b>	rec
6818375	7.25	3.85	4.20	5.10	0.00	2.00	5.00	5.15	10.00	5.54	<b>5.2</b>	0	2	0			<b>5.19</b>	<b>5.2</b>	apr
6818396	6.00	4.35	3.50	4.62	4.80	6.00	3.50	2.25	10.00	6.08	<b>5.0</b>	0	0	3			<b>4.96</b>	<b>5.0</b>	apr
6818510	7.35	3.60	3.90	4.95	5.60	7.00	10.00	5.50	10.00	8.15	<b>5.6</b>	0	2	0			<b>5.59</b>	<b>5.6</b>	apr
6880212	4.35	2.80	2.60	3.25	5.10	3.50	2.50	0.00	1.50	3.15	<b>3.3</b>	0	0	3	3.65	3.6	<b>3.60</b>	<b>3.6</b>	rec
6888033				0.00						0.00	<b>0.0</b>						<b>0.00</b>	<b>0.0</b>	rep
6911831	5.40	2.05	1.80	3.08	3.00	0.00	0.50	0.00	0.00	0.88	<b>3.1</b>	0	0	3	3.10	3.5	<b>3.52</b>	<b>3.5</b>	rec
6991932				0.00						0.00	<b>0.0</b>						<b>0.00</b>	<b>0.0</b>	rep
7159730	7.55	4.90	4.10	5.52	7.50	0.00	5.00	0.00	0.00	3.13	<b>5.5</b>	0	0	3			<b>5.52</b>	<b>5.5</b>	apr
7160291	6.90	2.60	2.00	3.83	5.40	0.00	3.00	5.50	2.50	4.10	<b>3.9</b>	0	0	3	5.55	5.0	<b>5.02</b>	<b>5.0</b>	apr
7160440	5.75	3.65	1.30	3.57	5.10	4.00	5.70	7.75	6.00	6.14	<b>4.1</b>	0	0	3	4.60	4.7	<b>4.96</b>	<b>5.0</b>	apr
7160687	5.35	4.00	1.00	3.45	5.40	8.75	2.00	4.75	0.50	5.23	<b>3.8</b>	0	0	3	3.40	4.3	<b>4.45</b>	<b>4.4</b>	rec
7160930	7.00	6.70	4.60	6.10	5.10	6.50	3.75	7.50	5.50	6.15	<b>6.1</b>	0	0	3	8.30	7.3	<b>7.33</b>	<b>7.3</b>	apr
7161114	0.00	0.80	1.20	0.67	7.10	6.60	0.00	4.00	9.00	6.68	<b>1.9</b>	1	0	0	3.60	1.9	<b>2.83</b>	<b>2.8</b>	rep
7161121	1.65	3.45	2.70	2.60	0.00	5.00	2.00	0.00	0.00	1.75	<b>2.6</b>	1	0	0	3.10	3.1	<b>3.08</b>	<b>3.1</b>	rec
7161243	5.95	4.65	6.10	5.57	5.60	4.50	8.00	4.25	7.90	6.50	<b>5.8</b>	0	2	0			<b>5.75</b>	<b>5.8</b>	apr
7161671	5.00	2.60	1.10	2.90	4.40	3.00	4.70	6.00	6.00	5.28	<b>3.4</b>	0	0	3	4.85	4.15	<b>4.38</b>	<b>4.4</b>	rec
7161729	3.95	2.90	0.80	2.55	0.00	3.00	0.00	0.00	0.00	0.75	<b>2.6</b>	0	0	3			<b>2.55</b>	<b>2.6</b>	rep
7178738	0.00	2.35	4.40	2.25	5.20	0.00	0.00	0.00	3.50	2.18	<b>2.3</b>	1	0	0	3.05	3.3	<b>3.27</b>	<b>3.3</b>	rec
7178804	7.20	2.95	2.80	4.32	7.30	7.75	4.50	3.55	9.00	7.14	<b>4.9</b>	0	0	3	5.55	5.2	<b>5.61</b>	<b>5.6</b>	apr
7178832	5.80	3.75	0.80	3.45	3.70	5.00	6.75	4.50	2.50	4.99	<b>3.8</b>	0	0	3	4.75	4.8	<b>4.81</b>	<b>4.8</b>	rec
7178908	6.60	5.75	3.60	5.32	5.40	4.30	6.00	4.00	2.60	4.93	<b>5.3</b>	0	0	3			<b>5.32</b>	<b>5.3</b>	apr
7179016	7.45	2.80	3.00	4.42	3.70	2.00	4.75	6.75	6.00	5.30	<b>4.6</b>	0	2	0	5.30	5.3	<b>5.26</b>	<b>5.3</b>	apr
7179020				0.00	2.50	0.00	0.00	0.00	0.00	0.63	<b>0.1</b>						<b>0.13</b>	<b>0.1</b>	rep
7179124	1.70	0.00	0.00	0.57	3.90	1.50	0.50	0.00	0.00	1.48	<b>0.7</b>	0	2	3			<b>0.75</b>	<b>0.7</b>	rep
7236573	5.30	4.95	2.30	4.18	4.60	0.50	4.00	2.25	7.00	4.46	<b>4.2</b>	0	0	3	3.25	4.5	<b>4.50</b>	<b>4.5</b>	rec
7236660	4.20	3.00	0.00	2.40	5.50	5.75	3.50	1.75	1.00	4.13	<b>2.7</b>	0	0	3	2.35	3.2	<b>3.37</b>	<b>3.4</b>	rec
7537450	6.35	4.00	0.10	3.48	5.10	3.00	3.25	2.50	3.50	3.71	<b>3.5</b>	0	0	3	5.45	5.3	<b>5.27</b>	<b>5.3</b>	apr

7563690	1.85	2.95	7.25	4.02	7.10	7.00	1.10	0.00	10.00	6.30	<b>4.5</b>	1	0	0	4.55	4.9	<b>5.19</b>	<b>5.2</b>	apr
7577970	6.35	2.55	3.00	3.97	4.80	2.25	4.00	7.00	10.00	6.45	<b>4.5</b>	0	2	0	5.60	5.0	<b>5.28</b>	<b>5.3</b>	apr
7580477	4.35	0.70	0.10	1.72	5.20	0.50	1.50	0.00	2.00	2.30	<b>1.8</b>	0	0	3	3.10	2.7	<b>2.72</b>	<b>2.7</b>	rep
7580776	5.10	0.00	0.90	2.00	3.60	2.00	0.00	0.00	0.00	1.40	<b>2.0</b>	0	2	0			<b>2.00</b>	<b>2.0</b>	rep
7580859	7.60	7.50	8.20	7.77	8.70	6.50	6.50	7.50	10.00	8.18	<b>7.8</b>	0	2	0			<b>7.85</b>	<b>7.8</b>	apr
7581008	5.75	0.00	3.10	2.95	8.00	6.50	2.30	7.00	7.50	7.25	<b>3.8</b>	0	2	0	4.80	4.6	<b>5.09</b>	<b>5.1</b>	apr
7581158	4.75	6.80	3.00	4.85	5.40	4.00	1.75	5.75	10.00	6.29	<b>5.1</b>	0	0	3			<b>5.14</b>	<b>5.1</b>	apr
7581231	5.45	4.75	4.10	4.77	7.90	6.00	2.75	5.50	4.50	5.98	<b>5.0</b>	0	0	3			<b>5.01</b>	<b>5.0</b>	apr
7581415	4.85	0.00	1.40	2.08	5.80	6.30	0.00	0.00	5.70	4.45	<b>2.6</b>	0	2	0			<b>2.56</b>	<b>2.6</b>	rep
7581422	3.25	2.75	2.00	2.67	8.70	6.00	0.00	4.00	10.00	7.18	<b>3.6</b>	0	0	3	4.70	3.6	<b>4.29</b>	<b>4.3</b>	rec
7581461	4.90	4.55	2.20	3.88	5.00	8.00	4.00	2.50	0.00	4.88	<b>4.1</b>	0	0	3	5.40	5.0	<b>4.95</b>	<b>5.0</b>	apr
7581502	7.95	6.35	5.50	6.60	9.50	8.00	5.90	5.25	10.00	8.35	<b>7.0</b>	0	0	3			<b>6.95</b>	<b>7.0</b>	apr
7581523	0.00	6.00	1.80	2.60	5.40	3.25	3.50	7.25	9.00	6.29	<b>3.3</b>	1	0	0	3.45	3.8	<b>4.26</b>	<b>4.3</b>	rec
7581590	4.00	0.00	0.00	1.33	4.6	5.00	1.25	0.00	0.00	2.71	<b>1.6</b>	0	2	3			<b>1.61</b>	<b>1.6</b>	rep
7581673	3.75	2.30	4.30	3.45	6.20	9.00	1.50	4.75	9.00	7.24	<b>4.2</b>	0	2	0	5.00	4.4	<b>4.93</b>	<b>4.9</b>	apr
7581714	6.50	0.00	2.70	3.07	5.00	0.00	3.50	4.75	10.00	5.81	<b>3.6</b>	0	2	0	6.90	5.4	<b>5.46</b>	<b>5.5</b>	apr
7581777	10.00	9.85	9.80	9.88	8.30	9.00	10.00	9.25	9.80	9.51	<b>9.9</b>	0	0	3			<b>9.88</b>	<b>9.9</b>	apr
7581930	3.85	7.15	7.00	6.00	7.10	8.00	7.40	6.70	2.20	7.30	<b>6.3</b>	1	0	0	5.00	6.4	<b>6.57</b>	<b>6.6</b>	apr
7581972	4.20	1.65	3.20	3.02	6.30	6.50	4.50	0.00	9.00	6.58	<b>3.7</b>	0	2	0			<b>3.73</b>	<b>3.7</b>	rec
7582020	9.80	7.25	7.20	8.08	5.40	9.00	6.00	0.00	9.50	7.48	<b>8.1</b>	0	0	3			<b>8.08</b>	<b>8.1</b>	apr
7582062	4.85	3.80	2.50	3.72	7.50	8.50	8.50	2.75	5.00	7.38	<b>4.4</b>	0	0	3	7.70	5.5	<b>5.84</b>	<b>5.8</b>	apr
7599342	7.75	7.80	3.70	6.42	6.00	5.00	6.90	6.75	5.50	6.29	<b>6.4</b>	0	0	3			<b>6.42</b>	<b>6.4</b>	apr
7599359	7.60	6.90	6.10	6.87	7.70	5.50	9.50	8.00	4.50	7.68	<b>7.0</b>	0	0	3			<b>7.03</b>	<b>7.0</b>	apr
7599363	3.95	3.25	3.50	3.57	2.90	1.00	0.50	7.00	6.50	4.35	<b>3.7</b>	0	2	0	3.00	3.5	<b>3.66</b>	<b>3.7</b>	rec
7599411	0.00	4.20	1.10	1.77	6.50	7.25	2.75	4.25	0.00	5.19	<b>2.5</b>	1	0	0			<b>2.45</b>	<b>2.5</b>	rep
7659196	0.00	1.45	1.20	0.88	5.20	6.25	0.50	3.25	5.50	5.05	<b>1.7</b>	1	0	0	1.80	1.5	<b>2.20</b>	<b>2.2</b>	rep
7662905				0.00						0.00	<b>0.0</b>						<b>0.00</b>	<b>0.0</b>	rep
7699013				0.00	4.40	2.00	0.00	0.00	0.00	1.60	<b>0.3</b>						<b>0.32</b>	<b>0.3</b>	rep
7704835	6.85	7.50	3.10	5.82	8.10	6.30	5.40	9.30	7.20	7.73	<b>6.2</b>						<b>6.20</b>	<b>6.2</b>	apr
79203	8.00	7.00	6.80	7.27	10.00	6.50	5.50	8.00	3.00	7.50	<b>7.3</b>	0	0	3			<b>7.31</b>	<b>7.3</b>	apr
	4.86	3.26	2.71	3.6	5.00	4.12	3.13	3.37	4.58	4.31	3.44	11	26	46			3.92	<b>3.9</b>	rec