



PSI3542 SISTEMAS EMBARCADOS PARA IOT 2020 AULA 02 20/08/2020

PROF. SERGIO TAKEO KOFUJI


PSI-EPUSP

INTERNET DAS COISAS



Revisão

Aplicações de IoT



FUTURE FARMS

small and smart

SURVEY DRONES

Aerial drones survey the fields, mapping weeds, yield and soil variation. This enables precise application of inputs, mapping spread of pernicious weed blackgrass could increase Wheat yields by 2-5%.

FLEET OF AGRIBOTS

A herd of specialised agribots tend to crops, weeding, fertilising and harvesting. Robots capable of microdot application of fertiliser reduce fertiliser cost by 99.9%.



FARMING DATA


The farm generates vast quantities of rich and varied data. This is stored in the cloud. Data can be used as digital evidence reducing time spent completing grant applications or carrying out farm inspections saving on average £5,500 per farm per year.

TEXTING COWS


Sensors attached to livestock allowing monitoring of animal health and wellbeing. They can send texts to alert farmers when a cow goes into labour or develops infection increasing herd survival and increasing milk yields by 10%.

SMART TRACTORS


GPS controlled steering and optimised route planning reduces soil erosion, saving fuel costs by 10%.



Smart Grid



Indústria 4.0






Energia e Recursos Hídricos



Water

Integrar-se com uma variedade de fontes de dados para acompanhar os esforços de conservação e obter insights para melhorar as operações existentes.



City Leaders



Utilizar dados para descobrir insights que impulsionam a mudança política, melhorar os procedimentos e aumentar o serviço aos cidadãos.

Worker



Acompanhar os esforços de conservação e melhorar a precisão da cobrança com a leitura de medidores de água com mais frequência.

Citizen



Colaborar com os cidadãos interessados com relatórios de consumo individuais e da sua região.



Sistemas de Transporte Inteligente

Conectar as redes de segurança para obter maior visibilidade e salvar mais vidas.

Agilizar as operações, conduzir a redução de custos e melhorar o serviço ao cliente.

Mantenha mais veículos em serviço e melhore a eficiência do uso de combustíveis com alertas de sensores de veículos, comboios e aviões que, notificam os técnicos das necessidades de manutenções condicionais

Monitore e gerencie com segurança todas as estações e ativos de aeroportos, desde as escadas rolantes e sistemas de controle HVAC, sistemas de vídeo e comunicação

Reduza o congestionamento e horas desperdiçadas e aumente as receitas através de sistemas de cobrança automática, com reconhecimento de placas e incentive o deslocamento fora do horário de pico

Alivie o incômodo de estacionar na cidade, proporcionando aos cidadãos a disponibilidade de vagas em cada estacionamento e sistemas de cobranças automatizados

Aumente a utilização do trânsito e reduza os gastos com as rotas subutilizadas ajustando as rotas de acordo com a tendência de ocupação

City Manager



Alivie o congestionamento para salvar horas desperdiçadas e recursos, aumente a consciência ambiental para ter um ar mais limpo e uma menor emissão de carbono

Fleet Manager



Monitore frotas de forma centralizada e reduza os custos de manutenção por meio da análise de dados de todo o sistema

Citizen



Proporcionar aos cidadãos uma melhor experiência no trânsito fornecendo informações digitais dos serviços em dispositivos móveis



Saúde



PATIENT HOME



HOSPITAL



OUTPATIENT FACILITY

Monitorar a condição dos pacientes com o uso de dispositivos médicos que alertam a equipe sobre os cuidados no momento em os eventos ocorrem.

Permita uma experiência interativa entre pacientes e equipes de cuidados médicos afim de reduzir os tempos de resposta e forneça acesso remoto aos dados mais recentes dos pacientes.

Conecte os dados do paciente de uma forma mais contextual, com isso, os dados mais recentes do pacientes são exibidos automaticamente em dispositivos com base em sua localização e função.

Tornar os dados do paciente acessíveis de um ponto central, permitindo uma visão holística da jornada do paciente, assim, os provedores de saúde podem otimizar cada interação com o paciente.



Combine dados de várias fontes para descobrir insights que permitem uma jornada aprimorada do paciente, maior eficiência operacional e melhor gestão de risco.

Tornar os dados pacientes visíveis e acionáveis quase em tempo real, permitindo uma melhor tomada de decisão, melhor coordenação e redução de erros.



HEALTHCARE ECOSYSTEM


Integre dados de fontes existentes e não-tradicionais para obter uma análise de grande volume de dados, permitindo assim a transformação do processo de inovação da saúde.



Segurança Pública e Defesa Civil








TECHNOLOGY	FUTURE DEVELOPMENT	RESEARCH NEEDS
Hardware Devices	<ul style="list-style-type: none"> •Nanotechnology •Miniaturization of chipsets •Ultra low power circuits 	<ul style="list-style-type: none"> •Low cost modular devices •Ultra low power EPROM/FRAM •Autonomous circuits
SENSOR	<ul style="list-style-type: none"> •Smart sensors (bio-chemical) •More sensors (tiny sensors) •Low power sensors •Wireless sensor network for sensor connectivity 	<ul style="list-style-type: none"> •Self powering sensors •Intelligence of sensors
Communication Technology	<ul style="list-style-type: none"> •On chip antennas •Wide spectrum and spectrum aware protocols •Unified protocol over wide Spectrum •Multi-functional reconfigurable chips 	<ul style="list-style-type: none"> •Protocols for interoperability •Multi-protocol chips •Gateway convergence •On chip networks •Longer range (higher frequencies – tenths of GHz) •5G developments
Network Technology	<ul style="list-style-type: none"> •Self aware and self organizing networks •Self-learning, self-repairing networks •IPv6- enabled scalability •Ubiquitous IPv6-based IoT deployment 	<ul style="list-style-type: none"> •Grid/Cloud network •Software defined networks •Service based network •Need based network
Software and algorithms	<ul style="list-style-type: none"> •Goal oriented software •Distributed intelligence, problem solving •User oriented software 	<ul style="list-style-type: none"> •Context aware software •Evolving software •Self reusable software •Autonomous things: •Self configurable •Self healing •Self management
Data and Signal Processing Technology	<ul style="list-style-type: none"> •Context aware data processing and data responses •Cognitive processing and optimization •IoT complex data analysis •IoT intelligent data visualization •Energy, frequency spectrum aware data processing 	<ul style="list-style-type: none"> •Common sensor ontology •Distributed energy efficient data processing •Autonomous computing
Discovery and Search Engine Technologies	<ul style="list-style-type: none"> •Automatic route tagging and identification management centers •On demand service discovery/integration 	<ul style="list-style-type: none"> •Scalable Discovery services for connecting things with services
Security & Privacy Technologies	<ul style="list-style-type: none"> •User centric context-aware privacy and privacy policies •Privacy aware data processing •Security and privacy profiles selection based on security and privacy need 	<ul style="list-style-type: none"> •Low cost, secure and high performance identification/ authentication devices •Decentralized approaches to privacy by information localization

O aluno deve conhecer os dispositivos de IoT, tipos, formas de Comunicação e plataformas de Dashboards.



```
graph TD; A["O aluno deve conhecer os dispositivos de IoT, tipos, formas de Comunicação e plataformas de Dashboards."] --> B["Dispositivos Sensores e Atuadores"]; B --> C["Smartphone como Dispositivo IOT"]; C --> D["IoT Dashboard"]; D --> E["Pratica"];
```


Dispositivos Sensores e Atuadores

Smartphone como Dispositivo IOT

IoT Dashboard

Pratica


Aula02- Objetivos de Aprendizado



Dispositivos IOT

- <https://www.softwaretestinghelp.com/iot-devices/>
- Numero de dispositivos IoT em 2018/2019
- <https://iot-analytics.com/state-of-the-iot-update-q1-q2-2018-number-of-iot-devices-now-7b/>

Taxonomia -
<https://iotuk.org.uk/wp-content/uploads/2017/01/IOT-Taxonomy-Report.pdf>



Classificação de Sistemas (Projetos) de IOT

Complexidade Técnica

Safety, Security,
Privacy


Data Sharing



TCom Level	Description	Examples
0	Dumb/passive objects. Not connected, identified or monitored	Any unconnected, unidentified object
1	Identifiable dumb/passive objects with a virtual existence that can meaningfully be counted/ tracked by online systems	RFID Tags, barcoded or QR-coded objects
2	Connected objects. Objects linked to an IP network, with some means of reading, programming or controlling them. These should be counted as elements within the IoT universe, but they are often underused assets.	Printers, doorbells, IP connected fire alarms or security systems
3	Connected broadly homogeneous objects in a simple integrated system, whether the benefit of that system accrues to the end user or the system provider	Networks of multiple temperature sensors within a single building or campus. Environmental monitoring networks, wearable devices (such as Fitbit or other wellness technologies)
4	Connected heterogeneous objects in a single, integrated system. This involves taking data from a variety of sensors of different types, all deployed for the same end user or organisation to help improve processes, make better decisions or change outcomes.	The deployment of a range of sensors in a care home or hospital or the combination of parking, traffic volume and traffic control data in an urban road management system
5	Different objects deployed across multiple interconnected systems for multiple organisations, in multiple locations, all within a similar domain. System supports analysis of aggregated data derived from all deployment locations.	Partnering university campuses' security cameras, fire alarms, temperature sensors, access control systems and energy monitoring systems integrated into a single unified control and monitoring solution
6	As for TCom 5, but where multiple domains are connected. This involves gathering data from a variety of sensor types, across a variety of systems and ecosystems, and creating combined views of the data that offer new sources of value (economic or social) or where there is a high degree of automation across homogeneous systems	<p>Smart cities where multiple organisations, or different city departments and their partners, have built applications that draw on diverse sets of data from multiple sources to develop or improve services. Such applications might include the adjustment of street lighting in response to incoming data on night-time police activity levels, or the adjustment of traffic lights in response to real-time data sources about local environment data, or current people movement data based on mobile phone location data.</p> <p>Or, in the second case, the automated adjustment of environmental controls across a service provider's care estate based on real-time data feeds from sensors deployed in those settings.</p>
7	As for TCom 6, but involving both multiple ecosystems and a high degree of automation	A smart city solution drawing data from multiple providers and sources, which is then used for automated traffic control and routing of emergency services, or the automated adjustment of traffic lights based on real-time mobile phone location data

Exemplo





System Security Level

SSL	Description	Examples
0	No data involved, no control of the system	
1	No sensitive data involved, no control of the objects in the system	Wireless doorbell
2	System provides anonymous, aggregated statistics, no control of the system	Remote temperature sensors
3	System generates sensitive data or supports some degree of remote control of the system objects	Biometric data, door actuation mechanisms
4	System generates sensitive data, supports some degree of remote control of the system objects and connects with external systems	Integrated facilities management systems, tele-health monitoring, security and safety systems

Figure 2 – Illustration of increasing system sensitivity of an IoT deployment



SSL 0



Car

SSL 1



Car with seat sensor



Is anyone in the car?

SSL 2



Car with camera; or car with sensor and control



Who is in the car? Or, if someone is in the car, turn on air conditioning

SSL 3



Car with camera and control



Monitor who is in the driving seat. Prevent engine from starting if the driver is too young or has no valid licence

SSL 4



Car with camera, multiple sensors, controls, links to wider systems





Monitor the health of the car's driver. Assume automatic control of the vehicle if the driver becomes ill or distracted; alter traffic lights and bring car to a safe stop.

Data Sharing Level

DSL	Description	Examples
0	No data is shared	Simple point-to-point monitoring systems such as consumer weather stations and wireless doorbells
1	Basic sharing between two parties: agreed sharing of sensitive data between the customer/buyer/user and the seller or provider (whether that seller or provider operates in the commercial or public sector)	Cloud-based security systems, remote cameras, home monitoring systems
2	Third person sharing: sharing of sensitive data between the seller or provider and unrelated third parties in a commercial context.	Person tracking information to support targeted marketing offers
3	Multi-domain and third-party sharing: sharing of sensitive data between the customer/buyer/user and multiple sellers or providers involved in delivering services, where those providers come from different ecosystems (including the commercial and public sectors)	The aggregation of parking, traffic and environmental data in an urban traffic management application
4	Open access to sensitive data, including data generated through use of public finance or infrastructure	Integration of multiple security systems in a public safety context

Figure 3 – How the degree of data sharing can influence the complexity of deploying an IoT solution







Classificação de Dispositivos IoT Sensores

- <https://journal-bcs.springeropen.com/articles/10.1186/s13173-019-0085-7/tables/3>
 - An IoT sensor and scenario survey for data researchers. Cleber M. de Moraes, Djamel Sadok, Judith Keln. 2019.
-

Category	Description
Ambient	This refers to sensors that gather data from the environment or the space around them.
Motion	This is used to perceive motion of people or things in a context (as in accelerometers and gyroscopes).
Electric	This category holds the sensors that are applied to electricity grids.
Biosensor	The biosensors are worn by humans or animals. They return vital signs and/or biological information about one subject.
Identification	This represents a semantic or identity of another thing to the IoT system. The most common items in this classification are RFID and NFC tags and their readers.
Position	This is related to identifying an object's position in a global scale (as with GPS) or in a local scale (as in small beacon position).
Presence	This captures the presence of a person, an animal, or object in a space and registers it in the system. The most common solution is the PIR sensor.
Machine vision	This family of sensors captures images that will be processed by a computer to produce information.
Interaction	These types of sensors are devices that are human-activated to trigger an event, such as a button or a lever.
Acoustic	Such sensors are activated by soundwaves, producing data from the ambient sound change.
Force/load	The force/load sensors are activated by external forces, capturing the deformation or the intensity of those forces to the system.
Hydraulic	These are applied in the water system to measure and control the flow.
Chemical	Chemical sensors are capable of detecting chemical substance(s) in the air or water.
Object information	This specific category includes sensors with similar functions to the previous categories. They differ in that their application is confined to a specific object. The object information is the result of a small context application of a sensor. For instance, a temperature sensor used inside a machine provides object information which is different from an ambient temperature sensor.



Classificação de Sensores IoT

- An Application Domain-Based Taxonomy for IoT Sensors. Vitor ROZSA^a, Marta DENISCZWICZ^a, Moisés DUTRA^{a,1}, Parisa GHODOUS^b, Catarina FERREIRA DA SILVA^b, Nader MOAYERI^c, Frédérique BIENNIER^d and Nicolas FIGAY^e. 2016
-

Sensores – Tipos e Sub-Tipos

<i>Type</i>	Motion	Position	Environment	Mass Measurement	Biosensor
<i>Subtype</i>	Movement	Orientation	Temperature	Volume	Blood
	Velocity	Inclination	Humidity	Pressure	Organ
	Inertia	Proximity	Luminance	Density	Mental
	Vibration	Presence	Acoustic	Deformation	Tissue
	Acceleration	Location	Radiation	Viscosity	
	Rotation		Gas	Flow	
			Magnetic Field	Load	
			Weather	Moisture	
			Chemical	Shock	
			Electrical	Contact	
			Color	Strain	
			EMF ²	Corrosion	
				Electrical Conductivity	
				Oxygen	

Domain		Industrial			Smart Cities		Healthcare	
Area	Agriculture	Logistic	Plant Floor	Transport	Buildings	Environment	Monitoring	Management
Sensor (subtype)	Chemical	Gas	Acoustic	Acceleration	Acceleration	Acoustic	Acceleration	Acceleration
	Conductivity	Humidity	Chemical	Acoustic	Acoustic	Chemical	Blood	Location
	Gas	Inclination	Contact	Contact	Color	Conductivity	Emotion	Luminance
	Humidity	Location	Gas	Gas	Deformation	Corrosion	Gas	Pressure
	Location	Luminance	Humidity	Inclination	Flow	Density	Humidity	Temperature
	Luminance	Pressure	Inclination	Load	Gas	EMF	Inclination	
	Moisture	Shock	Inertial	Luminance	Humidity	Flow	Movement	
	Pressure	Temperature	Location	Magnetic Field	Inclination	Gas	Organ	
	Temperature	Vibration	Luminance	Moisture	Luminance	Humidity	Orientation	
	Weather		Moisture	Movement	Magnetic Field	Load	Presence	
			Movement	Oxygen	Movement	Location	Pressure	
			Orientation	Presence	Orientation	Luminance	Radiation	
			Presence	Pressure	Presence	Moisture	Temperature	
			Temperature	Proximity	Pressure	Movement	Tissue	
			Vibration	Shock	Proximity	Pressure	Vibration	
			Volume	Temperature	Temperature	Proximity		
			Weather	Velocity	Vibration	Strain		
				Volume		Temperature		
						Volume		
						Weather		

Figure 1. Taxonomy of IoT sensors.

Commercial IoT



Industrial IoT




Consumer IoT



Segundo o Mercado

- Consumer, Industrial, Commercial





Grove - Digital Light Sensor



Grove - Light Sensor



Grove - Temperature and Humidity Sensor



Grove - Barometer Sensor





Grove - Dust Sensor



Sensores


Sensores






Como coletar e apresentar os dados coletados dos sensors?

- Plataformas de IoT
-



Principais Plataformas Comerciais para o Back-end IoT





Google Cloud Platform

Device to Cloud




Asset Tracker - Device & Sensors



Google Cloud Platform

Ingest Data



Cloud Pub/Sub

Cloud Functions

Database



Cloud Firestore



Cloud Functions



HTTP Protocol

Webapp Firebase Hosting



Desktop and
Mobile




Users


Cloud to Device







Microsoft Azure





AWS IoT





Principais Plataformas Abertas para IoT





Parte Prática



Plataformas/Ferramentas


- Dweet.io
 - Freeboard.io
-



IoT DASHBOARD

- Definição
 - Tipos
 - Open Source
 - Proprietários
 - Exemplos Open Source
 - FreeBoard <https://freeboard.io>
 - ThigsBoard <https://www.linode.com/docs/development/iot/install-thingsboard-iot-dashboard/>
 - IoTHook <https://iothook.com/en/>
-

Dashboard Video
<https://info.devicepilot.com/free-customiot-dashboards>



Choose from a growing
collection of widget types

Drag & drop
widgets



Share it instantly

FreeBoard
<https://freeboard.io>

Roteiro. Vamos seguir o tutorial deste vídeo (<https://youtu.be/nJ1y53hVaNg>)





Roteiro

- Atraves do notebook, acesse o site freeboard.io
 - Crie uma conta gratuita/demo
 - Entre na conta e siga o tutorial(roteiro sugerido)
 - Atenção:
 - Voce pode utilizar o smartphone como dispositivo IoT.
 - Voce pode tambem utilizar o seu notebook como dispositivo IoT. Neste caso, utilize uma nova instancia do navegador – no utilize NOVA ABA. As atualizações do mouse somente irao acontecer se a nova janela estiver ativada (clique o mouse sobre a janela para que isso aconteça)
-

Roteiro Continuação...

- Entre no site dweet.io e clique na opção de entrada para demonstração
- Verifique que as informações sobre o seu computador (mouse, tilt) vão aparecer na tela. Estas informações estarão sendo compartilhadas publicamente. Para bloquear o acesso público é necessário ter uma conta paga no dweet.io.
- A página oferece o link do dispositivo (e o nome) associado ao seu computador. É possível utilizar este nome no freeboard.

Roteiro Continuação...

- Vamos manualmente conectar o smartphone android através do APP ***Dweet My Phone*** ao serviço dweet.io
- Instale o APP ***Dweet My Phone*** no smartphone e configure adequadamente para que se comunique com o serviço dweet.io
- Configure o Freeboard para conectar com o smartphone através do dweet.io
- Implemente uma janela de visualização contendo vários tipos de gráficos. Uma delas DEVE ser o Google maps contendo a posição do seu smartphone.
- Podemos implementar um detetor de quedas usando as informações obtidas do smartphone + dweet.io + freeboard?

Freeboard
Cont...



DUVIDAS?

KOFUJI@USP.BR