

Page references followed by “f” indicate figure, and “t” indicate table.

## A

ACC, *see* 1-Aminocyclopropane-1-carboxylic acid  
 Acetolactate decarboxylase, recombinant protein generation, 532  
 Acid fungal protease, recombinant protein generation, 540  
 Acrylamide, Stecker degradation formation, 259, 261f  
 ADPG-pyrophosphorylase  
   expression in wheat development, 7, 7f  
   starch synthesis, 10  
 Albumen, *see* Egg  
 Amadori rearrangement  
   Maillard reaction, 248–250, 249f, 250f  
   pigment formation, 256  
 1-Aminocyclopropane-1-carboxylic acid (ACC), ethylene synthesis, 8f, 9f, 14  
 Aminopeptidase, recombinant protein generation, 532  
 Amylase  
    $\alpha$ -amylase  
     brewing  
       addition, 314  
       mashing, 297–299, 298f  
     germination role in cereal grain  
       biosynthesis during germination, 16–17, 17f  
       germinated cereal activity, 18  
       mobilization of starches, 16  
       reduction treatment in sprouted grain, 18–19, 19t  
     legume inhibitors, 35  
     recombinant protein generation  
       A branching glycosyltransferase, 538–539  
        $\alpha$ -amylase, 535–536  
        $\beta$ -amylase, 536  
        $\gamma$ -amylase, 537  
       maltogenic amylase, 536–537  
       maltotetraose-forming amylases, 538  
       overview, 530f, 533–539  
       pullulanase, 537–538  
     Amylopectin, synthesis, 10–11  
     Amyloplast, cereal grain, 6  
 Anthocyanins  
   distribution in fruits, 83t  
   processing effects, 86–88, 87f  
   synthesis, 85–88, 87f  
   types and structures, 86–88, 87f  
 Antibiotics, milk, 327–328  
 Ascorbic acid  
   browning reaction oxidation, 274–276, 276f

polyphenol oxidase and browning inhibition, 405–406, 406f  
 Asparaginase, recombinant protein generation, 539  
 Aspartate, browning reaction inhibition, 280, 280t  
 Aspartic protease, recombinant protein generation, 539–540  
 Aspergillopepsin I, *see* Acid fungal protease  
 ATP, postmortem changes in meat and fish levels, 139–141  
   metabolism, 141–145, 142f, 143f, 145f, 146f

## B

*Bacillus thuringiensis*, toxins for insect resistance  
   crop engineering  
     commercial crops, 510, 510t–511t  
     environmental and health impact, 509  
     Cry toxin mechanisms, 508–509, 509f  
     overview, 508  
 Bacteriophage, cheese making challenges, 336–337  
 Barley, *see* Brewing; Cereal  
*Barnase*, sterility engineering of crops, 519  
*Barstar*, sterility engineering of crops, 519  
 Bean, *see* Legume  
 Beer, *see* Brewing  
 Blanching, polyphenol oxidase and browning inhibition, 412  
 Bleaching, oilseed processing, 368  
 Blue-M1, 267–268, 268f  
 Blue-M2, 267–268  
 Bovine serum albumin (BSA), whey protein, 201  
 Brewing  
   beer production, 291  
   enzymes  
      $\alpha$ -amylase, 314  
     barley brewing, 314  
   malting  
     barley grain structure, 296–297, 296f, 297f  
     barley malt analysis, 295t  
     overview, 293–297, 294f  
   mashing  
     amylases, 297–299, 298f  
     purposes, 297  
   overview, 291–293, 292f  
   raw materials, 293f  
   wort  
     fermentation, 311–313, 312f

free amino nitrogen, 308–311, 310f, 310t  
 gravity effects on ester levels, 302t  
 separation and beer filtration, 314–316, 315f  
 sugar types, 299–301, 299t  
 sugar uptake by yeast  
   ale and lager yeast strain differences, 303–307, 305t, 306t, 307f  
   maltose and maltotriose, 300f, 303–307  
   order, 300f  
   osmotic pressure and ethanol effects, 301–303, 302f  
 Bromoxynil, tolerance engineering in crops, 518–519  
 Browning reactions  
   ascorbic acid oxidation, 274–276  
   carmelization  
     acidic degradation, 270–273, 270f, 271t, 272f  
     alkaline degradation, 273, 273f  
     aromatic compounds, 273–274  
     classification for food use, 270t  
     difuctose anhydride tracers, 274  
     overview, 269–274  
   enzymatic reactions, *see* Laccase;  
     Polyphenol oxidase; Tyrosinase  
   heterocyclic compounds  
     oxazoles, 262–263, 263f  
     oxazolines, 262–263, 263f  
     pyrazine, 260–262, 261f  
     pyrroles, 262  
     thiazoles, 263–264  
   inhibition of non-enzymatic reactions  
     aspartate, 280, 280t  
     enzyme addition, 279  
     gas packing, 279  
     glutamate, 280, 280t  
     moisture, 277  
     pH, 279  
     sulfite, 279  
     sulfur dioxide, 279, 280f  
     temperature, 277  
 Maillard reaction  
   Amadori rearrangement, 248–250, 249f, 250f  
   antioxidant activity of products, 276–277, 277f  
   carbonylamino reaction, 246–248, 248f  
   lipid interactions, 264–265  
   lysine retention and reaction time, 252f

- Browning reactions (*Continued*)  
 melanoidin polymers, 265–269, 266f, 267f, 268f, 277f  
 metal complexes, 254–256, 256f  
 moisture, 251–253, 253f  
 pH, 250, 251f, 252f  
 polyphenol effects, 265  
 pressure effects, 254  
 pulsed electrical field, 254  
 sugars, 254, 255f  
 temperature, 250–251, 251f  
 ultrasonic treatment, 254  
 volatile aromatic formation, 260t  
 overview, 245, 246t  
 pigment formation  
 alternative pathways, 256–257, 258f  
 Amadori compounds, 256  
 Stecker degradation  
 acrylamide formation, 259, 261f  
 overview, 258–259, 260f
- 165  
 BSA, *see* Bovine serum albumin
- C**  
 CAF, *see* Calcium-activating factor  
 Calcium-activating factor (CAF), meat tenderization, 157–158, 157t  
 Calpastatin, meat tenderization, 158–159, 163f  
 Caprenin, 379  
 Capric acid, seal blubber oil modification, 376t  
 Carbohydrate, *see also* Starch specific sugars  
 cereal grain, *see* Cereal  
 legume composition  
 fiber, 30–32, 31t  
 germination effects, 36–37, 37f  
 overview, 29–30, 29t  
 soluble carbohydrate, 32–33, 32t  
 starch, 30, 31t  
 Carbon dioxide, *see* Supercritical carbon dioxide  
 Carboxypeptidase, recombinant protein generation, 540–541  
 Carmelization  
 acidic degradation, 270–273, 270f, 271t, 272f  
 alkaline degradation, 273, 273f  
 aromatic compounds, 273–274  
 classification for food use, 270t  
 difructose anhydride tracers, 274  
 overview, 269–274  
 Carotenoids  
 degradation, processing and storage effects, 77f, 77–84  
 lipid oxidation control, 469  
 ripening changes, 66t, 82t, 105  
 synthesis, 77–84, 77f, 78f, 79f, 80f  
 Casein  
 cheese making, 324t  
 milk  
 $\alpha$ s1-casein, 197, 198f  
 $\alpha$ s2-casein, 197–198, 198t, 199f  
 $\beta$ -casein, 198–199, 199f, 200f  
 $\gamma$ -casein, 200  
 $\kappa$ -casein, 200–201  
 casein micelle  
 function, 202–206  
 models, 204–206, 206f  
 structure, 203–204, 203f  
 overview, 197  
 Catechol oxidase, *see* Polyphenol oxidase  
 Cathepsins, meat tenderization, 159  
 Cellulase  
 cell wall degradation, 93–99, 94f, 97f  
 recombinant protein generation, 541  
 Cell wall  
 degradation  
 cellulase, 96–98, 97f, 98f  
 $\beta$ -galactosidase, 98–99  
 overview, 92–99  
 pectic lyase, 96, 96f  
 pectinesterase, 95–96  
 polygalacturonase, 93–95, 94f  
 hemicellulose, 92  
 lignin, 92  
 pectic substances, 90–91, 90f, 91f  
 protein, 92  
 synthesis, 92–93  
 texture effects in fruits and vegetables, 88–99
- Cereal  
 barley malting, *see* Brewing  
 composition  
 amyloplast, 6  
 lipid, 15–16, 15t, 16t  
 overview, 5–16  
 protein bodies  
 formation, 11–12, 12f  
 ultrastructure, 11, 11t  
 protein  
 classification, 12–13, 12f  
 Osborne protein fractions in Seeds, 13t  
 prolamins, 13–14, 13t, 14t  
 synthesis, 14, 15f  
 starch  
 granule, 6–7, 6t  
 sucrose conversion, 7–10, 8f, 9f  
 germination  
 $\alpha$ -amylase role  
 biosynthesis during germination, 16–17, 17f  
 germinated cereal activity, 18  
 mobilization of starches, 16  
 reduction treatment in sprouted grain, 18–19, 19t  
 flour quality effects, 18  
 lipid mobilization, 8f, 20–22  
 protein mobilization, 19–20, 20f, 21t  
 production, 4, 4f  
 starch biosynthesis  
 ADPG-pyrophosphorylase, 7, 7f, 10  
 ADPG-starch synthetase, 10  
 amylopectin, 10–11  
 starch synthase, 7  
 sucrose-UDP-glucosyltransferase, 8–10, 8f, 9f  
 storage  
 prolonged storage, 23–24  
 respiration modulation  
 moisture, 22–23, 22f  
 temperature, 23, 23f  
 structure of grain, 4–5
- Cheese  
 cultures  
 classification of lactic acid cultures, 331–332, 333t  
 functions, 331, 332t  
 management  
 bacteriophage challenges, 336–337  
 handling, 336  
 natural cultures, 335  
 starter cultures, 335–336  
 secondary cultures, 332–335
- milk  
 antibiotics, 327–328  
 coagulation  
 acid coagulation), 330–331  
 enzymatic coagulation, 328–330  
 composition considerations, 320–323, 322t, 323t  
 mastitis and quality, 328  
 microorganisms  
 gas formers, 325–326  
 lactic acid bacteria, 325  
 natural fermentation, 323–327, 325f  
 pathogens, 326–327  
 psychotrophic bacteria, 325
- production  
 calcium control, 338  
 flavor control, 339–340  
 moisture control, 337  
 overview, 319–320, 320f, 321f  
 pH control, 337–338, 338t  
 texture control, 338–339
- ripening  
 acceleration  
 attenuated starter cultures, 346  
 enzyme-modified cheese, 345–346  
 genetically modified lactic acid bacteria, 347  
 high-pressure processing, 345  
 non-starter adjunct cultures, 347  
 overview, 344–347  
 temperature, 345  
 citric acid catabolism, 340–341  
 lactic acid catabolism, 340–341  
 lactose metabolism, 340–341  
 lipid catabolism, 341  
 proteolysis  
 amino acid catabolism, 344  
 lactic acid bacteria, 343–344  
 plasmin, 342–343  
 rennet activity, 342
- Chlorophyll  
 degradation  
 pathways, 72–76, 73f, 74f, 75f  
 processing and storage effects, 74–76, 75f  
 lipid oxidation, 449–450, 449f  
 synthesis  
 genes, 67t  
 overview, 70f

- Phase 1, 68–72, 70f  
Phase 2, 72  
regulation, 72
- Chymosin, recombinant protein generation, 542
- Cinnamic acid, derivatives as polyphenol oxidase substrates, 394–395
- Citric acid  
cheese ripening and catabolism, 340–341  
polyphenol oxidase and browning inhibition, 404
- Climacteric rise, control in vegetables, 51–56
- Collagen, muscle  
composition, 131–134  
degradation by lysosomal enzymes, 162  
structure, 132f  
texture effects  
fish, 133–134, 133f  
meat, 132–133, 132f
- Cow's milk, *see* Milk
- Cry toxin, *see Bacillus thuringiensis*
- Cyanide, ethylene regulation in ripening, 62
- Cyclodextrin glucanotransferase, recombinant protein generation, 541–542
- D**
- Dairy, *see* Cheese; Milk; Yogurt
- Dark firm dry (DFD), causes in meat, 154
- Degumming, oilseed processing and phospholipid removal, 365–366
- DFD, *see* Dark firm dry
- Dimethyl disulfide (DMDS), milk off-flavor, 488–489
- Dimethylsulfide (DMS), milk off-flavor, 492–493
- Dimethyltrisulfide (DMTS), milk off-flavor, 492–493
- DMDS, *see* Dimethyl disulfide
- DMS, *see* Dimethylsulfide
- DMTS, *see* Dimethyltrisulfide
- DNA, structure, 504–506, 505f
- Docosahexaenoic acid, *see* Omega-3 fatty acids
- Drip loss, meat, 154–156, 155t
- E**
- EGCG, *see* Epigallocatechin gallate
- Egg  
composition  
shell, 219–220  
vitamins and minerals, 224t  
white, 220–222, 221t  
yolk, 222–225, 222t, 223t  
formation  
overview, 225  
shell  
mineralization, 225–226  
regulation, 225  
white, 226–227  
yolk  
livitens, 228  
low-density lipoprotein, 227  
vitellogenin, 227  
functional properties in food systems, 216t  
preservation and processing effects  
aging, 229–230  
freezing effects  
vitelline membrane, 232  
white, 232–233  
whole egg mixture, 232  
yolk gelation, 232  
heat effects  
dry-heating effects on gelation, 229f, 233–234  
emulsification, 235–236  
foaming, 234–235  
pasteurization, 231  
white, 230–231  
yolk, 230  
irradiation effects, 233  
protein denaturation, 228, 229f  
protein functionality modifications, 236–237  
structure  
overview, 216–218, 217f  
shell, 216, 217f  
white, 216  
yolk, 217–218, 218f
- Eicosapentaenoic acid, *see* Omega-3 fatty acids
- EMC, *see* Enzyme-modified cheese
- 5-Enolpyruvyl shikimate 3-phosphate synthase (EPSPS), transgenesis for herbicide tolerance, 514–516, 516t
- Enzyme-modified cheese (EMC), ripening, 345–346
- Epigallocatechin gallate (EGCG), omega-3 fatty acid conjugates, 380–381
- EPSPS, *see* 5-Enolpyruvyl shikimate 3-phosphate synthase
- Ethyl carbamate, yeast engineering for reduction in fermentation, 528–529
- Ethylene, ripening  
biosynthesis  
methionine metabolism, 59–62  
overview, 57–65  
Yang cycle and methionine recycling, 59, 60f  
composition of climacteric and non-climacteric fruits, 58t  
initiation of ripening, 56–59, 57f  
regulation  
1-aminocyclopropane-1-carboxylic acid-metabolizing enzymes, 59–61, 60f  
cyanide, 63  
organic acids, 63  
lipoxygenase, 63–64  
galactose, 65
- F**
- FAN, *see* Free amino nitrogen
- Fat, *see* Lipid
- Fermentation  
beer, *see* Brewing  
dairy, *see* Cheese; Yogurt  
legumes and effects on composition, 39–40  
polyphenol oxidase in tea fermentation, 400–401, 401t  
yeast engineering  
ethyl carbamate reduction, 528–529  
hydrogen sulfide reduction, 524f, 525–527  
malolactic fermentation, 529–531, 529f
- Fiber, legume composition, 30–32, 31t
- Fish, *see* Muscle
- Flour, *see* Cereal
- Free amino nitrogen (FAN), wort, 308–311, 310f, 310t
- Free radicals, *see* Lipid oxidation
- Freezing, egg effects  
vitelline membrane, 232  
white, 232–233  
whole egg mixture, 232  
yolk gelation, 232
- Fruits  
anthocyanins  
distribution in fruits, 83t  
processing effects, 86–88, 87f  
synthesis, 85–88, 87f  
types and structures, 84–88, 84f  
carotenoids  
degradation, processing and storage effects, 77f, 77–84  
ripening changes, 66t, 82t, 105  
synthesis, 77–84, 77f, 78f, 79f, 80f  
cell wall  
degradation  
 $\beta$ -galactosidase, 98–99  
cellulase, 96–98, 97f, 98f  
overview, 92–99  
pectic lyase, 96, 96f  
pectinesterase, 95–96  
polygalacturonase, 93–95, 94f  
hemicellulose, 92  
lignin, 92  
pectic substances, 90–91, 90f, 91f  
protein, 92  
synthesis, 92  
texture effects, 88–99  
color changes in ripening, 66t  
ethylene and ripening  
biosynthesis  
methionine metabolism, 59–62  
overview, 57–65  
Yang cycle and methionine recycling, 59, 60f  
composition of climacteric and non-climacteric fruits, 58t  
initiation of ripening, 56–59, 57f  
regulation  
1-aminocyclopropane-1-carboxylic acid-metabolizing enzymes, 59–61, 60f  
cyanide, 63  
galactose, 65  
lipoxygenase, 63–64  
organic acids, 63  
respiration, 50–56, 52f, 51t  
storage  
cold storage, 107  
controlled atmosphere storage, 107–108, 108f

- Fruits (*Continued*)  
 prospects, 38–39  
 taste  
 starch conversion to sugar, 104–105, 104f  
 organic acids, ripening, and changes, 105–106, 106f  
 volatile aromatics  
 aldehydes, alcohols, and esters  
 amino acid precursors, 100–101, 100f  
 fatty acid precursors, 101–103, 102f, 103f  
 overview, 99–103, 99f
- G**
- Galactose, ethylene modulation in ripening, 16–17  
 $\beta$ -Galactosidase, cell wall degradation, 98–99  
 Gap filaments, muscle  
 overview, 130–131, 130f  
 tenderness effects, 160–161  
 Gas packing, browning reaction inhibition, 279  
 Genetically modified crops  
*Bacillus thuringiensis* toxins for insect resistance  
 commercial crops, 510–511, 510t–511t  
 Cry toxin mechanisms, 508–509, 509f  
 environmental and health impact, 509  
 overview, 508  
 DNA structure, 504–506, 505f  
 expression regulation, 507  
 food utilization, 507–508  
 herbicide tolerance engineering  
 bromoxynil tolerance, 518–519  
 glufosinate tolerance  
 mechanism of action, 517  
 phosphinothricin acetyltransferase transgenesis, 514–516  
 glyphosate tolerance  
 5-enolpyruvyl shikimate 3-phosphate synthase transgenesis, 514–516, 516t  
 glyphosate oxidoreductase transgenesis, 516–517  
 mechanism of action, 512–514, 513f  
 overview, 512–519  
 high-lysine corn, 523–524, 524f  
 pathogen-derived resistance to viruses  
 commercial crops  
 papaya, 521  
 plum, 522  
 potato, 521–522  
 summer squash, 519f, 521  
 mechanism of resistance, 520–521  
 safety, 522–523  
 sterility engineering  
*barnase*, 519  
*barstar*, 519  
 transformation approaches, 506–507  
 Genetically modified microorganisms  
 classification, 524–531  
 DNA structure, 504–506, 505f  
 enzyme and protein production for food industry  
 acetolactate decarboxylase, 532  
 acid fungal protease, 540  
 aminopeptidase, 532–533  
 amylase  
 A branching glycosyltransferase, 538–539  
 $\alpha$ -amylase, 535–536  
 $\beta$ -amylase, 536  
 $\gamma$ -amylase, 537  
 maltogenic amylase, 536–537  
 maltotetraose-forming amylases, 538  
 overview, 530f, 533–539  
 pullulanase, 537–538  
 asparaginase, 539  
 aspartic protease, 539–540  
 carboxypeptidase, 540–541  
 cellulase, 541  
 chymosin, 542  
 cyclodextrin glucanotransferase, 541–542  
 glucose oxidase, 542–543  
 glycerophospholipid cholesterol acyltransferase, 543–544  
 hexose oxidase, 544–545  
 ice structuring protein, 545  
 laccase, 545–546  
 overview, 531–552  
 pectin lyase, 551  
 pectinesterase, 550–551  
 phospholipase A1, 546–547  
 phospholipase A2, 547–548  
 phospholipase C, 548  
 phytase, 551–552  
 transglucosidase, 552  
 triacylglycerol lipase, 549–550  
 xylanase, 552  
 lactic acid bacteria, 347  
 regulation, 520t  
 yeast modification for fermentation  
 ethyl carbamate reduction, 528–529  
 hydrogen sulfide reduction, 524f, 525–527  
 malolactic fermentation, 529–531, 529f
- Germination  
 cereal grain  
 $\alpha$ -amylase role  
 biosynthesis during germination, 16–17, 17f  
 germinated cereal activity, 18  
 mobilization of starches, 16  
 reduction treatment in sprouted grain, 18–19, 19t  
 flour quality effects, 18  
 lipid mobilization, 8f, 20–22  
 protein mobilization, 19–20, 20f, 21t  
 legume composition effects  
 carbohydrate, 29–33, 33f  
 lipid, 36–37  
 phytic acid, 38  
 protein, 37  
 trypsin inhibitor activity, 38  
 vitamins and minerals, 37–38  
 Glucose oxidase, recombinant protein  
 generation, 542–543  
 Glufosinate  
 mechanism of action, 517  
 phosphinothricin acetyltransferase  
 transgenesis for herbicide tolerance, 517–518  
 Glutamate, browning reaction inhibition, 280, 280t  
 Glycerophospholipid cholesterol acyltransferase, recombinant protein generation, 543–544  
 Glycogen, degradation in meat and fish, 146–147, 148t  
 Glycolysis, postmortem changes in meat and fish  
 electrical stimulation studies, 151–152  
 enzymes, 152–153  
 overview, 146–147, 147f  
 temperature effects, 149–151  
 time course, 149, 150f  
 Glycyl-dipeptides, polyphenol oxidase and browning inhibition, 407–408  
 Glyphosate  
 mechanism of action, 512–514, 513f  
 tolerance engineering in crops  
 5-enolpyruvyl shikimate 3-phosphate synthase transgenesis, 514–516, 516t  
 glyphosate oxidoreductase transgenesis, 516–517  
 Grain, *see* Brewing; Cereal
- H**
- HAT, *see* Hydrogen atom transfer  
 Heat treatment  
 browning reaction inhibition, 408–409, 408f, 410f, 411  
 egg effects  
 dry-heating effects on gelation, 229f, 233–234  
 emulsification, 235–236  
 foaming, 234–235  
 pasteurization, 231  
 white, 230–231  
 yolk, 230  
 lipid oxidation, 452–454, 454t  
 milk off-flavor induction, 490–493, 491t, 494t, 495f  
 Heme, lipid oxidation, 447–448, 449f  
 Hemicellulose, cell wall in fruits and vegetables, 92  
 Herbicide tolerance engineering *see specific herbicides*  
 Hexose oxidase, recombinant protein generation, 544–545  
 HHP, *see* High hydrostatic pressure  
 High hydrostatic pressure (HHP), polyphenol oxidase and browning inhibition, 409  
 High-lysine corn, 523–524, 524f  
 Hydrodynamic pressure wave, meat tenderization, 162  
 Hydrogen atom transfer (HAT), lipid oxidation control, 469  
 Hydrogen sulfide  
 milk off-flavor, 492  
 yeast engineering for reduction in fermentation, 524f, 525–527  
 Hydrogenation, oilseed processing, 370

**I**

- Ice structuring protein, recombinant protein generation, 545
- Inosine, formation in meat and fish, 142f, 146f
- Intermediate filaments, muscle
  - overview, 131
  - tenderness effects, 161
- Invertase, expression in wheat development, 8–9, 8f, 9f
- Irradiation
  - browning reaction inhibition, 409–410, 412
  - egg effects, 233
  - lipid oxidation
    - ultraviolet light, 450–451, 450t
    - visible light, 451–452, 451t, 453t
  - polyphenol oxidase and browning inhibition
    - gamma radiation, 409–410
    - ultraviolet radiation, 265, 481

**L**

- LAB, *see* Lactic acid bacteria
- Laccase
  - browning reaction, 397–398
  - recombinant protein generation, 545–546
- $\alpha$ -Lactalbumin, whey protein, 201, 202f
- Lactic acid, cheese ripening and catabolism, 340–341
- Lactic acid bacteria (LAB)
  - cheese ripening
    - attenuated starter cultures, 346
    - genetic modification, 347
  - milk composition, 325
  - yogurt
    - probiotic benefits, 349–350
    - starter cultures, 348–349
- Lactoferritin, whey protein, 201
- $\beta$ -Lactoglobulin, whey protein, 201, 202f
- Lactose
  - cheese ripening and metabolism, 340–341
  - milk, 207–208, 208f
- Lectins, legume composition, 35
- Legume
  - aesthetic food quality, 39
  - $\alpha$ -amylase inhibitors, 35
  - carbohydrate composition
    - fiber, 30–32, 31t
    - overview, 29–30, 29t
    - soluble carbohydrate, 32–33, 32t
    - starch, 30, 31t
  - fermentation effects on composition, 39–40
  - germination effects on composition
    - carbohydrate, 23
    - lipid, 36–37
    - phytic acid, 38
    - protein, 37
    - trypsin inhibitor activity, 38
    - vitamins and minerals, 37–38
  - isoflavones, 38–39, 39f
  - lectins, 35
  - lipid composition, 34, 34t
  - lipoxygenase, 36
  - production, 24, 24t
  - protease inhibitors, 34–35
  - protein
    - amino acid composition, 28t
    - classification, 27
    - nitrogen fixation, 26–29
    - quality, 29
    - structure and properties, 27–29
  - proximate composition, 24–25, 26t
  - Seed structure, 24, 25f
  - storage
    - aging and food quality, 40–41
    - isoflavone composition, 41
    - respiration, moisture, and temperature, 40, 41t
- Lentil, *see* Legume
- Lignin, cell wall in fruits and vegetables, 92
- Lipid
  - cereal grain
    - composition, 15–16, 15t, 16t
    - mobilization in germination, 8f, 20–22
  - cheese ripening and catabolism, 341
  - egg yolk, 222–225, 222t, 223t
  - legumes
    - composition, 34, 34t
    - germination effects, 36–37
  - Maillard reaction interactions, 264–265
  - milk
    - composition, 187–189, 189t, 190t, 191f
    - off-flavors, *see* Milk
    - synthesis
      - overview, 193–194
      - saturated fatty acids, 194–196
      - unsaturated fatty acids, 196, 196f
  - oilseed, *see* Oilseed processing
- Lipid oxidation
  - control
    - antioxidants
      - classification, 468–472
      - structures, 470f
    - carotenoids, 469
    - chain terminators, 471
    - decomposition of radicals, 471
    - environmental modification, 471–472
    - hydrogen atom transfer, 469
    - metal chelators and complexors, 468
  - direct effects
    - membrane degradation, 457
    - sensory characteristics of food, 456–457, 456f, 457t
  - free radical chain reaction
    - initiation, 421
    - propagation and branching, 421–425, 422f, 423f
    - termination, 425–426, 426f, 428f, 429f, 430f
  - initiation and catalysts
    - chlorophyll, 449–450, 449f
    - heat, 452–454, 454t
    - heme, 447–448, 449f
    - light
      - ultraviolet, 450–451, 450t
      - visible, 451–452, 451t, 453t

- lipoxygenase, 446, 447t
- metals, 444–445
- moisture, 454–455, 454f
- oxygen, 455–456
- performed radicals, 444, 444t
- xanthine oxidase, 447
- kinetics, 437–438
- milk off-flavors, 485
- multiple reaction pathways
  - addition, 431
  - cyclization, 432–433
  - disproportionation, 435
  - hydrogen abstraction, 432
  - overview, 431–435, 431f
  - scission, 434–435
- progression, 435–437, 436f
- protein oxidation mediation
  - lipid aldehyde reactions, 462–466
  - lipid epoxide reactions, 461–462
  - lipid free radical reactions, 459–460, 459f
  - lipid hydroperoxide reactions, 460–461, 460f
  - overview, 458–468, 459f
  - protein effects, 466–468, 467t
  - substrates
    - cis* versus *trans* isomers, 441
    - comparison of free fatty acids, esters, and triacylglycerols, 438–440, 440f, 440t
  - conjugation effects, 441
  - phospholipids
    - antioxidant effects, 441–442, 442f
    - mixed effects, 442
    - pro-oxidant effects, 441
  - types, 420–421
  - unsaturation effects, 438, 440t
  - surface effects, 442–443, 443t
- Lipoprotein lipase (LPL), milk, 482–484
- Lipoxygenase (LOX)
  - characteristics in plants, 446, 447t
  - ethylene modulation in ripening, 12f, 16
  - legume composition, 36
- Livitens, egg synthesis, 228
- Lobster, polyphenol oxidase in browning, 401–403, 403t
- Lohmann reaction, muscle contraction, 136
- LOX, *see* Lipoxygenase
- LPL, *see* Lipoprotein lipase
- Lysine
  - high-lysine corn, 523–524, 524f
  - retention and reaction time in Maillard reaction, 252f

**M**

- Maillard reaction
  - browning reaction
    - Amadori rearrangement, 248–250, 249f, 256f, 257f
    - antioxidant activity of products, 276–277, 277f
    - carbonylamino reaction, 246–248, 248f
    - lipid interactions, 264–265
    - lysine retention and reaction time, 252f
    - melanoidin polymers, 265–269, 266f, 267f, 268f, 277f

- Maillard reaction (*Continued*)  
 metal complexes, 254–256, 256f  
 moisture, 251–253, 253f  
 pH, 250, 251f, 252f  
 polyphenol effects, 286  
 pressure effects, 254  
 pulsed electrical field, 254  
 sugars, 254, 255f  
 temperature, 250–251, 251f  
 ultrasonic treatment, 254  
 volatile aromatic formation, 260t  
 egg protein modification, 236–237  
 overview, 246–256
- Maize, *see* Cereal
- Malate dehydrogenase, vegetable respiration, 52–55
- Malting  
 barley grain structure, 296–297, 296f, 297f  
 barley malt analysis, 295t  
 overview, 293–297, 294f
- Maltose, *see* Brewing
- Maltotriose, *see* Brewing
- Mashing  
 amylases, 297–299, 298f  
 purposes, 297  
 temperature, 297f
- Mastitis, cheese quality, 328
- Meat, *see* Muscle
- 1-MCP, *see* 1-Methylcyclopropene
- Melanoidin polymers, Maillard reaction, 265–269, 266f, 267f, 268f, 277f
- Methionine  
 ethylene synthesis  
 methionine metabolism, 59–62  
 Yang cycle and methionine recycling, 59, 60f  
 oxidation by singlet oxygen, 488f
- 1-Methylcyclopropene (1-MCP), plant storage utilization, 108
- Milk  
 composition  
 overview, 187–189, 189t  
 trends by cow breed, 188t  
 fermentation products, *see* Cheese, *see also* Yogurt  
 lactose, 207–208, 208f  
 lipid  
 composition, 190–196, 190t, 191f, 192t, 198f  
 synthesis  
 overview, 193–194  
 saturated fatty acids, 194–196  
 unsaturated fatty acids, 196, 196f
- off-flavors  
 fishy off-flavors, 485–486, 487f  
 heat-induced off-flavors, 490–493, 491t, 494t, 495f  
 light-induced off-flavors, 486–490, 487f, 488f, 489f  
 lipolyzed flavors  
 free fatty acid determination, 481–482  
 lipases, 482–484  
 origins, 480–496, 480f  
 sensory properties of free fatty acids, 482  
 microbial generation, 484  
 non-thermal processing in formation, 493–496  
 overview, 479, 480t  
 oxidized off-flavors, 485, 486t  
 proteolysis, 484
- protein  
 casein  
 $\alpha$ s1-casein, 197, 198f  
 $\alpha$ s2-casein, 197–198, 198t, 199f  
 $\beta$ -casein, 198–199, 199f, 200f  
 $\gamma$ -casein, 200  
 $\kappa$ -casein, 200–201  
 overview, 197  
 casein micelle  
 function, 202–206  
 structure, 203–204, 203f  
 models, 204–206, 206f  
 synthesis, 206–207, 207f  
 whey proteins  
 bovine serum albumin, 201  
 $\alpha$ -lactalbumin, 201, 202f  
 $\beta$ -lactoglobulin, 201, 202f  
 lactoferritin, 201
- Minerals  
 egg composition, 224t  
 legume germination effects, 37–38  
 lipid oxidation promotion by metals, 444–445
- Moisture  
 browning reaction  
 inhibition, 277  
 Maillard reaction effects, 251–253, 253f  
 cereal grain respiration modulation in storage, 22–23, 22f  
 cheese making control, 337  
 legume storage, 40, 41t  
 lipid oxidation effects, 454–455, 454f
- Muscle  
 collagen  
 composition, 131–134  
 degradation by lysosomal enzymes, 162  
 structure, 132f  
 texture effects  
 fish, 133–134, 133f  
 meat, 132–133, 132f  
 consumption trends in United States, 128t  
 contraction  
 energetics, 134–138  
 fish muscle, 137–138, 138f, 140f  
 Lohmann reaction, 136  
 tropomyosin  
 mechanism of action, 135f, 136, 137f  
 regulation, 135–136  
 troponin, 135–136
- cytoskeleton  
 gap filaments  
 overview, 130–131, 130f  
 tenderness effects, 160–161  
 intermediate filaments  
 overview, 131  
 tenderness effects, 161
- dark firm dry meat causes, 154  
 definition, 128  
 pale soft exudative meat causes, 153–154
- pigments  
 fish, 167  
 meat, *see* Myoglobin  
 preservation, 167–170, 168f, 170f  
 postmortem changes in conversion to meat and edible fish
- ATP  
 levels, 139–141  
 metabolism, 141–145, 142f, 143f, 145f, 146f  
 glycogen degradation, 146–147, 148t  
 glycolysis  
 electrical stimulation studies, 151–152  
 enzymes, 152–153  
 overview, 146–147, 147f  
 temperature effects, 149–151  
 time course, 149, 150f  
 overview, 137–138, 144f  
 pH changes, 147–149, 149f, 150t, 151f, 158f
- protein  
 denaturation and adenosine nucleotides, 145–146, 146f  
 water holding capacity changes, 154–156, 155t  
 stages, 138–139  
 tenderness, 156  
 structure, 129–130, 129f
- tenderization  
 hydrodynamic pressure wave, 162  
 mechanisms  
 calcium-activating factor, 157–158, 157t  
 calpastatin, 158–159  
 cathepsins, 159  
 proteasome, 159–160  
 proteomics studies, 160  
 prerigor pressurization, 152–153, 161–162
- Myoglobin  
 fish, 167  
 meat pigmentation, 162–170  
 postmortem changes  
 fresh meat, 163–165, 165t, 165f  
 oxygen tension effects, 165  
 pH, temperature, and salt effects on metmyoglobin formation, 165–166  
 redox reactions, 166–167, 167f  
 preservation in meat, 167–170, 168f, 170f  
 structure, 163, 163f, 164t, 166f
- N**  
 Neobee, 379  
 Nitrogen fixation, legumes, 26–29
- O**  
 Oat, *see* Cereal  
 Oilseed processing  
 bleaching, 368

- degumming for phospholipid removal, 365–366
- hydrogenation, 370
- lipid modification
- health promotion and disease risk reduction, 379–380
  - low-calorie lipids, 379
  - omega-3 fatty acids
    - borage oil modification, 375t
    - epigallocatechin gallate conjugates, 380–381
    - primrose oil modification, 375t
    - production from marine and algal oils, 377–378, 378t
    - seal blubber oil modification with capric acid, 376t
    - synthesis, 373f
    - prospects, 380–381
    - specialty lipid production, 373–374, 379
    - types of lipids and fatty acids, 370–381
- overview, 363–370
- refining, 366–367
- winterization, 369–370
- Omega-3 fatty acids**
- borage oil modification, 375t
  - epigallocatechin gallate conjugates, 380–381
  - primrose oil modification, 375t
  - production from marine and algal oils, 377–378, 378t
  - seal blubber oil modification with capric acid, 376t
  - synthesis, 373f
- Oxazoles, browning reactions, 262–263, 263f
- Oxazolines, browning reactions, 262–263, 263f
- P**
- Pale soft exudative (PSE), causes in meat, 153–154
- Pasteurization, eggs, 231
- PAT, *see* Phosphinothricin acetyltransferase
- Pathogen-derived resistance (PDR), virus resistance in crops
- commercial crops
    - papaya, 521
    - plum, 522
    - potato, 521–522
    - summer squash, 521
  - mechanism of resistance, 520–521
  - safety, 522–523
- PDR, *see* Pathogen-derived resistance
- Pea, *see* Legume
- Pectic lyase
- cell wall degradation, 93–95, 94f
  - recombinant protein generation, 551
- Pectinesterase
- cell wall degradation, 93–95
  - recombinant protein generation, 550–551
- PEF, *see* Pulsed electric field
- PET, *see* Polyethylene terephthalate
- PFK, *see* Phosphofructokinase
- PG, *see* Polygalacturonase
- pH
- browning reaction inhibition, 279
  - cheese making control, 337–338, 338t
  - Maillard reaction, 250, 251f, 252f
  - metmyoglobin formation effects, 165–166
  - postmortem changes in meat and fish, 147–149, 149f, 150t, 151f, 158f
- Phosphinothricin acetyltransferase (PAT), transgenesis for herbicide tolerance, 517–518
- Phosphofructokinase (PFK), vegetable respiration, 55, 55f
- Phospholipase A1, recombinant protein generation, 546–547
- Phospholipase A2, recombinant protein generation, 547–548
- Phospholipase C, recombinant protein generation, 548
- Phospholipid, *see* Lipid
- Phytase, recombinant protein generation, 551–552
- Phytic acid, legume germination effects, 37–38
- Plasmin, cheese ripening, 342–343
- Polyethylene terephthalate (PET), milk off-flavor, 489–490
- Polygalacturonase (PG), cell wall degradation, 93–95, 94f
- Polyphenol oxidase (PPO)
- catalytic mechanism, 389–391, 390f
  - function in plants, 391–392, 392t, 393f
  - history of study, 387–388
  - inhibition of browning reactions
    - anaerobic conditions, 403–404
    - blanching, 412
    - chemical inhibitors, 404–408, 406f
    - heat treatment, 408–409, 408f, 410f, 411
    - high hydrostatic pressure, 409
    - irradiation, 409–410, 412
    - prospects, 411–412
    - pulsed electric field, 410–411
    - supercritical carbon dioxide, 411–412
  - lobster browning, 401–403, 403t
  - plant differences, 399t
  - reaction specificity, 398–399
  - shrimp browning, 401–403, 402f, 403t
  - structure, 388–389, 389f
  - substrates
    - cinnamic acid derivatives, 394–395
    - flavonoids, 395–397, 397f
    - phenolic acids, 394
    - simple phenols, 394
    - tea fermentation, 400–401, 401t
- PPO, *see* Polyphenol oxidase
- Prerigor pressurization, meat tenderization, 152–153, 161–162
- Probiotics, yogurt benefits, 349–350
- Prolamins, cereal grain, 13–14, 13t, 14t
- Proteasome, meat tenderization, 159–160
- Protein
- cell wall in fruits and vegetables, 92
  - cereal grain
    - classification, 12–13, 12f
  - mobilization in germination, 19–20, 20f, 21t
  - Osborne protein fractions in Seeds, 13t
  - prolamins, 13–14, 13t, 14t
  - synthesis, 14, 15f
- cheese ripening and proteolysis
- amino acid catabolism, 344
  - lactic acid bacteria, 343–344
  - plasmin, 342–343
  - rennet activity, 342
- egg
- denaturation, 228, 229f
  - heating effects
    - dry-heating effects on gelation, 229f, 233–234
    - emulsification, 235–236
    - foaming, 234–235
    - pasteurization, 231
    - white, 230–231
    - yolk, 230
  - modifications, 236–237
  - yolk composition, 222–225, 222t, 223t
- legumes
- amino acid composition, 28t
  - classification, 27
  - nitrogen fixation, 26–29
  - quality, 29
  - structure and properties, 27–29
- milk
- casein
    - $\alpha$ s1-casein, 197, 198f
    - $\alpha$ s2-casein, 197–198, 198t, 199f
    - $\beta$ -casein, 198–199, 199f, 200f
    - $\gamma$ -casein, 200
    - $\kappa$ -casein, 200–201
    - overview, 197
  - casein micelle
    - function, 202–206
    - models, 204–206, 206f
    - structure, 203–204, 203f
  - synthesis, 206–207, 207f
  - whey proteins
    - bovine serum albumin, 201
    - $\alpha$ -lactalbumin, 201, 202f
    - $\beta$ -lactoglobulin, 201, 202f
    - lactoferritin, 201
- oxidation mediation by lipid oxidation
- lipid aldehyde reactions, 462–466
  - lipid epoxide reactions, 461–462
  - lipid free radical reactions, 459–460, 459f
  - lipid hydroperoxide reactions, 460–461, 460f
  - overview, 458–468, 459f
  - protein effects, 466–468, 467t
- postmortem changes in meat and fish
- denaturation and adenosine nucleotides, 145–146, 146f
  - water holding capacity, 154–156, 155t
- Protein body, cereal grain
- formation, 11–12, 12f
  - ultrastructure, 11, 11t
- PSE, *see* Pale soft exudative

Pullulanase, recombinant protein generation, 537–538  
 Pulse, *see* Legume  
 Pulsed electric field (PEF)  
 Maillard reaction effects, 254  
 polyphenol oxidase and browning inhibition, 410–411  
 Pyrazine, browning reactions, 260–262, 261f  
 Pyridoline, meat texture effects, 133, 133f  
 Pyrophosphatase, expression in wheat development, 7, 7f  
 Pyrroles, browning reactions, 262

## R

Radiation, *see* Irradiation  
 Raffinose, legume content, 32–33, 32t  
 Rennet activity, cheese ripening, 342  
 Respiration  
 cereal grain storage modulation  
 moisture, 22–23, 22f  
 temperature, 23, 23f  
 legume storage, moisture, and temperature effects, 40, 41t  
 vegetables  
 climacteric rise control, 53–54  
 malate dehydrogenase, 55  
 overview, 50–55, 53f  
 phosphofructokinase, 55, 55f  
 Riboflavin, photosensitization, 486–488, 488f  
 Rigor mortis, fish muscle, 137–138, 138f, 140f  
 Ripening, *see* Cheese; Fruits; Vegetables

## S

Salatrim, 379  
 SDH, *see* Succinate dehydrogenase  
 Shell, *see* Eggs  
 Shrimp, polyphenol oxidase in browning, 401–403, 402f, 403t  
 Sodium polyphosphate  
 $\alpha$ -amylase reduction in sprouted grain, 18–19, 19t  
 polyphenol oxidase and browning inhibition, 406  
 Soybean, *see* Legume  
 Starch, *see also* Carbohydrate  
 cereal grain  
 biosynthesis  
 ADPG-pyrophosphorylase, 7, 7f, 10  
 ADPG-starch synthetase, 10  
 amylopectin, 10–11  
 starch synthase, 7  
 sucrose-UDP-glucosyltransferase, 8–10, 8f, 9f  
 granule, 6–7, 6t  
 mobilization in germination, 16  
 sucrose conversion, 7–10, 8f, 9f  
 fruit conversion to sugar, 104–105, 104f  
 legume composition, 30, 31t  
 Stecker degradation  
 acrylamide formation, 259, 261f  
 overview, 258–259, 260f

Sterility, crop engineering  
*barnase*, 519  
*barstar*, 519  
 Storage  
 cereal grains  
 prolonged storage, 23–24  
 respiration modulation  
 moisture, 22–23, 22f  
 temperature, 23, 23f  
 fruits and vegetables  
 cold storage, 107  
 controlled atmosphere storage, 107–109, 108f  
 prospects, 38–39  
 legumes  
 aging and food quality, 40–41  
 isoflavone composition, 41  
 respiration, moisture, and temperature, 40, 41t  
 Styachyose, legume content, 32–33, 32t  
 Succinate dehydrogenase (SDH), meat tenderness prediction, 160  
 Sucrose  
 legume content, 32–33, 32t  
 starch conversion in cereals, 7–10, 8f, 9f  
 Sucrose-UDP-glucosyltransferase  
 expression in wheat development, 8–9, 8f, 9f  
 starch synthesis, 10  
 Sulfite, browning reaction inhibition, 279  
 Sulfur dioxide, browning reaction inhibition, 279, 280f  
 Supercritical carbon dioxide, polyphenol oxidase and browning inhibition, 411–412

## T

Tea, polyphenol oxidase in fermentation, 400–401, 401t  
 Tenderization, *see* Muscle  
 tenderness, 156  
 Thiazoles, browning reactions, 263–264  
 TIA, *see* Trypsin inhibitor activity  
 Transglucosidase, recombinant protein generation, 552  
 Triacylglyceride, *see* Lipid  
 Triacylglycerol lipase, recombinant protein generation, 549–550  
 Trimethylamine oxide, milk off-flavor, 485–486  
 Tropomyosin  
 mechanism of action, 135f, 136, 137f  
 muscle contraction regulation, 135–136  
 Troponin, muscle contraction regulation, 135–136  
 Trypsin inhibitor activity (TIA), legume germination effects, 37–38  
 Tyrosinase, browning reaction initiation, 387–388, 397–398

## U

Ultrasonic treatment, Maillard reaction promotion, 254  
 Ultraviolet light, *see* Irradiation

## V

Vegetables  
 anthocyanins  
 processing effects, 86–88, 87f  
 synthesis, 85–87, 86f  
 types and structures, 84–88, 84f  
 carotenoids  
 degradation, processing and storage effects, 77f, 77–84  
 ripening changes, 66t, 82t, 105  
 synthesis, 77–84, 77f, 78f, 79f, 80f  
 cell wall  
 degradation  
 cellulase, 96–98, 97f, 98f  
 $\beta$ -galactosidase, 98–99  
 overview, 92–99  
 pectic lyase, 96, 96f  
 pectinesterase, 95–96  
 polygalacturonase, 93–95, 94f  
 hemicellulose, 92  
 lignin, 92  
 pectic substances, 89–91, 90f, 91f  
 protein, 92  
 synthesis, 92–93  
 texture effects, 88–99  
 chlorophyll  
 biosynthesis  
 genes, 67t  
 overview, 70f  
 Phase 1, 68–72, 70f  
 Phase 2, 72  
 regulation, 72  
 degradation  
 pathways, 71–75, 71f, 72f, 73f  
 processing and storage effects, 73–75, 74f  
 ethylene and ripening  
 biosynthesis  
 methionine metabolism, 59–61  
 overview, 57–65  
 Yang cycle and methionine recycling, 59, 60f  
 initiation of ripening, 56–59, 57f  
 genetic engineering, *see* Genetically modified crops  
 respiration  
 climacteric rise control, 51–56  
 malate dehydrogenase, 55  
 overview, 50–55, 53f  
 phosphofructokinase, 55, 55f  
 storage  
 cold storage, 107  
 controlled atmosphere storage, 107–109, 108f  
 prospects, 38–39  
 Vitamins  
 egg composition, 224t  
 legume germination effects, 37–38  
 vitamin C, *see* Ascorbic acid  
 Vitellogenin, synthesis, 227

## W

Water, *see* Moisture  
 Wheat, *see* Cereal



- Whey proteins  
cheese making, 324t  
types  
  bovine serum albumin, 201  
   $\alpha$ -lactalbumin, 201, 202f  
   $\beta$ -lactoglobulin, 201, 202f  
  lactoferritin, 201
- Winterization, oilseed processing, 369–370
- Wort  
fermentation, 311–313, 312f  
free amino nitrogen, 308–311, 310f, 310t  
gravity effects on ester levels, 302t  
separation and beer filtration, 314–316, 315f  
sugar types, 299–301, 299t  
sugar uptake by yeast  
  order, 300f  
  maltose and maltotriose, 300f, 303–307  
  osmotic pressure and ethanol effects, 301–303, 302f  
  ale and lager yeast strain differences, 303–307, 305t, 306t, 307f
- X**  
Xanthine oxidase, lipid oxidation, 447  
Xylanase, recombinant protein generation, 552
- Y**  
Yang cycle, methionine recycling, 59, 60f  
Yeast, *see* Brewing; Fermentation;  
  Genetically modified  
  microorganisms
- Yogurt  
cultures  
  classification of lactic acid cultures, 331, 332t  
  functions, 331, 332t  
  management  
    bacteriophage challenges, 336–337  
    handling, 336  
    natural cultures, 335  
    starter cultures, 335–336  
  secondary cultures, 332–335  
  starter cultures, 348–349  
  flavor components, 351
- milk  
antibiotics, 327–328  
coagulation  
  acid coagulation, 330–331  
  enzymatic coagulation, 328–330  
composition considerations, 320–323, 322t, 323t  
mastitis and quality, 328  
microorganisms  
  gas formers, 325–326  
  lactic acid bacteria, 325  
  natural fermentation, 323–327, 325f  
  pathogens, 326–327  
  psychotrophic bacteria, 325  
probiotic benefits, 349–350  
production overview, 319–320, 320f, 348
- Yolk, *see* Egg