

Subscapular skinfold-for-age BOYS

3 months to 5 years (percentiles)



Year: Month	Month	L	M	S	Percentiles (subscapular skinfold in mm)										
					1st	3rd	5th	15th	25th	50th	75th	85th	95th	97th	99th
0: 3	3	-0.3033	7.6899	0.17020	5.3	5.7	5.9	6.5	6.9	7.7	8.6	9.2	10.3	10.8	11.7
0: 4	4	-0.3278	7.4968	0.17097	5.2	5.5	5.7	6.3	6.7	7.5	8.4	9.0	10.1	10.5	11.5
0: 5	5	-0.3503	7.3207	0.17167	5.0	5.4	5.6	6.2	6.5	7.3	8.2	8.8	9.9	10.3	11.3
0: 6	6	-0.3712	7.1588	0.17232	4.9	5.3	5.5	6.0	6.4	7.2	8.1	8.6	9.7	10.1	11.0
0: 7	7	-0.3909	7.0104	0.17293	4.8	5.2	5.4	5.9	6.3	7.0	7.9	8.4	9.5	9.9	10.9
0: 8	8	-0.4097	6.8753	0.17352	4.7	5.1	5.2	5.8	6.1	6.9	7.8	8.3	9.3	9.8	10.7
0: 9	9	-0.4276	6.7530	0.17408	4.6	5.0	5.2	5.7	6.0	6.8	7.6	8.1	9.2	9.6	10.5
0:10	10	-0.4449	6.6428	0.17462	4.6	4.9	5.1	5.6	5.9	6.6	7.5	8.0	9.0	9.5	10.4
0:11	11	-0.4616	6.5442	0.17514	4.5	4.8	5.0	5.5	5.8	6.5	7.4	7.9	8.9	9.4	10.3
1: 0	12	-0.4777	6.4562	0.17564	4.4	4.8	4.9	5.4	5.8	6.5	7.3	7.8	8.8	9.2	10.2
1: 1	13	-0.4934	6.3780	0.17613	4.4	4.7	4.9	5.4	5.7	6.4	7.2	7.7	8.7	9.2	10.1
1: 2	14	-0.5087	6.3085	0.17660	4.3	4.6	4.8	5.3	5.6	6.3	7.1	7.6	8.6	9.1	10.0
1: 3	15	-0.5236	6.2468	0.17707	4.3	4.6	4.8	5.2	5.6	6.2	7.1	7.6	8.6	9.0	9.9
1: 4	16	-0.5381	6.1921	0.17752	4.3	4.6	4.7	5.2	5.5	6.2	7.0	7.5	8.5	8.9	9.9
1: 5	17	-0.5524	6.1435	0.17797	4.2	4.5	4.7	5.2	5.5	6.1	7.0	7.5	8.5	8.9	9.8
1: 6	18	-0.5663	6.1003	0.17840	4.2	4.5	4.7	5.1	5.4	6.1	6.9	7.4	8.4	8.9	9.8
1: 7	19	-0.5800	6.0617	0.17883	4.2	4.5	4.6	5.1	5.4	6.1	6.9	7.4	8.4	8.8	9.8
1: 8	20	-0.5934	6.0274	0.17925	4.2	4.4	4.6	5.1	5.4	6.0	6.8	7.3	8.3	8.8	9.7
1: 9	21	-0.6066	5.9972	0.17966	4.1	4.4	4.6	5.0	5.3	6.0	6.8	7.3	8.3	8.8	9.7
1:10	22	-0.6196	5.9706	0.18006	4.1	4.4	4.5	5.0	5.3	6.0	6.8	7.3	8.3	8.7	9.7
1:11	23	-0.6324	5.9470	0.18046	4.1	4.4	4.5	5.0	5.3	5.9	6.8	7.3	8.3	8.7	9.7
2: 0	24	-0.6449	5.9258	0.18085	4.1	4.4	4.5	5.0	5.3	5.9	6.7	7.2	8.2	8.7	9.7
2: 1	25	-0.6573	5.9067	0.18124	4.1	4.3	4.5	4.9	5.3	5.9	6.7	7.2	8.2	8.7	9.7
2: 2	26	-0.6695	5.8891	0.18162	4.1	4.3	4.5	4.9	5.2	5.9	6.7	7.2	8.2	8.7	9.7
2: 3	27	-0.6816	5.8729	0.18199	4.0	4.3	4.5	4.9	5.2	5.9	6.7	7.2	8.2	8.7	9.7

Subscapular skinfold-for-age BOYS

3 months to 5 years (percentiles)



Year: Month	Month	L	M	S	Percentiles (subscapular skinfold in mm)										
					1st	3rd	5th	15th	25th	50th	75th	85th	95th	97th	99th
2: 4	28	-0.6935	5.8576	0.18237	4.0	4.3	4.5	4.9	5.2	5.9	6.7	7.2	8.2	8.7	9.7
2: 5	29	-0.7053	5.8431	0.18273	4.0	4.3	4.4	4.9	5.2	5.8	6.6	7.2	8.2	8.7	9.7
2: 6	30	-0.7169	5.8290	0.18309	4.0	4.3	4.4	4.9	5.2	5.8	6.6	7.1	8.2	8.7	9.7
2: 7	31	-0.7283	5.8150	0.18345	4.0	4.3	4.4	4.9	5.2	5.8	6.6	7.1	8.2	8.7	9.7
2: 8	32	-0.7397	5.8011	0.18381	4.0	4.3	4.4	4.9	5.2	5.8	6.6	7.1	8.2	8.6	9.7
2: 9	33	-0.7509	5.7870	0.18416	4.0	4.3	4.4	4.8	5.1	5.8	6.6	7.1	8.2	8.6	9.7
2:10	34	-0.7620	5.7727	0.18450	4.0	4.2	4.4	4.8	5.1	5.8	6.6	7.1	8.2	8.6	9.7
2:11	35	-0.7730	5.7580	0.18485	4.0	4.2	4.4	4.8	5.1	5.8	6.6	7.1	8.1	8.6	9.7
3: 0	36	-0.7839	5.7430	0.18519	4.0	4.2	4.4	4.8	5.1	5.7	6.5	7.1	8.1	8.6	9.7
3: 1	37	-0.7947	5.7278	0.18552	4.0	4.2	4.4	4.8	5.1	5.7	6.5	7.1	8.1	8.6	9.7
3: 2	38	-0.8054	5.7125	0.18585	3.9	4.2	4.3	4.8	5.1	5.7	6.5	7.0	8.1	8.6	9.7
3: 3	39	-0.8159	5.6971	0.18618	3.9	4.2	4.3	4.8	5.1	5.7	6.5	7.0	8.1	8.6	9.7
3: 4	40	-0.8264	5.6815	0.18651	3.9	4.2	4.3	4.7	5.0	5.7	6.5	7.0	8.1	8.6	9.7
3: 5	41	-0.8368	5.6658	0.18684	3.9	4.2	4.3	4.7	5.0	5.7	6.5	7.0	8.1	8.6	9.7
3: 6	42	-0.8471	5.6500	0.18716	3.9	4.2	4.3	4.7	5.0	5.6	6.5	7.0	8.1	8.6	9.7
3: 7	43	-0.8574	5.6339	0.18748	3.9	4.1	4.3	4.7	5.0	5.6	6.4	7.0	8.1	8.6	9.7
3: 8	44	-0.8675	5.6174	0.18779	3.9	4.1	4.3	4.7	5.0	5.6	6.4	7.0	8.0	8.6	9.7
3: 9	45	-0.8775	5.6006	0.18811	3.9	4.1	4.3	4.7	5.0	5.6	6.4	6.9	8.0	8.6	9.7
3:10	46	-0.8875	5.5834	0.18842	3.9	4.1	4.2	4.7	4.9	5.6	6.4	6.9	8.0	8.5	9.7
3:11	47	-0.8974	5.5659	0.18873	3.8	4.1	4.2	4.6	4.9	5.6	6.4	6.9	8.0	8.5	9.7
4: 0	48	-0.9073	5.5482	0.18903	3.8	4.1	4.2	4.6	4.9	5.5	6.4	6.9	8.0	8.5	9.7
4: 1	49	-0.9170	5.5303	0.18934	3.8	4.1	4.2	4.6	4.9	5.5	6.3	6.9	8.0	8.5	9.7
4: 2	50	-0.9267	5.5125	0.18964	3.8	4.1	4.2	4.6	4.9	5.5	6.3	6.8	8.0	8.5	9.7
4: 3	51	-0.9363	5.4948	0.18994	3.8	4.0	4.2	4.6	4.9	5.5	6.3	6.8	8.0	8.5	9.7

Subscapular skinfold-for-age BOYS

3 months to 5 years (percentiles)



Year: Month	Month	L	M	S	Percentiles (subscapular skinfold in mm)										
					1st	3rd	5th	15th	25th	50th	75th	85th	95th	97th	99th
4: 4	52	-0.9459	5.4774	0.19024	3.8	4.0	4.2	4.6	4.9	5.5	6.3	6.8	7.9	8.5	9.7
4: 5	53	-0.9554	5.4606	0.19053	3.8	4.0	4.2	4.6	4.8	5.5	6.3	6.8	7.9	8.5	9.7
4: 6	54	-0.9648	5.4443	0.19083	3.8	4.0	4.1	4.5	4.8	5.4	6.2	6.8	7.9	8.5	9.7
4: 7	55	-0.9742	5.4288	0.19112	3.8	4.0	4.1	4.5	4.8	5.4	6.2	6.8	7.9	8.5	9.7
4: 8	56	-0.9835	5.4140	0.19141	3.7	4.0	4.1	4.5	4.8	5.4	6.2	6.8	7.9	8.4	9.7
4: 9	57	-0.9928	5.4000	0.19170	3.7	4.0	4.1	4.5	4.8	5.4	6.2	6.7	7.9	8.4	9.7
4:10	58	-1.0020	5.3868	0.19199	3.7	4.0	4.1	4.5	4.8	5.4	6.2	6.7	7.9	8.4	9.7
4:11	59	-1.0111	5.3744	0.19227	3.7	3.9	4.1	4.5	4.8	5.4	6.2	6.7	7.9	8.4	9.7
5: 0	60	-1.0202	5.3628	0.19255	3.7	3.9	4.1	4.5	4.7	5.4	6.2	6.7	7.9	8.4	9.8

WHO Child Growth Standards