



**CONTRIBUTORS:** Amy J. Starmer, MD, MPH,<sup>a,b</sup> Nancy D. Spector, MD,<sup>c</sup> Rajendu Srivastava, MD, MPH,<sup>d</sup> April D. Allen, MPA, MA,<sup>b,e</sup> Christopher P. Landrigan, MD, MPH,<sup>b,f</sup> Theodore C. Sectish, MD<sup>b</sup> and the I-PASS Study Group

<sup>a</sup>Department of Pediatrics, Doernbecher Children's Hospital, Oregon Health and Science University, Portland, Oregon; <sup>b</sup>Division of General Pediatrics, Department of Medicine, Children's Hospital Boston, and <sup>f</sup>Division of Sleep Medicine, Department of Medicine, Brigham and Women's Hospital, Harvard Medical School, Boston, Massachusetts; <sup>c</sup>Section of General Pediatrics, St. Christopher's Hospital for Children, Department of Pediatrics, Drexel University College of Medicine, Philadelphia, Pennsylvania; <sup>d</sup>Department of Pediatrics, Primary Children's Medical Center, Salt Lake City, Utah; and <sup>e</sup>Heller School for Social Policy and Management, Brandeis University, Waltham, Massachusetts.

The opinions and conclusions expressed herein are solely those of the authors and should not be construed as representing the opinions or policy of any agency of the Federal Government.

Address correspondence to Amy J. Starmer, MD, MPH, Department of Pediatrics, Doernbecher Children's Hospital, Oregon Health and Science University, Mail code: CDRCP, 707 SW Gaines St, Portland, OR 97239-2998. E-mail: starmer@ohsu.edu

Accepted for publication Nov 22, 2011

doi:10.1542/peds.2011-2966

## I-PASS, a Mnemonic to Standardize Verbal Handoffs

*The first cohort of IIPE projects from 2009 are beginning to realize some early successes. We bring you this article in the spirit of sharing what works and what doesn't. The lesson about the importance of context is critical in adopting and adapting innovations to your own learning environment.*

—Carol Carraccio, MD, MA

Section Editor

New duty hours standards have increased the frequency of transitions in care or handoffs for resident physicians. Because miscommunications are a leading cause of adverse events in hospitals, optimizing the handoff process is essential for patient safety. The I-PASS Study aims to determine the effectiveness of implementing a "resident handoff bundle" to standardize inpatient transitions in care and decrease medical errors in 10 pediatric

institutions.<sup>1</sup> The resident handoff bundle includes 3 major elements: team training by using focused TeamSTEPPS communication strategies,<sup>2</sup> implementation of a standardized template for the written or printed computerized handoff document, and introduction of several evidence-based verbal handoff processes, which are referred to by using a novel verbal mnemonic. This multisite collaborative education and research project was launched with the support of the Initiative for Innovation in Pediatric Education (IIPE) and the Pediatric Research in Inpatient Settings (PRIS) network. The title I-PASS is an acronym that not only denotes the title and purpose of our research study—IIPE-PRIS Accelerating Safe Sign-outs—but also serves as the verbal mnemonic for the standardized handoff itself. Individual elements

of the I-PASS mnemonic will be defined in this article.

Mnemonics are memory aids. Effective mnemonics are catchy, symbolic, parsimonious, utilitarian, and may conjure up a visual image linked to a process or subject. In this report, we emphasize the importance of structured communication strategies to enhance patient safety, review literature pertinent to the handoff process, including the use of verbal mnemonics, and describe the creation of the I-PASS mnemonic, a core element of our resident handoff bundle.

### Background

Communication errors are a contributing cause of approximately two-thirds of sentinel events,<sup>3</sup> over half of which involve handoff failures.<sup>4</sup> In health care, the magnitude of the patient safety epidemic first became widely

recognized with the publication of *To Err Is Human* in 1999, which concluded that medical errors cause up to 98 000 preventable deaths annually in the United States.<sup>5</sup> Subsequently, calls for action emerged from the federal government and many private and professional organizations, including the recommendation that principles from High Reliability Organizations (HROs) be applied to the health care system.

HROs are organizations in high-risk, high-impact industries that consistently achieve high quality outcomes despite experiencing many unexpected events where the potential for error is very high.<sup>6</sup> These organizations employ team training and reliability science to improve their performance, the roots of which arose from the military and civilian aviation communities. Programs such as Crew Resource Management have led to major advances in team training and may result in dramatic improvements in fatalities, accident related costs, and human factor based mishaps.

A specific application of HRO principles is the use of explicit verbal mnemonics to standardize communication. One of the most commonly used communication tools, SBAR, an acronym for “situation, background, assessment, recommendation,” was developed by Doug Bonacum, vice president of Kaiser Permanente and former safety officer on a nuclear submarine.<sup>7</sup> During a patient safety workgroup meeting, Bonacum described expectations when handing off a situation to an officer on deck. These key concepts were translated into core elements of the SBAR mnemonic. Success of a pilot study investigating the use of SBAR as a communication tool led to rapid spread across hospitals nationwide and studies examining its effectiveness.<sup>8</sup> Implementation of SBAR in 1 hospital was associated with substantial drops in the rates of adverse events (from 90 to 40 per 1000 patient

days) and adverse drug events (from 30 to 18 per 1000 patient days).<sup>9</sup>

SBAR was developed to facilitate the efficient transmission of information. It is most effective when time is limited and a quick decision is needed, as this tool is suited to situations when a brief summary is sufficient and fewer than 5 key points need to be communicated. Further, this mnemonic should be used as a situational briefing tool, as intended, and is appropriate for use across hierarchical boundaries.<sup>10</sup> Although use of SBAR has been extended to handoffs of patient care at change of shift or patient location, there are limitations in its applicability, particularly in situations that include transmission of information about complex patients who require broader information and context.

### Development of the I-PASS Mnemonic

Given the limitations of SBAR, alternative mnemonics have been developed, implemented, and tested for use in handoffs of care. A recent systematic review of published handoff mnemonics identified 46 articles describing 24 different handoff mnemonics.<sup>11</sup> Most have not been rigorously studied, however, and descriptions of their derivation are lacking. A notable exception includes an article describing the use of the SIGNOUT mnemonic, which was shown to increase the consistency and confidence with which residents perform verbal sign-outs, as compared with an implicit, informally structured process.<sup>12</sup>

Drawing from the apparent evidence-based success of the SIGNOUT mnemonic, we included the SIGNOUT mnemonic in a pilot resident handoff bundle intervention study at the Children’s Hospital Boston that preceded the ongoing multicenter I-PASS study. Resident input was a key factor in this selection. Efforts were made to reinforce use of the mnemonic during the postintervention study period,

including regular faculty and chief resident observations and feedback regarding the verbal handoff process. However, we found that a majority of verbal handoffs did not adhere to the structure of the SIGNOUT mnemonic.

As part of the process for curriculum development for the I-PASS study, we reflected on the successes and challenges of SIGNOUT, and considered use of the mnemonic, IPASSTHEBATON from TeamSTEPPS.<sup>13</sup> Feedback from chief residents who had been involved in the pilot curriculum, however, expressed the need for a mnemonic that was shorter, easier to remember, and had discrete elements without overlap. They felt strongly that elements of the mnemonic needed to be fully integrated into computerized handoff tools.

Modeling the process used to design the original SBAR mnemonic, we (Drs Starmer, Spector, Landrigan, and Sectish) conducted a brainstorming session and identified the essential elements of a verbal handoff. We focused on elements that pilot study faculty observers noted were most commonly absent from resident handoffs (illness severity assessment, contingency planning, and read-back by the receiving resident) and incorporated best practices for verbal handoffs from our review of existing literature.

The results of this session led to the development of a novel mnemonic, I-PASS (Fig 1), which serves as the cornerstone for the resident handoff bundle that is currently being implemented and tested in the I-PASS study.

The I-PASS mnemonic provides a framework for the patient handoff process as follows:

- I: Illness severity
- P: Patient summary
- A: Action list
- S: Situation awareness and contingency planning
- S: Synthesis by receiver



<b>I</b>	Illness Severity	<ul style="list-style-type: none"> <li>Stable, "watcher," unstable</li> </ul>
<b>P</b>	Patient Summary	<ul style="list-style-type: none"> <li>Summary statement</li> <li>Events leading up to admission</li> <li>Hospital course</li> <li>Ongoing assessment</li> <li>Plan</li> </ul>
<b>A</b>	Action List	<ul style="list-style-type: none"> <li>To do list</li> <li>Time line and ownership</li> </ul>
<b>S</b>	Situation Awareness and Contingency Planning	<ul style="list-style-type: none"> <li>Know what's going on</li> <li>Plan for what might happen</li> </ul>
<b>S</b>	Synthesis by Receiver	<ul style="list-style-type: none"> <li>Receiver summarizes what was heard</li> <li>Asks questions</li> <li>Restates key action/to do items</li> </ul>

**FIGURE 1**  
Elements of the I-PASS mnemonic.

An example of a verbal I-PASS handoff communication is provided in Fig 2.

As we began implementing the I-PASS mnemonic, we received widespread interest in it from other providers in our study institutions, including physicians from other specialties and nurses. We believe that it can readily be adapted for use beyond pediatrics. Specifically, the patient summary element is easily adapted to include specific information elements that are key for each provider type.

**Conclusions**

The novel mnemonic, I-PASS, was developed from best handoff practices cited in the literature, resident feedback from a pilot study, and observations made by faculty of the handoff process. Structured communication, especially at the time of transitions in care, is essential to promote patient safety. The multisite I-PASS study will test the effectiveness of the resident handoff bundle, including the I-PASS mnemonic, on medical errors in 10 pediatric institutions. Lessons learned may apply to other settings where the opportunities to improve the handoff process remain a challenge.

**ACKNOWLEDGMENTS**

This project was supported with a grant from the US Department of Health and Human Services, Office of the Assistant Secretary for Planning and Evaluation, grant 1R18AE00023-01. Additionally Drs Landrigan and Srivastava are supported in part by the Child Health Corporation of America for their work on the PRIS Research Network Executive Council. Dr Starmer is supported in part by an institutional K12 award from Oregon Health and Science University

and the Agency for Health Care Research and Quality, grant 1K12HS019456-01. Developed with input from the IIPE and the PRIS Network.

IIPE is the Initiative for Innovation in Pediatric Education and is the entity that recognizes innovative educational proposals for pediatric residency training programs. More can be found on the Web site, [www.innovatepedsgme.org](http://www.innovatepedsgme.org).

PRIS is a collaborative hospitalist research network sponsored by the American Academy of Pediatrics, the Academic Pediatric Association, the Society of Hospital Medicine, and the Child Health Corporation of America. Details are available at <http://www.prisnetwork.org>.

Members of the I-PASS Study Group include coinvestigators from the following institutions as follows: Children's Hospital Boston (primary site): April D. Allen, MPA, MA, Angela Feraco, MD, Christopher P. Landrigan, MD, MPH, Theodore C. Sectish, MD; Brigham and Women's Hospital (data coordinating center): Carol Keohane, RN, Stuart Lipsitz, PhD, Jeffrey Rothschild, MD, MPH; Cincinnati Children's Hospital Medical Center: Javier Gonzalez del Rey, MD, Med, Jennifer O'Toole, MD, Lauren Solan,

<b>Sample Verbal Handoff</b>		
<b>I</b>	Illness Severity	OK, this is our sickest patient, and he's full code.
<b>P</b>	Patient Summary	AJ is a 4-year-old boy with a history of ex 26-week gestation admitted with hypoxia and respiratory distress secondary to a left lower lobe pneumonia. He presented with cough and high fevers for 2 days before admission, and on the day he presented to the emergency department he had worsening respiratory distress. In the emergency department, he was found to have an Na of 130, likely secondary to volume depletion versus syndrome of inappropriate secretion of antidiuretic hormone. He received a fluid bolus and was started on O <sub>2</sub> at 2.5 L. He is on Ceftriaxone.
<b>A</b>	Action List	Please look in on him at approximately midnight and make sure his vitals are unchanged and his oxygen saturation is stable. Check to determine if his blood culture is positive tonight.
<b>S</b>	Situation Awareness and Contingency Planning	If his respiratory status worsens, please get another chest radiograph to determine if he is developing an effusion.
<b>S</b>	Synthesis by Receiver	OK, so AJ is a 4-year-old ex-premie admitted with hypoxia and respiratory distress secondary to a left lower lobe pneumonia on Ceftriaxone, O <sub>2</sub> , and fluids. You want me to check on him at midnight to make sure he's stable and check his blood culture. If his respiratory status worsens, I will repeat a radiograph to look for an effusion. I think I have it.

**FIGURE 2**  
Example of a verbal handoff by using the I-PASS mnemonic.

MD; Doernbecher Children's Hospital/Oregon Health and Science University: Megan Aylor, MD, Gregory Blaschke, MD, MPH, Cynthia L. Ferrell, MD, MEd, Benjamin D. Hoffman, MD, Amy J. Starmer, MD, MPH, Windy Stevenson, MD, Tamara Wagner, MD; Hospital for Sick Children/University of Toronto: Zia Bismilla, MD, Maitreya Coffey, MD, Sanjay Mahant, MD, MSc, Anne Matlow, MD; Lucile Packard Children's Hospital/Stanford University: Lauren Destino, MD, Jennifer Everhart, MD, Madelyn Kahana, MD, Shilpa J. Patel, MD; National Capital Consortium: Jennifer Hepps, MD, Joseph O. Lopreiato, MD, MPH, Clifton E. Yu, MD; Primary Children's Medical Center/Intermountain Health Care: James F. Bale, Jr., MD, Rajendu Srivastava, MD, MPH, Adam Stevenson, MD; St. Louis Children's Hospital/Washington University: Kathleen Berchemann, MD, F. Sessions Cole, MD, Christine Hrach, MD, Kyle S. Schulz, MD, Michael Turmelle, MD, Andrew White, MD; St. Christopher's Hospital for Children: Sharon Calaman, MD, Bronwyn D. Carlson, MD, Matthew B. McDonald III, MD, Robert S. McGregor, MD, Vahideh Nilforoshan, MD, Nancy D. Spector, MD; and University of California, San

Francisco, Benioff Children's Hospital: Glenn Rosenbluth, MD, Daniel C. West, MD. Dorene Balmer, PhD, RD and Alan Schwartz, PhD, serve the I-PASS Study Group as part of the IPE Research Support Team. Karen M. Wilson, MD, MPH, serves the I-PASS Study Group as part of the PRIS advisory board.

## REFERENCES

1. Sectish TC, Starmer AJ, Landrigan CP, Spector ND; I-PASS Study Group. Establishing a multisite education and research project requires leadership, expertise, collaboration, and an important aim. *Pediatrics*. 2010;126(4):619–622
2. US Department of Health and Human Services, Agency for Healthcare Research and Quality. TeamSTEPPS home page. Available at: <http://teamstepps.ahrq.gov/>. Accessed September 29, 2011
3. The Joint Commission. Sentinel event statistics data: root causes by event type. Available at: [www.jointcommission.org/Sentinel\\_Event\\_Statistics/](http://www.jointcommission.org/Sentinel_Event_Statistics/). Accessed September 27, 2011
4. The Joint Commission. Improving hand-off communications: meeting national patient safety goal 2E. *Joint Commission Perspectives on Patient Safety*. 2006;6(8):9–15
5. Institute of Medicine. *To Err Is Human: Building a Safer Health System*. Washington, DC: National Academy Press; 1999
6. McKeon LM, Oswaks JD, Cunningham PD. Safeguarding patients: complexity science, high reliability organizations, and implications for team training in healthcare. *Clin Nurse Spec*. 2006;20(6):298–304, quiz 305–306
7. Denham CR. SBAR for patients. *J Patient Saf*. 2008;4(1):38–48
8. McFerran S, Nunes J, Pucci D, Zuniga A. Perinatal Patient Safety Project: a multi-center approach to improve performance reliability at Kaiser Permanente. *J Perinat Neonatal Nurs*. 2005;19(1):37–45
9. Haig KM, Sutton S, Whittington J. SBAR: a shared mental model for improving communication between clinicians. *Jt Comm J Qual Patient Saf*. 2006;32(3):167–175
10. Monroe M. SBAR: A structured human factors communication technique. *Health Beat*. Des Plaines, IL: American Society of Safety Engineers. Available at: [www.asse.org/practicespecialties/healthcare/docs/HealthBeat\\_Newsletter\\_Spring2006%20for%20Web.pdf](http://www.asse.org/practicespecialties/healthcare/docs/HealthBeat_Newsletter_Spring2006%20for%20Web.pdf). Accessed September 27, 2011
11. Riesenber LA, Leitzsch J, Little BW. Systematic review of handoff mnemonics literature. *Am J Med Qual*. 2009;24(3):196–204
12. Horwitz LI, Moin T, Green ML. Development and implementation of an oral sign-out skills curriculum. *J Gen Intern Med*. 2007;22(10):1470–1474
13. US Department of Health and Human Services, Agency for Healthcare Research and Quality. Pocket guide: TeamSTEPPS. Available at: [www.ahrq.gov/teamsteppstools/instructor/essentials/pocketguide.htm#passbaton](http://www.ahrq.gov/teamsteppstools/instructor/essentials/pocketguide.htm#passbaton). Accessed September 28, 2011

**FINANCIAL DISCLOSURE:** The authors have indicated they have no financial relationships relevant to this article to disclose.

## I-PASS, a Mnemonic to Standardize Verbal Handoffs

Amy J. Starmer, Nancy D. Spector, Rajendu Srivastava, April D. Allen, Christopher P. Landrigan, Theodore C. Sectish and the I-PASS Study Group

*Pediatrics* 2012;129;201

DOI: 10.1542/peds.2011-2966 originally published online January 9, 2012;

<b>Updated Information &amp; Services</b>	including high resolution figures, can be found at: <a href="http://pediatrics.aappublications.org/content/129/2/201">http://pediatrics.aappublications.org/content/129/2/201</a>
<b>References</b>	This article cites 8 articles, 1 of which you can access for free at: <a href="http://pediatrics.aappublications.org/content/129/2/201#BIBL">http://pediatrics.aappublications.org/content/129/2/201#BIBL</a>
<b>Subspecialty Collections</b>	This article, along with others on similar topics, appears in the following collection(s): <b>Administration/Practice Management</b> <a href="http://www.aappublications.org/cgi/collection/administration:practice_management_sub">http://www.aappublications.org/cgi/collection/administration:practice_management_sub</a>
<b>Permissions &amp; Licensing</b>	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: <a href="http://www.aappublications.org/site/misc/Permissions.xhtml">http://www.aappublications.org/site/misc/Permissions.xhtml</a>
<b>Reprints</b>	Information about ordering reprints can be found online: <a href="http://www.aappublications.org/site/misc/reprints.xhtml">http://www.aappublications.org/site/misc/reprints.xhtml</a>

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™



# PEDIATRICS®

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

## **I-PASS, a Mnemonic to Standardize Verbal Handoffs**

Amy J. Starmer, Nancy D. Spector, Rajendu Srivastava, April D. Allen, Christopher P. Landrigan, Theodore C. Sectish and the I-PASS Study Group

*Pediatrics* 2012;129;201

DOI: 10.1542/peds.2011-2966 originally published online January 9, 2012;

The online version of this article, along with updated information and services, is located on the World Wide Web at:

<http://pediatrics.aappublications.org/content/129/2/201>

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 141 Northwest Point Boulevard, Elk Grove Village, Illinois, 60007. Copyright © 2012 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 1073-0397.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™

